

AD _____

Award Number: DAMD17-01-1-0650

TITLE: Quantification of the Benefits of Pendant Mammography

PRINCIPAL INVESTIGATOR: Catherine W. Piccoli, M.D.

CONTRACTING ORGANIZATION: Thomas Jefferson University
Philadelphia, Pennsylvania 19107

REPORT DATE: October 2003

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20040311 092

REPORT DOCUMENTATION PAGEForm Approved
OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE October 2003	3. REPORT TYPE AND DATES COVERED Annual (20 Sep 02-19 Sep 03)	
4. TITLE AND SUBTITLE Quantification of the Benefits of Pendant Mammography			5. FUNDING NUMBERS DAMD17-01-1-0650	
6. AUTHOR(S) Catherine W. Piccoli, M.D.				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Thomas Jefferson University Philadelphia, Pennsylvania 19107 E-Mail: Catherine.Piccoli@jefferson.edu			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 Words) <p>High quality mammographic images enhance the radiologist's ability to interpret mammograms. Image quality is dependent upon adequate visualization and inclusion of tissue, adequate exposure, contrast and resolution; and proper compression. Meeting these criteria is essential to detection of cancer, since 73% of cancers are located in the peripheral or retroglandular fat. Pendant mammography, is a procedure whereby the patient leans forward 15 to 25 degrees during mammography, pulling the breast away from the body, and thereby increasing the amount of retroglandular breast tissue evident on a mammogram. We propose to test the benefits of pendent mammography by imaging 250 women by acquiring both conventional and pendent mammograms. We will then perform a quantitative analysis of the mammograms, to determine the effect of leaning on the amount of breast tissue imaged, the compression obtained, and the dose to the breast.</p> <p>There was a change of Principal Investigator when Dr. Andrew Maidment left Thomas Jefferson University Hospital for the University of Pennsylvania. After receiving IRB approval for the project, we began patient recruitment in August 2003. As of September 19, 2003 we have recruited 18 patients.</p>				
14. SUBJECT TERMS Breast Cancer, Mammography, Pendant Mammography			15. NUMBER OF PAGES 36	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

Table of Contents

Cover.....	1
SF 298.....	2
Table of Contents.....	3
Introduction.....	4
Body.....	5
Key Research Accomplishments.....	5
Reportable Outcomes.....	5
Conclusions.....	5
References.....	NA
Appendices.....	5

1. Introduction

High quality mammographic images enhance the radiologist's ability to interpret mammograms. Image quality is dependent upon adequate visualization and inclusion of tissue, adequate exposure, contrast and resolution; and proper compression. Meeting these criteria is essential to detection of cancer, since 73% of cancers are located in the peripheral or retroglandular fat. Pendant mammography, is a procedure whereby the patient leans forward 15 to 25 degrees during mammography. The thought is that gravity aids in pulling the breast away from the body, thereby increasing the amount of retroglandular breast tissue evident on a mammogram. Thus, pendant mammography should simplify positioning making adherence to these criteria simpler and more frequent, as well as allowing better and less painful compression. There have been no published studies to quantify the benefits of pendant mammography. We have anecdotal evidence that pendant mammography provides superior images of the breast by including more tissue near the chest wall. In routine clinical practice at Thomas Jefferson University Hospital (TJUH) we feel that 0.5 to 1.0 cm of additional breast tissue is seen when pendant. It is also more common to see the posterior margins of the glandular tissue when pendant. We propose to test the benefits of pendant mammography by imaging 250 women by acquiring both conventional and pendant mammograms. We will perform a quantitative analysis of the mammograms, to determine the effect of leaning on the amount of breast tissue imaged, the compression obtained, and the dose to the breast.

The work to date is reviewed in this annual report.

2. Body

2.1. Summary of Work Items

The following work items have been defined.

- 1) Develop a detailed clinical trial protocol, applicable forms, etc.
- 2) Enroll and image 250 women with both pendant and erect mammography
- 3) Perform a reader study of the resultant images
- 4) Perform a physical analysis of the resultant images
- 5) Perform a statistical analysis
- 6) Report results.

To date, we have completed item (1), and we have begun enrollment of patients [item (2)].

2.2. Discussion and Summary of Scientific Results

Enrollment of patients has begun. Analysis of results will commence once IRB approval has been obtained from the University of Pennsylvania and Thomas Jefferson University to subcontract computer analysis of the images to Dr. Andrew Maidment.

3. Key Research Accomplishments

The following is a list of key research accomplishments resulting from this work:

- Enrollment of patients has begun. Eighteen patients were enrolled as of September 19, 2003.

4. Reportable Outcomes

None

5. Conclusions

In conclusion, we propose to evaluate the benefits of pendant mammography. To date, the patient enrollment has begun. Analysis of the images is anticipated once IRB approval to subcontract the work is obtained.

6. Appendices

Appendix 1 - Research Protocol

Appendix 2 – Annual IRB Approval Letter and Consent Form

Appendix 1 - Research Protocol

PROTOCOL

TITLE: QUANTIFICATION OF THE BENEFITS OF PENDANT MAMMOGRAPHY

DATE: June 20, 2002

PRINCIPAL INVESTIGATOR: Catherine Piccoli, MD
Clinical Associate Professor
Department of Radiology
Thomas Jefferson University Hospital
1100 Walnut Street, Ground Floor
Philadelphia, PA 19107
Email address: catherine.piccoli@mail.tju.edu
Tel: 215-955-5330
Fax: 215-923-1562

KEY PERSONNEL:

Valerie Gilliam, MD
Clinical Assistant Professor of Radiology
Department of Radiology
Thomas Jefferson University Hospital

Annina Wilkes, MD
Clinical Associate Professor of Radiology
Department of Radiology
Thomas Jefferson University Hospital

Laurence Parker, PhD
Research Assistant Professor of Radiology
Department of Radiology
Thomas Jefferson University Hospital

Andrew Maidment, MD
Department of Radiology
University of Pennsylvania

LOCATION OF STUDY:

Thomas Jefferson Breast Screening Center
909 Walnut Street, Ground Floor
Philadelphia, PA 19107

STUDY DURATION: 1 year project

CONFIDENTIALITY STATEMENT

This document is the confidential property of Thomas Jefferson University Hospital. No part of it may be transmitted, reproduced, published, or used by other persons without the permission of Thomas Jefferson University Hospital.

TABLE OF CONTENTS

	<u>PAGE</u>
SYNOPSIS	3
1. INTRODUCTION	6
1.1 Background	6
1.2 Rationale	7
2. TRIAL OBJECTIVES	7
3 TRIAL DESIGN	8
3.1 Trial Duration	8
4. TRIAL POPULATION	9
4.1 Inclusion Criteria	9
4.2 Exclusion Criteria	9
5 TRIAL PROCEDURES	10
5.1 Subject Recruitment and Assessment	10
5.2 Mammographic Imaging	11
5.3 Efficacy Assessments	12
5.4 Risks/Benefits Assessment	15
5.4.1 Adverse Experiences	16
5.5 Discontinuation of Subjects	17
6 DATA MANAGEMENT AND STATISTICAL ANALYSES	19
6.1 Data Management	19
6.2 Statistical Analyses	19
6.2.1 Hypothesis	19
6.2.2 Analysis of Results	20
6.2.3. Efficacy Measures	20
6.2.4 Sample Size Calculation	21
Appendix A. Investigator Obligations.....	22
Appendix B. Case Report Forms.....	24
Appendix C: CVs	30

SYNOPSIS

Protocol Title: Quantification of the Benefits of Pendant Mammography

Trial Objectives: The primary objective of this trial is to:

- Demonstrate that pendant mammography results in improved diagnostic mammographic images

The specific aims of this trial are to:

- Compare the amount of breast tissue imaged in standard erect mammographic images and pendant mammographic images
- Compare the amount of compression required for standard erect mammographic images and pendant mammographic images
- Compare the dose of radiation the patient is exposed to during erect mammography and pendant mammography

Trial Design: This is an open-label, non-randomized trial that will be conducted at Thomas Jefferson University Hospital. All subjects will receive a both a clinically indicated standard erect screening mammogram and a research pendant mammogram.

Trial Population: This trial will consist of 250 adult (35 years of age or older) female subjects scheduled for an asymptomatic mammographic examination.

Trial Procedures: Subjects eligible for trial enrollment will be informed about the trial by a study investigator. Those subjects who agree to participate, and prove eligible (Form B) will sign an informed consent.

A study investigator will record demographics information (Forms A&C) on each patient prior to the clinical and study procedure.

All enrolled subjects will undergo a clinically indicated asymptomatic erect screening mammogram followed by a research pendant mammogram utilizing a clinical mammography imaging system that is capable of pendant mammography. Both the erect clinical examination and the pendant examination will consist of both CC and MLO views of both breasts.

During the pendant mammogram the mammographic platform of the standard mammographic unit will be tilted. The pendant mammogram will be identical to the standard clinical mammogram, yet the mammographic platform will be tilted downwards, away from the subject's body, and the woman will be asked to lean forward. The combined erect and pendant examinations will take approximately 30 minutes.

Statistical Methodology: Quantitative values to assess the amount of breast tissue imaged will be computed by software that will evaluate the digitized standard and pendant mammograms. In addition, kVp (applied voltage to the x-ray tube), mAs (current to the x-ray tube), compressed breast thickness, compression force, tilt angle and rotation angle will be recorded. Mean glandular dose will be estimated from the kVp, mAs and the physical characteristics of the x-ray unit.

Subjective analysis by three radiologists will be performed to assess technical quality according to the criteria of ACR mammographic accreditation (e.g., motion, sharpness, contrast, etc.). The repeat rate for the two approaches will also be calculated according to standard ACR methodology.

All subjects who receive a standard, clinically indicated erect screening mammogram and a research

pendant mammogram will be included in the efficacy analyses.

The data will be analyzed statistically to determine whether in the pendent images: (H_1) more breast tissue is visible; (H_2) the breast is better compressed; and (H_3) the dose of radiation is lower. The statistical tests to be used will depend upon the distribution of the data being analyzed. It is likely that we will use one of the student's t-test, the Kolmogorov-Smirnov test, or the Wilcoxon-Mann-Whitney test for the comparison of two populations. Pairwise testing of pendent and non-pendent images is planned for the clinical image quality evaluation. Given the size of the population and the expected size of the effect, it is likely that we will demonstrate that a statistically significant increase in breast tissue is seen in pendent mammography.

1. INTRODUCTION

High quality mammographic images enhance a radiologist's ability to interpret mammograms. Important factors in ensuring optimal image quality include: 1) adequate visualization of areas of clinical or radiographic concern; 2) optimal amount of tissue inclusion; 3) adequate exposure; 4) high contrast; 5) high resolution; and 6) proper compression. Also, with 73% of breast cancers located in peripheral or retroglandular fat, adequate visualization of these areas, as well as having high quality images, are of the utmost importance.

Proper positioning of the breast during imaging ensures optimal images of the entire breast. One potential technique to optimize positioning, and therefore enhance image quality, is a positioning technique called pendant mammography.

1.1 Background

Pendant mammography is a procedure in which the mammography platform is angled to allow the patient to lean forward 15-25 degrees during the mammographic imaging. By leaning slightly forward, gravity aids in pulling the breast away from the body increasing the amount of breast tissue imaged on the mammogram. Because the breast is in a more anatomically natural position, it is thought that compression of the tissue will be greater and the pain to the patient will be less. Modern mammography units automatically calculate the radiation dose to the breast based on the amount of compression, with a more compressed breast requiring less radiation for optimal images. Therefore, pendant mammography may result in less radiation to the patient while obtaining higher quality images.

1.2 Rationale

Although pendant mammography is a technique that is currently used in clinical practice, there have been no published studies to quantify the benefits of the technique. From our clinical experience at Jefferson's Breast Imaging Center, we have anecdotal evidence that pendant mammography provides superior images of the breast by including an additional 0.5-1.0 cm of breast tissue near the chest wall on mammographic images. A prospective trial of patients who receive both standard and pendant mammography will provide the data to determine the benefits of the pendant technique, and potentially improve patient care.

2. TRIAL OBJECTIVES

The primary objective of this trial is to:

- Demonstrate that pendant mammography results in improved diagnostic mammographic images

The specific aims of this trial are to:

- Compare the amount of breast tissue imaged in standard erect mammographic images and pendant mammographic images
- Compare the amount of compression required for standard erect mammographic images and pendant mammographic images
- Compare the dose of radiation the patient is exposed to during erect mammography and pendant mammography

3. TRIAL DESIGN

This is an open-label, non-randomized trial that will be conducted at Thomas Jefferson University Hospital. All subjects will receive a both a clinically indicated standard erect screening mammogram and a research pendant mammogram.

Demographics (Forms A&C) will be recorded on each patient prior to the clinical and study procedure, by a study investigator.

3.1 Trial Duration

Individual participation in this trial will be limited to two mammographic imaging studies (clinically indicated standard erect examination and pendant examination) acquired on the same day. Each examination will require approximately 15 minutes for a total of 30 minutes.

Subject recruitment is expected to last 10 months (months 1-10), image analysis (months 1-11), database entry for image analysis (months 1-12), and analysis and publication of imaging results (month 12). Since this study involves less than minimal risk, Volunteer Registry Database forms do not need to be completed.

4. TRIAL POPULATION

This trial will consist of 250 adult (35 years of age or older) female subjects scheduled for an asymptomatic mammographic examination. For recruitment, a study investigator will discuss the study with patients that present for an asymptomatic screening mammogram at Jefferson's Breast Imaging Center. The patient will be given time to consider whether they are interested in participating in the study.

4.1 Inclusion Criteria

All subjects accepted for this trial must:

- Subject must give written informed consent
- Be willing and able to continue study participation
- Be a female at least 35 years of age on the day informed consent is obtained
- Be scheduled for an asymptomatic screening mammogram

4.2 Exclusion Criteria

Subjects with any of the following conditions or who have had the following procedures will be excluded from this trial:

- Subject is pregnant (testing procedure described below)
- The subject has breast implants
- The subject has had breast surgery or radiation therapy in the last 5 years
- The subject is currently nursing or ceased nursing in the last 6 months
- The subject has large breasts that would require her to have more than 4 films per breast

Subject identification will be maintained with a study specific alphanumeric code including the patient number (001-250) and the patients initials. The information, and the information on Form A will be entered into a confidential patient database. These are the only data in this database. The contents of this database will only be accessible to Dr. Piccoli, the principle investigator. These records (Form A) will be stored separately in a secure location.

5. TRIAL PROCEDURES

5.1 Subject Recruitment and Assessment

Women will be recruited from those scheduled for a screening mammogram at the Thomas Jefferson University Hospital Breast Screening Center, 909 Walnut Street, Philadelphia, PA. That site has a Bennett Contour mammography system capable of pendant mammography.

Women scheduled for screening mammography have been triaged by a trained telephone operator as part of the standard clinical scheduling process. The women are generally asked if "they have experienced any problems with their breasts?" Typical problems include focal breast pain, a palpable mass, skin changes (thickening, puckering or redness), or nipple discharge. Any women experiencing such problems will be scheduled for a diagnostic mammogram at the Thomas Jefferson University Hospital Breast Imaging Center, 1100 Walnut Street, Philadelphia, PA. Typically, women who are pregnant or lactating, or who have had a recent history of breast surgery or breast cancer, or who have breast implants will also be scheduled for diagnostic, rather than screening mammography. Only asymptomatic women are thus scheduled for screening mammograms.

Women will be approached at the time they are registered on-site for their screening mammogram. They will be asked to participate in the study by study investigator. The investigator will determine the initial interest of the patient. Upon expression of initial verbal interest in the study, the patient will be taken to a private area to fully discuss the study and obtain written informed consent.

After informed consent, Forms A, B, and C will be completed by the research coordinator, with the assistance of the subject. The patient will then be given a urine pregnancy test, if the patient is not menopausal (defined as being amenstrual for at least 1 year) or if the patient is not sterile (e.g., having had a tubal ligation). If the pregnancy test is negative, and the other eligibility criteria are met, then the

patient will be enrolled in the study. Otherwise, enrollment will be discontinued (Form X). The subject may also choose to discontinue participation in the study at any time (Form X).

The patient will then be allowed to gown (in private) and will then be escorted to the mammography room for the clinical and experimental procedures.

5.2 Mammographic Imaging

Mammographic examinations will be performed by a licensed, MQSA-qualified mammographic technologist. Procedures and equipment for this trial will be used in accordance with typical clinical procedures. All trial procedures will be conducted in accordance with Good Clinical Practice.

All enrolled subjects will undergo a clinically indicated asymptomatic screening mammogram and a research pendant mammogram utilizing a Bennett Contour Plus clinical mammography system that is capable of pendant mammography. The order of the mammograms will be randomly assigned. During the pendant mammogram the mammographic platform of the standard mammographic will be tilted. The pendant mammogram will be identical to the standard clinical mammogram, yet the mammographic platform will be tilted downwards, away from the subject's body, and the woman will be asked to lean forward. The pendant examination will take approximately 15 minutes.

The technologist will complete Form E, indicating the number of films, and the number of repeats (if any). A complete study would consist of an MLO and CC film of each breast in both the erect and pendant position. The complete study will consist of 8 films for women with two breasts, and four films for women with one breast.

The technologist will then invite the subject to dress, and the subject is then free to leave.

The radiologist interpreting the subjects films will have access to all films (pendant and erect) while reporting the clinical mammography study. If the radiologist observes any abnormality on any film (erect or pendant), they will recall the patient for additional diagnostic mammography, as is already practiced clinically today. It is important to realize that women are routinely imaged with either pendant or erect mammography every day at the TJUH Breast Imaging and Breast Screening Centers. However, there has not previously been a quantitative comparison of the benefits of the two approaches. Thus, with the exception that more views of each breast have been taken, no additional clinical interdiction is expected.

5.3 Efficacy Assessments

The erect and pendant studies will be reviewed retrospectively by three radiologists to determine the clinical benefits of the pendant mammography. This evaluation will involve a direct comparison of the erect and pendant mammograms for the same patient. The erect and pendant studies will be hung on an 8-panel viewbox with either the erect or pendant study randomly assigned to the upper panels. The radiologists will be blinded to the patient position and patient information, by applying black tape to the identification region of each film. The films of each method will be randomly assigned a letter A or B. The radiologists will be asked to state their preference for each film in terms of the ACR criteria for clinical technical quality, namely:

- 1) Compression
- 2) Exposure
- 3) Contrast
- 4) Sharpness, and
- 5) Noise.

The radiologists will also be asked which method (A or B) produces the best overall image quality for the study, and the best depiction of the clinical content. These data will be recorded on Form D.

All films will be digitization after the clinical mammographic interpretation, and prior to the clinical image quality determination. A research technician will take the studies, digitize the films, and return the films to the research film archive. The name and other clinical information optically printed on the films of each subject will be obscured prior to digitization. The digital image files will be named according to the subject number, projection and acquisition mode (pendant/erect). These data will be archived into two redundant data sets for security.

The study technician will also be responsible for transcribing the mammographic acquisition parameters into the research database, at or about the time of digitization.

Computer software will be written to analyze the images. The software will be developed to analysis the images in terms of: 1) shortest distance from nipple to chest wall edge of film (CC); 2) distance from nipple to chest wall (orthogonal to pectoral muscle – MLO); 3) length of axillary tail (MLO); 4) area of breast in the image; 5) area of the glandular tissue in the image; and 6) area of the pectoral muscle in the image. These data will be added to the research database automatically, using the subject number, projection and acquisition mode as indices into the database.

Two databases will be constructed, a subject database and a research database. The research technician will enter all of the data.

The subject database will contain the information recorded on Form A. The completed forms will be stored separately from the other records for this trial. These forms will be stored in a secure location. The subject database will only contain the patient name, medical record number, subject initials, and subject number. Dr. Piccoli will have sole access to the subject database and completed copies of Form

A. In all other records, only the subject initials and number will be used as a redundant identifier of the subject.

The research database will contain all other information on the subjects, including subject status (active/withdrawn). The database will encode all of the information on Forms B-E and X. In addition, the following will be extracted by the research technician from the optically encoded information on each film.

- 1) kVp
- 2) mAs
- 3) Compressed Thickness
- 4) Compression Force
- 5) Tilt Angle
- 6) Rotation Angle

The mean glandular dose will be computed from 1, 2, and 3.

5.4 Risks/Benefits Assessment.

Risks for the study are minimal. Each of the patients' breasts will be compressed during the pendant mammography exam, just as they are during the clinically indicated standard mammography exam. The patients will be exposed to additional radiation from the pendant exam totaling 0.25 mSv. The proposed procedure poses no apparent additional risk to the subject greater than from a standard diagnostic imaging study or than encountered by natural background. Typical effective dose values for various medical procedures, background and dose limits for an occupational worker are provided below for reference. The patient will receive 0.25 mSv of radiation from the clinical screening mammogram that her doctor has ordered, and an additional 0.25 mSv from the pendant mammogram performed as part of this research study. Therefore, the total amount of radiation that the subject will be exposed to will be 0.50 mSv. The mammography machines are routinely calibrated and evaluated to ensure that the amount of radiation the subject are exposed to is within the federal guidelines.

Radiation Source	Typical Effective Dose (mSv)
Chest X-ray PA projection ¹	0.02
Abdomen X-ray AP projection ¹	0.7
CT of the head ¹	2
Natural background per year	3
Nuclear Medicine Bone Scan	6
Barium enema study ¹	7
CT of the pelvis ¹	10
Annual limit for an occupational worker, e.g. X-ray technologist	50

Source: 1) Br J Radiol, 70(833), 437-439 (1997).

The only other risk associated with this study is the risk of breach of confidentiality. To minimize against these risks, all records will be kept confidential.

Possible benefits from this study for the patient would be if the pendant mammogram images additional tissue that is not imaged on the standard mammogram. There may be a benefit to society in general if it is determined that pendant mammography images more breast tissue, better compresses the breast, and lowers the radiation dose to the patient.

To minimize and/or eliminate the risk of breach of confidentiality, patient confidentiality will be maintained at all times. All records will be identified by a study specific code and personal identifiers and linkage to study identification numbers will be maintained separately in locked file cabinets to which only limited research staff will have access. No individual subject will be identified by name in any reports from the study.

The risk benefit ratio is low. Based on the available safety data and the anticipated radiation dose levels that will be used in this study, safety concerns are minimal. In a relatively healthy outpatient population referred for asymptomatic screening mammograms we do not expect any adverse events.

5.4.1 Adverse Experiences

Adverse experiences that are both serious and unexpected will be immediately reported by telephone to the USAMRMC Deputy Chief of Staff for Regulatory Compliance and Quality (301-619-2165) and send information by facsimile to 301-619-7803). A written report will follow the initial telephone call within 3 working days. The written report will include the investigator's evaluation of the relationship of the adverse event to the subject's participation in the study, identification of the individual who completed the report, and the signature, printed name and identity (investigator, study physician, etc.) of the individual who is providing the information.

The written report will be addressed to the U.S. Army Medical Research and Materiel Command, ATTN: MCMR-RCQ, 504 Scott Street, Fort Detrick, Maryland 21702-5012. A follow-up report describing the resolution of the adverse event need to be provided.

The written report for any SAEs that occur during the study, whether or not related to the research procedures must be submitted immediately (within 24 hours) to the University's Institutional Review Board.

A copy of the SAE should be retained on file with the respective subject's data forms.

5.5 Discontinuation of Subjects

Subjects will be free to discontinue trial participation at any time. The investigator will also discontinue any subject from the trial if, in the investigator's opinion, it is not safe for the subject to continue. The date the subject is withdrawn from a treatment and/or from the trial and the reason for discontinuation will be recorded on the CRF (Form X).

Trial participation will be considered completed if the subject has met all of the following trial requirements:

- Has undergone the standard screening mammogram as part of the clinical care
- Has undergone the pendant mammogram as part of the clinical care

If a subject's participation in the trial is interrupted for any reason (e.g., because of an AE or machine failure) and the subject has met the criteria described above for completing the trial, the subject's trial participation will be considered completed. If a subject's trial participation is interrupted for any reason by the subject's or investigator's choice and the subject has not met all of the criteria listed above, then the subject will be considered a discontinued subject.

6. DATA MANAGEMENT AND STATISTICAL ANALYSES

6.1 Data Management

Data forms will be completed for all subjects enrolled in the trial. The patient study files will be stored in a secure file cabinet and maintained by the research study personnel. Form A will be maintained separately, and will only be assessable to the principle investigator. Patient study files will be kept for 7 years after the completion of the study.

The final data will be entered into two databases, a confidential subject database, and a research database. Only the subject database will contain confidential information. The research database will not contain information directly linkable to a specific women, without knowledge of the information contained in the subject database. The principle investigator will be responsible for management of the databases. The databases will be maintained within separate, organized and secure directory systems.

6.2 Statistical Analyses

The primary objective of this study is to demonstrate that pendant mammography results in improved diagnostic mammographic images.

6.2.1 Hypotheses:

H₁: Mammograms acquired in a pendent position result in significantly more breast tissue being imaged than conventional mammograms acquired with the patient erect.

H₂: Mammograms acquired in a pendent position result in better compression of breast tissue than conventional mammograms acquired with the patient erect.

H₃: Mammograms acquired in a pendent position result in a smaller dose of radiation to the patient that that required for conventional mammograms acquired with the patient erect.

6.2.2 Analysis of Results

The data will be analyzed statistically to determine whether in the pendent images: (H₁) more breast tissue is visible; (H₂) the breast is better compressed; and (H₃) the dose of radiation is lower. The statistical tests to be used will depend upon the distribution of the data being analyzed. It is likely that we will use one of the student's t-test, the Kolmogorov-Smirnov test, or the Wilcoxon-Mann-Whitney test for the comparison of two populations. Pairwise testing of pendent and non-pendent images is planned for the clinical image quality evaluation. Given the size of the population and the expected size of the effect, it is likely that we will demonstrate that a statistically significant increase in breast tissue is seen in pendent mammography.

6.2.3 Efficacy Measures

Quantitative values to assess the amount of breast tissue imaged will be computed by software that will evaluate the digitized standard and pendent mammograms. In addition, kVp (applied voltage to the x-ray tube), mAs (current to the x-ray tube), compressed breast thickness, compression force, tilt angle and rotation angle will be recorded. Mean glandular dose will be estimated from the kVp, mAs and the physical characteristics of the x-ray unit.

Subjective analysis by three radiologists will be performed to assess technical quality according to the criteria of ACR mammographic accreditation (e.g., motion, sharpness, contrast, etc.). The repeat rate for the two approaches will also be calculated according to standard ACR methodology.

6.2.4 Sample Size Calculation

A sample size calculation for is based upon a desired power ($1 - \beta$) of 0.88 and an alpha error of 0.05.

APPENDIX A - INVESTIGATOR OBLIGATIONS

A. Institutional Review Board (IRB) and Human Subjects Research Review Board (HSRRB) Review/Approval

The protocol and informed consent for this study, including advertisements used to recruit participants, must be reviewed and approved by an appropriate IRB and HSRRB prior to enrollment of participants in the study. It is the responsibility of the investigator to assure that all aspects of the ethical review are conducted in accordance with FDA Regulations 21 CFR Part 56. A letter documenting the IRB and HSRRB approval which specifically identifies the study/protocol must be obtained by the investigator prior to initiation of the study. Amendments to the protocol will be subject to the same requirements as the original protocol. The HSRRB must review and approve each modification to the study prior to implementation.

A progress report with a request for re-evaluation and reapproval will be submitted by the investigator to the IRB and HSRRB at intervals required by the IRB, and not less than annually.

After completion or termination of the study, the investigator will submit a final report to the IRB. This report should include: deviations from the protocol, the number and types of participants evaluated, the number of participants who discontinued (with reasons), results of the study, if known, and all AEs, including deaths.

B. Informed Consent

Signed, written informed consent which conforms to FDA Regulation 21 CFR Part 50, must be obtained from each participant prior to entering the study. Each participant will be provided a written consent form and verbal information in an understandable manner which describes the nature and duration of the study. A study investigator will conduct the informed consent interview in a private examination room. The potential subject will be allowed to discuss the study with a study investigator or any persons who may have accompanied the potential subject. Additionally, the participant must be allowed adequate time to consider the potential risks and benefits associated with his participation in the study. A witness must also sign, date, and initial the consent form. Two copies of the consent form should be completed so that the subject can get an original copy and a copy can be kept for the investigator's study records.

C. Data Reporting and Data Forms

Data reflecting participant's experiences with the study will be recorded on CRFs by the investigator.

D. Records Retention

All records pertaining to the conduct of the clinical study, including CRFs, informed consent forms, source documents, and other study documentation must be retained for seven years after the end of the study.

Other study documentation includes all protocols and amendments, IRB correspondence and approvals, signed consent forms, a blank copy of study consent forms, Form 1572, curriculum vitae or biosketches

of members of the research team, HSRRB correspondence and approval, and Statement of Investigator forms.

Source documents include all original records of observations, results, and activities necessary to reconstruct and evaluate the study. Source documents include but are not limited mammographic films, and any other records or reports of procedures performed during the study. Source documents also may include copies of the CRF when original information is recorded directly onto these forms.

Whenever possible, an original recording of an observation should be retained as the source document. However, a photocopy of a record is acceptable provided it is legible and is a verified copy of the original document.

E. Deviation from the Protocol

The investigator will not deviate from the protocol without prior written approval from the IRB and the HSRRB. In medical emergencies, the investigator will use medical judgment and remove the participant from immediate hazard. The HSRRB and the IRB will be notified regarding the type of emergency and course of action taken. Any other changes to or deviations from the protocol will be made as an amendment to the protocol. The amendment must be submitted for review and approval to the local IRB and the HSRRB for review and approval.

F. Roles and Responsibilities of Study Personnel

Catherine Piccoli, M.D., Clinical Associate Professor of Radiology will serve as Principal Investigator on this grant. She will be responsible for the scientific goals of the project. Dr. Piccoli will oversee the project in its entirety (including data entry and statistical analysis), assist in patient recruitment, perform the subjective imaging analysis, and prepare any manuscript(s) resulting from this grant.

Annina Wilkes, M.D., Assistant Professor of Radiology, will assist in patient recruitment and perform the subjective imaging analysis.

Valerie Gilliam, M.D., Assistant Professor of Radiology, will assist in patient recruitment and perform the subjective imaging analysis.

Laurence Parker, Ph.D., Research Assistant Professor of Radiology will serve as the study statistician. Dr. Parker will complete the statistical analysis in month 12.

Dr. Maidment will develop the analysis software and oversee the digitizing of the mammograms, data entry and statistical analyses.

Signature of PI: _____
Catherine Piccoli, MD

Appendix 2 – Annual IRB Approval Letter and Consent Form



Thomas
Jefferson
University

Office of Scientific Affairs
Division of Human Subjects Protection
Institutional Review Board

1015 Chestnut Street
Suite 1100
Philadelphia, PA 19107-6799

215-503-8966
Fax: 215-503-3843

April 2, 2003

Catherine Piccoli, M.D.
Radiology
8th Floor Main

Dear Dr. Piccoli

The **Institutional Review Board (IRB)** has reviewed the involvement of humans as research subjects in your study entitled:

"Quantification of the Benefits of Pendant Mammography" (DOD) Control #01.1159

In accordance with **Federal Wide Assurance (FWA)#00002109** of the U.S. Department of Health and Human Services and per 45 CFR 46.110, expedited category list (November 1998), item (4, this **continuing review** was **approved** on **3/13/03** by Board #153 following:

EXPEDITED (X) (Continuing Review/Annual) FULL () BOARD Review

THIS APPROVAL REQUIRES THAT INFORMED CONSENT BE OBTAINED FROM ALL PERSONS PRIOR TO THEIR INVOLVEMENT IN THE STUDY BY USE OF THE LATEST, APPROVED, STAMPED CONSENT FORM.

Each subject must receive a copy of the stamped, signed consent form.

This approval expires on **3/12/04**; one year from the approval date specified above, unless suspended or terminated earlier by action of the IRB. At the end of the current approval, a report (Form OSA-9) must be submitted to the IRB summarizing progress on the study during that period.

If you wish to continue the study beyond the expiration of this approval, an application for continuation of your study must be submitted to the IRB at least one month prior to the expiration date.

Any injury and/or unanticipated problem involving risks to the human research subjects not included in the written consent form must be reported promptly to the IRB using Form OSA-10 OFF-SITE or OSA-10 ON-SITE. This report should describe the event, evaluate its probable relationship to the experimental treatment received by the subject, and summarize the resulting outcome of the event.

Any proposed change in the protocol or in the written consent form must be submitted with Form OSA-12 to the IRB for review and approval before the proposed change can be implemented.

This approval verifies that the IRB operates in accordance with applicable ICH, federal, local and institutional regulations.

Sincerely yours,

George F. Kalf, Ph.D., CIP
Director, Division of Human Subjects Protection
Associate Dean for Scientific Affairs

GFK/ns

Thomas Jefferson University
Informed Consent Document for Human Subjects Research

Department: Radiology

Principal Investigator: Catherine Piccoli, MD Telephone: 215-955-5330

Valerie Gilliam, MD Telephone: 215-955-5409 Annina Wilkes, MD Telephone: 215-955-2788

Medical Title: Quantification of the Benefits of Pendant Mammography

Lay Title: A study to see if leaning forward during a mammogram gives better mammogram images than the standard mammogram

What Is an Informed Consent?

You are being asked to take part in a clinical research study. Before you can make an informed decision whether to participate, you should understand the possible risks and benefits associated with this study. This process is known as *informed consent* and means that you will:

- Receive detailed information about this research study;
- Be asked to read, sign and date this informed consent, once you understand the study and wish to participate. If you don't understand something about the study or if you have questions, please be sure to ask for an explanation before you sign this form.
- Be given a copy of this signed and dated form to keep for your own records.

Be aware that your relationship with the research physician bears certain differences from your relationship with your personal physician. Your personal physician individualizes the treatment of your specific problem with the expectation of a benefit to you. The research physician treats all subjects under a specific protocol to obtain generalizable knowledge and on the premise that you may or may not benefit from your participation in the study. Be sure to ask questions of the study physician if you want further clarification of this relationship.

Introduction and Study Purpose

Standard clinical mammograms are performed with a women's breast lying flat on the mammography platform which compresses the breast. Pendant mammography is a technique in that the platform is tilted down away from the patient's body and the women leans forward during the mammogram examination. It is thought that during pendant mammography more breast tissue is imaged, the breast does not need to be compressed as much, and therefore there exposes the patient to a smaller dose of radiation. The purpose of this study is to determine whether pendant mammography images more breast tissue, compresses the tissue less, and gives a smaller dose of radiation than the standard clinical mammography examination.

Procedures/Treatment

As a patient of Thomas Jefferson University's Breast Imaging Center, who has been scheduled to receive a screening mammogram, you have been asked to participate in this study as one of 250 participants in this study at Thomas Jefferson University Hospital. Every participant in the study will have the standard clinical mammogram that they were scheduled to receive, as well as a pendant mammogram. The order that you receive the mammograms will be assigned randomly (like the flip of a coin). The pendant mammography exam will seem nearly identical to standard mammography exam except you will lean forward during the pendant mammogram. The same trained technologist will perform both mammograms. The pendant exam will take approximately 15

Subject Initials: _____ Witness Initials: _____
 (Date) _____ (Date) _____

Do Not Write Below This Line

For IRB Stamping

Thomas Jefferson University
Institutional Review Board

Approval Date 3/13/03

Annual Review Due 1/2/04

Consent Form Not Valid After 3/12/04

additional minutes. You will not be allowed to participate in the study if the size of your breasts requires that you have more than the standard number of films per breast (4 films per breast).

The images from the standard clinical mammogram and the pendant mammogram will be compared for the amount of tissue imaged, the amount of compression used during the exam, and the amount of radiation used. A trained mammographer will read both sets of mages.

You and your primary doctor will be informed if a suspicious finding appears on either the standard or pendant mammographic examination. This may require additional follow-up including exams, biopsies, or other tests. In order to be able to notify you and your doctor of any suspicious findings on the pendant mammogram, your medical record number will be collected and entered into our secure database, which will be accessible only to the investigators in this study.

Risks/Discomforts

Each of your breasts will be compressed during the pendant mammography exam, just as they are during a standard mammography exam. In addition, as with your standard mammography examination, your breasts will receive a small amount of radiation. The total amount of additional radiation you will receive is 0.25 mSv. The proposed procedure poses no apparent additional risk greater than from a screening mammogram or than encountered by natural background. Typical effective dose values for various medical procedures, background and dose limits for an occupational worker are provided below for reference. You will receive 0.25 mSv of radiation from the clinical screening mammogram that your doctor has ordered you to receive, and an additional 0.25 mSv from the pendant mammogram performed as part of this research study. Therefore, the total amount of radiation that you will be exposed to will be 0.50 mSv. The mammography machines are routinely calibrated and evaluated to ensure that the amount of radiation you are exposed to is within the federal guidelines.

Radiation Source	Typical Effective Dose (mSv)
Chest X-ray PA projection ¹	0.02
Abdomen X-ray AP projection ¹	0.7
CT of the head ¹	2
Natural background per year	3
Nuclear Medicine Bone Scan	6
Barium enema study ¹	7
CT of the pelvis ¹	10
Annual limit for an occupational worker, e.g. X-ray technologist	50

Source: 1) Br J Radiol, 70(833), 437-439 (1997).

The only other risk associated with this study is the risk of breach of confidentiality. To minimize against these risks, all records will be kept confidential.

Pregnancy Statement

X-ray imaging has not been shown to be safe in women who are pregnant and it may cause harm to a fetus that is currently unforeseeable. If you are a woman of childbearing potential, you will have a pregnancy test before making a decision about participating in this study. This requires that you provide a urine sample prior to the start of the study procedures. The results of this pregnancy test will be made available to you prior to the initiation of this study. You must have a negative urine pregnancy test prior to participating in this study. Presently, you are not pregnant. If you are pregnant, you will not be able to participate in this study.

Subject Initials: _____
(Date) _____

Witness Initials: _____
(Date) _____

Alternative Treatments

Your alternative is not to participate in this study and have only the standard screening mammogram that you have been scheduled to receive.

Your doctor can provide detailed information about the study procedures. You have been told that you should feel free to discuss these procedures with your study physician.

Confidentiality

You have rights regarding the privacy of your medical information collected prior to and in the course of this research. This medical information, called "protected health information" (PHI), includes demographic information (e.g., your name, address, etc.), certain aspects of your medical history, the results of physical exams, blood tests, x-rays and other diagnostic and medical procedures conducted in the course of the research. You have the right to limit the use and sharing of your PHI, and you have the right to see your research study records and know who else is seeing them.

By signing this consent form, you are allowing the research team to have access to your PHI. The research team includes the investigators listed on this consent form and other personnel involved in this specific study. Your PHI will also be shared, as necessary, with the University's Division of Human Subjects Protections, the Institutional Review Board (a University committee that reviews, approves and monitors research involving human subjects) and with any person or agency required by law.

All of the above entities are obligated to protect your PHI.

Your PHI may also be shared with the Department of Defense, which sponsors this research and is providing funds to Thomas Jefferson University to conduct this research and representatives of the U.S. Army Medical Research and Materiel Command as a part of their responsibility to protect human subjects in research. However, these organizations do not have the same obligation to protect your PHI.

The PHI that may be used or disclosed and the purposes for those uses or disclosures are as follows:

Study data for analysis: Erect and pendant mammograms, medical and surgical history and follow-up as it relates to your breast health, bra cup size to determine the benefits of pendant mammography.

Demographic data (describe or enter NONE): Your sex and race to report to track enrollment statistics, your name, date of birth and medical record number to locate follow-up information.

Other (List or enter NONE): None

All results from this study will be entered into a secure database. All data will be coded with a study specific code unrelated to your medical record number. Your medical record number will remain on the principal investigator's password protected computer only, and will be removed from the spreadsheet that will be used to analyze the data by a statistician. No results will be released with potential to link the data to you. All records will be maintained for seven years after the end of the study.

If you do not sign this consent form, you will be ineligible to participate in the research study for which this consent is being requested.

You are authorizing us to use and disclose your PHI indefinitely.

Subject Initials: _____
(Date) _____

Witness Initials: _____
(Date) _____

You may revoke this authorization to use and share your PHI at any time by contacting the principal investigator, in writing. If you revoke this authorization, you will no longer be able to participate in this research study, and the use or sharing of future PHI will be stopped. However, the PHI that has already been collected may still be used.

The results of clinical tests and therapy performed as part of this research may be included in your medical records. The information from this study may be published in scientific journals or presented at scientific meetings but you will not be personally identified in these publications and presentations.

Compensation in the Case of Injury

Should you be injured as a direct result of participating in this research project, you will be provided medical care, at no cost to you, for that injury. You will not receive any injury compensation, only medical care. You should also understand that this is not a waiver or release of your legal rights. You should discuss this issue thoroughly with the principal investigator before you enroll in this study. Other than medical care that may be provided and any other payment specifically stated in the consent form, there is no other compensation available for your participation in this research. In the event that you have a research related injury, you should contact Dr. Catherine Piccoli at 215-955-5330.

Benefits to Subject

You may or may not benefit directly from your participation in this study. However, although you may not benefit directly from this research, there may be a benefit to society, in general, from the knowledge gained in connection with your participation in this study. Any information obtained from this research study, and which may be important to your health or disease progression, will be shared with your personal physician. Additional benefits from your participation in this study may include: The pendant mammogram may image additional tissue that is not imaged on the standard mammogram, thereby detecting abnormalities that were not seen on the standard mammogram.

Payment

You will not receive payment for your participation in this study.

Additional Information

If you have any questions or concerns about this research, you are free to ask questions about these procedures and to ask for additional information from the doctor identified on this consent form as the Principal Investigator, his designated representative, or any other doctors involved in your care. You may contact the Principal Investigator, Dr. Catherine Piccoli at Telephone: 215-955-5330. Should you have any questions regarding your rights as a research participant, you may contact Thomas Jefferson University's Institutional Review Board, which is concerned with the protection of participants in research studies, at Telephone: (215) 503-8966. You are not presently enrolled in any other investigational study.

Significant New Findings

As the research progresses, any significant new finding(s), beneficial or otherwise, will be told to you and explained to you. You will be notified of any new information from this or other studies that may affect your health, welfare, or willingness to stay in this study.

Disclosure of Financial Interest

The sponsor of this clinical study, the Department of Defense, is paying Thomas Jefferson University to conduct this study.

Subject Initials: _____
(Date) _____

Witness Initials: _____
(Date) _____

Certain Costs

The will be no cost to you for the pendant mammogram. The standard clinical mammogram is considered to be part of your routine health care, which is necessary unless you were to decline any form of treatment and, as such, will be your responsibility or that of your third-party payer.

Voluntary Consent and Subject Withdrawal

You voluntarily consent to participate in this research investigation. You have been told what your participation will involve, including the possible risks and benefits. Your participation in this research project may be terminated at any time, at the study physician's discretion, for any reason(s) he/she deems appropriate.

You may refuse to participate in this investigation or withdraw your consent and discontinue participation in this study without penalty and without affecting your future care or your ability to receive alternative medical treatment at Thomas Jefferson University.

Non-Waiver of Legal Rights Statement

By your agreement to participate in this study, and by signing this consent form, you are not waiving any of your legal rights.

You affirm that you have read and received a copy of your signed consent form.

Signatures:

(Date)
Your Name (please print or type)

(Date)
Your Signature

Your Permanent Address

a.m.
p.m.
Time Patient Signed Consent

(Date)
Name of Witness

(Date)
Name of Person Conducting Consent Interview

(Date)
Signature of Witness

(Date)
Signature of Person Conducting Consent Interview

(Date)
Signature of Principal Investigator or Co-Investigator

Do Not Write Below This Line

For IRB Stamping

**As per University Counsel - Do not sign
this consent form after 3/12/04**

Subject Initials: _____
(Date) _____

Witness Initials: _____
(Date) _____