


REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188	
Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE March 16, 2004	3. REPORT TYPE AND DATES COVERED Final Report, May 2000 - April 2004 ^{July 17, 2000 - Dec 16, 2003}	
4. TITLE AND SUBTITLE Nonlinear Optical and Time-Resolved Properties of Novel Organic Dendrimers and Dendrimer Metal		5. FUNDING NUMBERS DAAD19-00-1-0450		
6. AUTHOR(S) T. Goodson III				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Wayne State University, Department of Chemistry, 5101 Cass Ave. Detroit, MI 482020		8. PERFORMING ORGANIZATION REPORT NUMBER DAAD19-00-1-0450		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211		10. SPONSORING / MONITORING AGENCY REPORT NUMBER 41319.7-MS		
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12 a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.		12 b. DISTRIBUTION CODE 		
13. ABSTRACT (Maximum 200 words) The search for better materials for novel optical effects is presently a major focus for a variety of researchers interested in important optical applications. Our research supported by the Army Research Office thus far has been directed in to these areas as well as further developing areas of interest. The significance of the results and conclusions drawn from our investigations relates important information concerning the creation of new materials, the understanding of structure-property relationships of the materials, and the motivation for creating better materials for future device applications. We have investigated both gold and silver dendrimer nanocomposites and for the case of the silver external system, a very large optical limiting effect was observed. We investigated the mechanism of this effect under different experimental conditions and different dendrimer architectures. This led to our synthesis and physical characterization of functionalized (chromophores attached) dendrimer metal nanocomposite systems which showed very impressive optical limiting and enhanced emission effects. These studies also led to the understanding of the nature of nonlinear optical properties in hybrid organic and inorganic systems. We also investigated the mechanism of the emission properties of these new and interesting dendrimer architectures as well as other metal topologies such as gold nanorods.				
14. SUBJECT TERMS Nonlinear Optics, Optical Limiting, Dendrimer Metal Nanocomposites, Dendrimers, Time-resolved Spectroscopy, New Optical Materials		15. NUMBER OF PAGES 14		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

Enclosure 1

Summary of Important Findings During the Period
of Support from the Army Research Office
T. Goodson III, Department of Chemistry, Wayne State University,
tgoodson@chem.wayne.edu

Progress Summary

During the course of a Young Investigator Award from the Army Research Office (Materials Program) the research in the PI's group has developed into three different but related areas of scientific discovery. The first of these areas concerns the optical properties of novel transition metal nanoparticle topology which we call "Dendrimer Metal Nanocomposites". This novel metal nanoparticle system was investigated under support by the ARO for novel optical limiting and enhanced metal emission properties. We found in particular that gold-metal dendrimer nanocomposites have very strong optical limiting properties that may be useful for eye and sensor protection devices in the visible and near Infrared spectral regions. The emission properties of both and silver dendrimer metal nanocomposites were also investigated by time-resolved upconversion spectroscopy. From these measurements the PI's group found that the efficiency at emission was enhanced in comparison to other related metal topologies, and this enhancement is related to the encapsulated metal's morphology (aspect-ratio). Applications of this particular metal topology in to biological systems are currently under investigation in the PI's laboratory.

The second area of investigation under the support from ARO was in regards to the nonlinear optical properties of particular branched organic molecules. From both nonlinear absorption and degenerate four-wave-mixing measurements we found that the nonlinear optical activity of a branching chromophore architecture was significantly enhanced in comparison to linear analogs of similar chromophore number density. A number of branching chromophore systems were utilized to test this hypothesis and the results from the PI's group as well as a number of recent reports have brought this approach to the enthusiastic interests of this research area. In order to understand the mechanism of the nonlinear optical enhancement process, the PI's group has carried out detailed time-resolved spectroscopic measurements to probe the excited and relaxed properties of the branched molecules. From both time-resolved fluorescence anisotropy and transient absorption anisotropy measurements for particular branched structures it was found that the initial (first ~100 fs) of the excited state is delocalized. This suggests that for branched systems with significant charge-transfer character for each of the participating chromophores the excitation initially goes through an intermediate state, which is delocalized before the charge transfer process stabilizes by localization on one of the chromophores in the branching structure. This implies that the enhanced nonlinear optical property is related to the strong intramolecular interaction between chromophores. The PI has taken this investigation further by probing this "intermediate state" by three-pulse-photon-echo (3PEPS) measurements. Here, a significantly different

photon-echo decay profile was obtained with the branching structure as compared to linear chromophore analog which was the building block of the branched structure. These results are the first of their kind, which utilize this very sensitive technique to probe related parameters such as reorganizational energy, electronic and nuclear coupling to the both or solvent, as well as inhomogeneous broadening in structural disordered organic chromophoric media.

The third area of research that has been supported by APO under a young investigator award regards the quantum optical properties of optical macromolecules. Through this investigation, we found that it is possible to generate squeezed states of light in organic macromolecular materials. The mechanism of producing photon-number squeezed states of light was by multiphoton absorption in dipolar organic macromolecules. This was important, as this investigation introduced particular organic materials into the important field of quantum optics which may have applications in all-optical signal processing as well as in understanding new phenomena with correlated photon statistics. The PI's group has extended these studies with investigations of entangled photon statistics. Measurements of biphoton absorption in organic macromolecules may lead to new applications regarding the detection of chemical and biological agents with optical methods only requiring a small number of correlated photon pairs.

Below is a more detailed account of our findings.

A) Nonlinear Transmission Measurements in Novel Branched Macromolecules

From our measurements and reports under this ARO supported project we have found that different metal topologies show good optical limiting behavior where in some cases a morphology dependent effect was observed. Our first report of the nonlinear optical properties of these novel nanocomposites was investigated with 6.5 ns laser pulses at 532 nm. The result of the nonlinear transmission measurement is shown in figure 1.




Figure 1: *The nonlinear transmission result for silver dendrimer metal nanocomposites at 532 nm.*

When the input fluence varies from 0.7 to 10.0 J/cm² (equivalent to the increase of the peak irradiance from 0.2 to 1.3 GW/cm²) the transmission decreases by 62%. The threshold fluence for optical limiting is around 2.0 J/cm². The optical limiting performance of the silver dendrimer nanocomposites compares well to the results obtained with novel organic structures. Through further detailed measurements the PI's research group has established the strong NLO properties of certain dendrimer nanocomposites.

Further measurements with gold dendrimer nanocomposites and gold nanosphere and nanorods also proved to be important in understanding the nonlinear transmission and optical limiting properties of metal topologies. Synthetic procedures were carried out to probe the NLO properties in gold dendrimer nanocomposites with similar metal content as compared to the silver dendrimer nanocomposites. In collaboration with El-Sayed (Georgia Inst. of Tech.) samples of gold nanospheres and nanorods were also carried out keeping the metal content constant or similar to what was observed for the dendrimer metal nanocomposites. Also, further synthesis by the PI's group was carried out to probe the NLO properties of chromophore functionalized dendrimer metal nanocomposites. What was observed from these measurements was that the functionalized dendrimer metal nanocomposite system showed the strongest NLO effect and it was significantly larger than the result of metal nanosphere or nanorods with similar metal content. This gave a strong indication that the NLO process of nonlinear transmission in the functionalized dendrimer metal nanocomposites was significantly different that observed for the pristine metal topologies (with miscelles).




Figure 2: *Nonlinear transmission results for a comparison of different metal topologies as well as dendrimer metal nanocomposite morphologies. Both gold nanorods and nanospheres were measured (at 532 nm, ns pulses) as well as gold dendrimer nanocomposites and a functionalized chromophore dendrimer metal nanocomposite. The result suggests that while the mechanism of the nonlinear transmission effect in these systems does involve the metal nanoparticle, this effect is enhanced by the dendrimer architecture as well as in the functionalized chromophore.*

We have also investigated the mechanism of the nonlinear transmission properties in dendrimer nanocomposites. Due to the complexity of the metal particle morphology, there has not been a completely self consistent mechanism that could explain the results obtained from all dendrimer nanocomposite architectures. There are, however, important characteristics that may give a plausible explanation for the mechanism which are related to a nonlinear scattering mechanism. Similar effects of nonlinear light scattering have already been reported with other metal nano-structures. For example, Sun and coworkers⁴⁵ suggested that the optical limiting properties observed in silver nanoparticles could be associated with transient scattering processes that are attributed to photothermal processes. Here, the strong light scattering processes serve to diffuse the intensity of the input beam to very low (tolerable) levels. However, as in the case of the size-dependent optical limiting effects observed by Mostafavi et. al., these processes are relatively slow in comparison to intrinsic optical excitations in the metal spheres and rods.

B. *New Synthesis and Measurements with Dendrimer Nanocomposites*

Our investigations of the optical properties of novel organic-inorganic hybrid materials continued with new synthetic strategies for development of better dendrimer metal nanocomposite materials. This was followed by very detailed photo-physical characterization of these materials. For example, new gold dendrimer metal nanocomposites of different morphology were synthesized and investigated by the PI's laboratory. The synthesis of a dansylated (NLO chromophore system) functionalized dendrimer metal nanocomposite was carried out. The results of the nonlinear transmission measurements suggested an enhancement for the chromophore functionalized dendrimer nanocomposite system.




Figure 3: *The nonlinear transmission of a dendrimer functionalized with a NLO chromophore (dansyl) and a dendrimer metal nanocomposite system with a functionalized chromophore. The result suggests that the chromophores contribution to the NLO effect can be enhanced by addition of metal nanoparticles.*

Another morphology containing hydroxy terminated PAMAM G5 was used as a template to stabilize the gold nanoparticles as well. A self-reduction reaction and exchange of Cu nanoparticles were proposed for this synthesis of dendrimer-gold nanocomposites and this work suggested that it was possible to encapsulate a single small metal particle inside each branching dendrimer architecture. In general, our results in this area concluded the point that enhanced NLO properties of gold nanoparticle materials not only depend on the geometry of the metal nanoparticles, but also on the templates used to form the nanocomposites. We will continue further studies in this area, with new metal nanocomposite topologies and putting the samples in the solid state.

C. Mechanism of Emission in Small Metal Nanocomposites

Investigations of the mechanism of emission in metal nanoparticles as well as the process of enhancement were also carried out. Our studies focused on dendrimer metal nanocomposites as well as metal nanospheres and nanorods in this respect. In particular, our results give important information regarding the characterization of ultra-fast emission in metal nanorods and nanospheres. We had first observed ultra-fast emission in gold dendrimer metal nanocomposites and found that the decay was very fast with a highly depolarized character. We also found that the mechanism of emission of such small metal nanoparticles was not well established at that point. This gave greater enthusiasm to look at more general metal topologies in order to characterize what was happening with the dendrimer metal nanocomposites. These studies also concern a fundamental question involving the mechanism of emission in metal particles. As it is already known, there are two possible mechanisms for the ultra-fast emission from gold nanoparticles (emission from the surface plasmon resonance (SPR) and/or emission due to band-to-band transition ($d \rightarrow sp$ conduction band)).




Figure 4: The dynamics of the emission decay measured by fluorescence upconversion spectroscopy. The decay curve suggested that the principle emission is a fast component on the order of $\sim 80 \text{ fs}$ and a slower component (several ps). We have attributed the fast component to the emission of the metal nanoparticles in the dendrimer host.

The results of the measurements give a strong suggestion that the emission is primarily from band-to-band transitions. The fabrication of the metal (gold) nanorods was accomplished in collaboration with Professor M. El-Sayed of Georgia Tech University in the Department of Chemistry. From measurement of the ultra-fast emission amplitude as a function of wavelength we compared the

results of different aspect ratio metal particles. We found a very strong enhancement in the longitudinal resonance for the case of the metal nanorods. Actually, in these measurements the results of the rods was normalized against those of the metal nanospheres which was not expected to have a significantly larger value at longer (longitudinal) wavelengths. These measurements strongly suggested that the emission was mainly a result of intra-band transitions in the metal nanoparticles. These studies suggest that the metal geometry does play a role in the nonlinear absorption of the metal particles.




Figure 5: The calculated and measured values of the enhanced (relative to metal nanospheres) emission from two different metal nanorod samples of different aspect ratio. It is obvious from these results that most of the enhancement is in the longitudinal resonance, where the longer metal nanorods are expected to have larger contributions from local field enhancement processes.

D. Quantum Optical Effects in Novel Organic NLO materials

Under support of the ARO we have also investigated the quantum optical effects in organic NLO materials. For example, we have shown that certain nonlinear optical polymers and chromophores with large nonlinear coefficients could be used for the generation of photon-number squeezed states of light.⁵¹ We also have demonstrated the reduction of photon-number fluctuations below the shot-noise level (photon-number squeezing) by two-photon absorption in an inorganic semiconductor material consisting of a thin film of TOPO-decorated CdSe nanocrystals embedded in a PMMA polymer host. The photon-number squeezing was measured at 800 nm, where the linear absorption of the material was negligible. The amount of photon-number squeezing from the CdSe system was $\sim 5\%$ for a moderate value of nonlinear transmission. This observation was

possible due to the large nonlinear absorption exhibited by the system of CdSe NCs embedded in PMMA and also due to the reduced linear scattering losses in thin films. The CdSe squeezing data was compared to results previously obtained for the first time in a nonlinear optical polymeric material by the PI's laboratory under support from ARO.




Figure 6: *The first measurements of the generation of squeezed states of light in organic material. The amount of squeezed light (lowering of the fano factor) is significant in comparison to what has been observed for inorganic crystals as well as for other vapor experiments where the interaction length was several orders of magnitude longer than what was used in the thin film polymeric sample.*

The achievement of photon-number squeezing in these novel materials gives the opportunity for future application in the improvement of the signal-to-noise ratio in optical communications. The magnitude of the squeezing observed was comparable to other inorganic and atomic vapor results, even though the interaction length in the thin film of the polymeric material was more than three orders of magnitude smaller than in the inorganic crystal systems.

We are most grateful for the Army Research Office for support of this program at an early time in the PI's independent career. Under this support there have been postdoctoral assistants, graduate students, undergraduates as well as high school student that has participated in the research. The names are listed below are the scientists participating in this program have moved on toward developing further their careers in science and engineering as well as on to other professional schools.

Postdoctoral Assistants

Dr. Radu Ispasiou, now at Gemfire Inc. (California)

Dr. Ying Wang, now a postdoctoral fellow in the PI's laboratory

Dr. X. Xie, now a postdoctoral fellow in mechanical engineering

Graduate Students

Mr. Sridhar Lahankar, now a fourth year graduate student

Ms. J. Yan, now a graduate student in computer science, received MS degree

Undergraduate Students

Mr. Richard West, Now a medical student at Ohio State University

Ms. Nicole Dolney, Now an engineering student at U of Michigan

High School Students

Mr. Mark Fleming, accepted to Georgetown University and should start there next fall

Publications in Refereed Journals

1. Screen, T.E.O.; Lawton, K.B.; Wilson, G.S.; Dolney, N.; Ispasiou, R.; Goodson, T.; Martin, S.J.; Bradley, D.D.C.; Anderson, H.L., "Synthesis and Third Order Nonlinear Optics of a New Soluble Conjugated Porphyrin Polymer," *J. Mater. Chem.* **2001**, *11*,312-320.
2. Varnavski, O.; Ispasiou, R.G.; Balogh, L.; Tomalia, D.A.; Goodson, T. G., Ultrafast Time-Resolved Photoluminescence from Novel Metal-Dendrimer Nanocomposites," *J. Chem. Phys.* **2001**, *114*, 1962-1965.
3. Ispasiou, R.G.; Lee, J.; Papadimitrakopoulos, F.; Goodson, T., "Surface Effects in the Fluorescence Ultra-fast Dynamics from CdSe Nano-Crystals," *Chem. Phys. Lett.* **2001**, *340*,7-12.
4. Varnavski, O.P.; Sukhomlinova, L.; Tweig, R.; Bazan, G.C.; Goodson, T., "Coherent Effects in Energy Transport in Model Dendritic Structures Investigated by Ultra-fast Fluorescence Anisotropy Spectroscopy," *J. Am. Chem. Soc.* **2002**, *124*, 1736 - 1743

5. Ispasoiu, R.G.; Jin, Y.; Lee, J.; Papadimitrakopoulos, F.; Goodson, T., "Two-Photon Absorption and Photon-Number Squeezing with CdSe Nanoparticles," *NanoLetters* **2002**, 2, 127-130.
6. Varnavski, O.; Samuel, I.D.W.; Palsson, L.O.; Beavington, R.; Burn, P.L.; Goodson, T., "Investigations of Excitation Energy Transfer and Intramolecular Interactions in a Nitrogen Corded Distyrylbenzene Dendrimer System," *J. Chem. Phys.*, **2002**, 116, 8893-8903.
7. Ranasinghe, M.I.; Varnavski, O.P.; Pawlas, J.; Hauck, S.I.; Louie, J.; Hartwig, J.F.; Goodson, T., "Femtosecond Energy Transport in Triarylamine Dendrimers," *J. Am. Chem. Soc.* **2002**, 124, 6520-6521.
8. Goodson, T., "Ultra-fast Emission Investigations in Gold Nanorods", *Proc. SPIE*, **2002**, 2511.
9. West, R.; Wang, Y.; Goodson, T., "Nonlinear Transmission Investigations in Gold Nanostructured Materials," *J. Phys. Chem.* **2003**, 107 (15): 3419-3426.
10. Varnavski, O.; Mohamad, M.; El-Sayed, M., Goodson, T., "Relative Enhancement of Emission in Gold Nanorods," *J. Phys. Chem.* **2003**, 107 (14): 3101-3104
11. Ranasinghe, M.; Wang, Y., Goodson, T., "Dynamics of Energy Transport in Organic Dendrimers at Low (4K) Temperature," *J. Am. Chem. Soc.* **2003**, 125 (18), 5258 -5259.
12. Wang, Y; Ranasinghe, M.; Goodson, T.; "Mechanistic Studies of Energy Transport in a Phosphorous Cored Branching Structure," *J. Amer. Chem. Soc.* **2003**, 125, 9562-9563.

HONORS AND AWARDS

- 03/03 Wayne State University Career Development Award
- 02/03 Lloyd Ferguson Young Scientist Award (NOBCCHE)
- 02/03 Alfred P. Sloan Foundation Fellow
- 05/02 The Camille and Henry Dreyfus Foundation Teacher-Scholar Award
- 01/02 National Science Foundation CAREER Award
- 04/01 College of Science Teaching Award, Wayne State University
- 09/00 Army Research Office Young Investigator Award
- 04/00 Burroughs Welcome Fund Travel Award
- 09/97 National Research Council Ford Postdoctoral Fellowship, University of Oxford, Oxford, UK

Invited papers presented at meetings

Society of Physicists and Optical Engineers and Instrumentation (SPIE), Perth, "Quantum Optical Properties of Novel Organic Materials." Nov. **2003**.

Beckman Frontiers of Science Symposium, Irvine, "Novel Organic Branched Materials for Optical Applications, Nov. **2003**.

International Conference on Unconventional Spectroscopy, Leuven, "Ultra-fast Dynamics of Novel Branched Macromolecules", Sept. **2003**.

International Conference on Optical Limiting Materials, Arizona, "Nonlinear Optical Properties of Metal Nanostructured Materials", Sept. **2003**.

American Chemical Society National Meeting, New Orleans, "Investigations of Electric Field Enhancement in Metal Nanotopologies" March **2003**.

International Wire and Cable Symposium-Defense Fiber Optical Applications, "Novel Macromolecular Materials for Optical Applications," Nov. **2002**.

Approaches To Combat Terrorism, Washington DC, Intelligence Community and National Science Foundation Workshop, Nov. **2002**.

International Conference on Organic Nanophotonics, France, "Optical Spectroscopy of Novel Dendrimer Metal Nanocomposites," Aug. **2002**.

Gordon Research Conference, Electron Donor and Acceptors, "Energy Migration in Organic Dendrimers," Aug. **2002**.

Gordon Research Conference, Electronic Processes in Organic Materials Conference, "Optical Excitations in Organic Dendrimers and Dendrimer Metal Nanocomposites," July, **2002**.

Society of Physicists and Optical Engineers and Instrumentation Conference (SPIE), Committee Director of Metal Nanostructured Materials Program, July, **2002**.

National meeting of Black Chemist and Chemical Engineers (NOBCCHE)

Invited speaker at symposium held by Rohm and Haas Inc. "Organic Macromolecular Optical Applications," March, **2002**

International Conference on Organic Nonlinear Optics, "Optical Excitations in Organic Dendrimers and Dendrimer Metal Nanocomposites," Dec., **2001**.

International Conference on Dendrimers, "Optical Excitations in Organic Dendrimers Investigated by Ultra-fast Spectroscopy," Japan, Oct. **2001**.

International Conference of Quantum Optical Advancements, "Generation of Squeezed States of Light in a Organic Polymer," July **2001**.

SPIE, "Ultra-fast Investigations of Energy Transfer in Organic Dendrimers," July **2001**.

Army Research Laboratory Sensor Workshop, "Optical Limiting Properties of Dendrimer Metal Nanocomposites," March **2001**.

Optical Society of America, Ultra-fast Phenomena, "Time-Resolved Spectroscopy of Dendrimers," July, **2000**.

National Science Foundation Materials Workshop, "Optical Properties of Dendrimers and Dendrimer Metal Nanocomposites," Oct., **2000**.

Invited talks at other institutions

Bowling Green University, "Novel Organic Materials for Optical Applications", Nov. **2003**.

Wabash College, "Novel Organic Materials for Optical Applications" Oct. **2003**.

Grand Valley State University, "Novel Organic Materials for Optical Applications" August, **2003**.

University of Maryland-Laboratory of Physical Sciences, "Quantum Interference Effects in Organic Materials," May **2003**.

Massachusetts Institute of Technology, Time-resolved Fluorescence and Nonlinear Optical Spectroscopy in Branched Macromolecules," May **2003**.

Georgia Institute of Technology, "Optical Excitations in Dendrimers," April. **2003**.

University of Texas, Austin, "Optical Excitations in Dendrimers," Feb. **2003**.

University of Miami, "Optical Excitations in Dendrimers," Feb. **2003**.

Central Michigan University/ Dendritic Nanotechnologies, "Optical Excitations in Dendrimers," Jan. **2003**.

Michigan Molecular Institute, "Nonlinear Optical Properties of Organic Dendrimer Metal Nanocomposites," Nov. **2002**.

North Carolina State University, "Optical Excitations in Dendrimer Light Harvesting Materials," Nov. **2002**.

University of Toronto, "Optical Excitations in Branched Macromolecules," Sept. **2002**.

University of Washington (Seattle), "Optical Excitations in Branched Macromolecules," Oct. **2002**.

University of Oregon, "Optical Excitations in Branched Macromolecules,"
Oct. **2002**.

Andrews University (Michigan), "Real World Applications of Macromolecules," Sept. **2002**.

Northwestern University, "Ultra-fast Investigations of Energy Transfer in Organic Dendrimers," June **2002**.

Purdue University, "Ultra-fast Investigations of Energy Transfer in Organic Dendrimers," April, **2002**.

Notre Dame University, "Ultra-fast Investigations of Energy Transfer in Organic Dendrimers," April, **2002**.

Iowa State University, "Ultra-fast Investigations of Energy Transfer in Organic Dendrimers," Feb. **2002**.

University of Colorado-Boulder, "Ultra-fast Investigations of Energy Transfer in Organic Dendrimers," Sept., **2001**.

Veridian Research Corporation, "Quantum Applications of Organic Nanostructures," June **2001**.

Energy Conversion Devices, "Ultra-fast Spectroscopy of Organic Nanostructures," July **2001**.

Air Force Research Laboratory, "Nonlinear Optical and Time-Resolved Properties of Dendrimers and Dendrimer Metal Nanocomposites," March **2001**.

Montana State University, "Nonlinear Optical and Time-Resolved Properties of Dendrimers and Dendrimer Metal Nanocomposites," March **2001**.

Ohio State University, "Nonlinear Optical and Time-Resolved Properties of Dendrimers and Dendrimer Metal Nanocomposites," March **2001**.

University of Michigan, "Nonlinear Optical and Time-Resolved Properties of Dendrimers and Dendrimer Metal Nanocomposites," March **2001**.

Kent State University, "Nonlinear Optical and Time-Resolved Properties of Dendrimers and Dendrimer Metal Nanocomposites," March **2001**.

University of Windsor, "Optical Properties of Dendrimers and Dendrimer Metal Nanocomposites," April, **2001**.

Oakland University, Department of Physics, "Nonlinear Optical and Time-Resolved Properties of Dendrimers and Dendrimer Metal Nanocomposites," Nov. **2000**.

University of Oxford, U.K., "Quantum Optical Applications of Organic Materials," July, **2000**.

University of Detroit-Michigan, "Ultra-fast Investigations of Nonlinear Optical Materials," April, **2000**.

Oakland University, Department of Chemistry, "Quantum Optical Effects and Nonlinear Transmission in Organic Dendrimers," February, **2000**.