

| REPORT DOCUMENTATION PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                              |                                                             | Form Approved OMB No. 0704-0188                                   |                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                              |                                                             |                                                                   |                                                                                        |
| 1. AGENCY USE ONLY (Leave blank)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                              | 2. REPORT DATE<br><br>27 December 2004                      |                                                                   | 3. REPORT TYPE AND DATES COVERED<br><br>Final Report, 1 November 2003 to 1 August 2004 |
| 4. TITLE AND SUBTITLE<br><br>A Model For Ammonia Solar Thermal Thruster                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                              |                                                             | 5. FUNDING NUMBERS                                                |                                                                                        |
| 6. AUTHOR(S)<br><br>Professor Mario Capitelli                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                              |                                                             |                                                                   |                                                                                        |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br><br>University of BARI<br>Via Orabona 4<br>Bari 70126<br>Italy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                              |                                                             | 8. Performing Organization Report Number                          |                                                                                        |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)<br><br>EOARD<br>PSC 802 Box 14<br>FPO 09499-0014                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                              |                                                             | 10. SPONSORING/MONITORING AGENCY REPORT NUMBER<br><br>SPC 03-3072 |                                                                                        |
| 11. SUPPLEMENTARY NOTES<br><br>15 pages. Responsible person: Barrett A. Flake, Telephone number +44 (0)20 7514 4285.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                              |                                                             |                                                                   |                                                                                        |
| 12a. DISTRIBUTION/AVAILABILITY STATEMENT<br><br>Approved for public release; distribution is unlimited.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                              |                                                             | 12b. DISTRIBUTION CODE<br><br>A                                   |                                                                                        |
| ABSTRACT (Maximum 200 words)<br><br>This report results from a contract tasking University of BARI as follows: The kinetics of nozzle expansion flow is a topic of large interest due to its linking with technological applications. Usually one can treat the problem by using two approaches. The first one is to use complicated 2D fluid dynamics codes with poor kinetics, the second one is to use 1D nozzle codes emphasizing the role of chemical kinetics in affecting the whole fluid-chemical problem. The second approach has been used by our group to characterize simple gases such as H2, N2, O2 and their mixtures. The peculiarity of our approach is to describe each vibrational level of the molecule as a new species thus avoiding the concept of vibrational temperature. This approach could be in principle extended to polyatomic molecules even though in this case the state to state kinetics becomes a very difficult problem. These concepts will be developed in the present proposal which deals with the characterization of the kinetics of NH3 through nozzles of different geometries. Our proposal consists of different steps including: 1) development of a realistic kinetics for ammonia decomposition, 2) development of a realistic macroscopic model for vibrational deactivation of polyatomic molecules, 3) evaluation of the dependence of rates on vibrational temperature, 4) insertion of points 1-3 in the nozzle equations and 5) examination of results for different nozzle geometries. |                                                              |                                                             |                                                                   |                                                                                        |
| 14. SUBJECT TERMS<br><br>EOARD, Nozzle, Chemical kinetics, NH3, Ammonia, Model, Gaseous fuels, Thermophysics                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                              |                                                             | 15. NUMBER OF PAGES                                               |                                                                                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                              |                                                             | 16. PRICE CODE                                                    |                                                                                        |
| 17. SECURITY CLASSIFICATION OF REPORT<br><br>UNCLASSIFIED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 18. SECURITY CLASSIFICATION OF THIS PAGE<br><br>UNCLASSIFIED | 19. SECURITY CLASSIFICATION OF ABSTRACT<br><br>UNCLASSIFIED | 20. LIMITATION OF ABSTRACT<br><br>UL                              |                                                                                        |

# A MODEL FOR AMMONIA SOLAR THERMAL THRUSTER

G. Colonna\*, M. Capitelli\*

\*CNR-IMIP, Bari section and Dipartimento di Chimica, Università di Bari, Italy

## Introduction

Recently, solar thermal propulsion (STP) engines have been investigated as a promising technology to improve the capabilities of small satellites. In the Surrey Space Centre [1,2], a microscale engine has been designed to use ammonia as propellant. The main advantages of ammonia propellant are its sufficiently low molar mass and its chemical inertia at room conditions (not as dangerous as hydrazine).

To get better performances the ammonia gas, in the heat exchanger, should be dissociated in  $N_2$  and  $H_2$  species, doubling the particle density. Unfortunately the dissociation kinetics, at temperatures of interest in the engine, is so slow that the complete thermal dissociation of ammonia molecules could not occur.

In this project we have developed a kinetic model for an ammonia mixture flowing into the nozzle investigated in previous studies [1,2]. It is worth noting that we have introduced a state-to-state kinetics to verify the presence of non-equilibrium vibrational distributions during the nozzle expansion.

## Nozzle Geometry

The nozzle used in the thruster has a conic geometry of the following dimensions (in mm):

|                       |      |
|-----------------------|------|
| throat radius         | 0.35 |
| exit radius           | 2.0  |
| exit-throat distance  | 6.2  |
| inlet radius          | 1.0  |
| inlet-throat distance | 1.2  |

These data have been provided by the Surrey Laboratories. The converging nozzle is quite short so we choose to include part of the reservoir in the calculation through a connecting cone of the following dimensions (in mm)

|                        |       |
|------------------------|-------|
| reservoir radius       | 11.25 |
| connecting cone length | 2.0   |

The nozzle is presented on fig 1.

The fluid dynamic model of the nozzle flow is based on the almost one-dimensional Euler equations for a variable section duct. The Euler equations are solved, at the stationary state, together with the perfect gas equation of state and the mass continuity for each species including the reaction contributions. The numerical scheme adopted is described in [3].

## Chemical Model

To build the chemical kinetic models, we need to select both the species that must be taken into account and their mutual reactions. In the laboratory experiments, the

pressure ranges from 1 to 4 atm and the temperature is less than 1500 K. The pressure values are measured directly, but the gas temperature is estimated only from some measurements performed outside the reservoir. This results in a large incertitude on the actual conditions operating inside the reservoir. In these context the ammonia decomposition kinetics is quite slow. Surface dissociation, neglected in this preliminary approach should, probably, be inserted in the model.




Fig. 1: Nozzle profile.

### 1. Species

We assume that the ammonia mixture consists of atoms and molecules formed in the  $\text{NH}_3$  decomposition. We ignore all the ions because the temperatures involved are quite low. We introduce the vibrational excitation only for  $\text{N}_2$  and  $\text{H}_2$  molecules, which have stable vibrational excited levels. For all the other molecules, we disregard the internal levels as their number is so high that the computational load becomes unaffordable. Multitemperature model could be a valid approach assuring an acceptable computational effort nevertheless, in this work, we consider these internal states in equilibrium with the translational degree of freedom or as following a frozen kinetics. According to the internal state model selected we assign the  $C_p$  and  $\gamma$  ( $\gamma = C_p/C_v$ ) coefficients to each molecule. For each vibrational mode or rotational axis, in equilibrium with the translational degree of freedom, we add the quantity  $\alpha R$  into the expressions of  $C_p$  and  $C_v$ , where  $R$  represents the universal gas constant and the  $\alpha$  parameter is set to 1 for a vibrational mode and to  $\frac{1}{2}$  for a rotational axis. This

approximation is valid for the rigid rotor and for the infinite harmonic oscillator, since in general the  $C_p$  coefficient depends on the temperature. For atomic species no internal degree of freedom is considered. The contribution of translational degrees to the molar specific heat is  $1.5R$ . Table 1 reports the species accounted and their relative properties.

Tab. 1: species inserted and their physical properties. Rot is the number of independent rotational axis, Vib the number of vibrational modes and  $E_f$  the energy of formation.

| Species                       | Mass (AMU) | Rot | Vib | $E_f$ (eV) |
|-------------------------------|------------|-----|-----|------------|
| NH <sub>3</sub>               | 17         | 3   | 6   | -0.403242  |
| N <sub>2</sub> H <sub>3</sub> | 31         | 3   | 9   | 4.30994    |
| NH <sub>2</sub>               | 16         | 3   | 3   | 2.00285    |
| NH                            | 15         | 2   | 1   | 3.90225    |
| N <sub>2</sub>                | 28         | 2   | 1   | 0.00000    |
| H <sub>2</sub>                | 2          | 2   | 1   | 0.00000    |
| N                             | 14         | 0   | 0   | 4.87950    |
| H                             | 1          | 0   | 0   | 2.23910    |

For H<sub>2</sub> and N<sub>2</sub> we estimate the energy of each vibrational level ( $\epsilon_v$ ) through the semi-empirical formula, function of the vibrational quantum number and of some spectroscopic constants expressed in  $\text{cm}^{-1}$ :

$$\epsilon_v = \frac{hc}{e} \left[ \omega_e \left( v + \frac{1}{2} \right) - \omega_e x_e \left( v + \frac{1}{2} \right)^2 + \omega_e y_e \left( v + \frac{1}{2} \right)^3 + \omega_e z_e \left( v + \frac{1}{2} \right)^4 \right]$$


The H<sub>2</sub> spectroscopic constants have been obtained through the fits of the vibrational level energies extracted from the BKMP potential energy surface [4] while for N<sub>2</sub> we used data from ref. 5. Table 2 summarizes those values for the two species.


Tab. 2: Spectroscopic constants (in  $\text{cm}^{-1}$ ) used in the calculation of the vibrational level energies.

| Parameter         | N <sub>2</sub> | H <sub>2</sub> |
|-------------------|----------------|----------------|
| $\omega_e$        | 2358.57        | 4464.7         |
| $\omega_e x_e$    | 14.324         | 146.93         |
| $\omega_e y_e$    | -0.00226       | 4.7108         |
| $\omega_e z_e$    | 0.0            | -0.22712       |
| $E_{\text{diss}}$ | 9.7639         | 4.4772         |
| $V_{\text{max}}$  | 48             | 15             |

## 2. Processes

We implement in our model a macroscopic kinetics for NH<sub>3</sub> depletion introducing the following processes:





where X is a generic component. The rate coefficients for all these processes are expressed in the Arrhenius form:

$$K = K_0 T^\alpha e^{-E_a/T}$$

For the direct reaction, the parameters  $K_0$ ,  $\alpha$  and  $E_a$  are reported in table 3. The rate coefficients of these processes have been taken from ref. [5-10]. In this model, we neglect more complex molecules, such as  $\text{N}_2\text{H}_4$ , that do not seem to be significant. Rates for the reverse processes have been obtained through the detailed balance principle

$$K_r = \frac{K_d}{K_{eq}}$$

where  $K_{eq}$  is the equilibrium constant. Equilibrium constants have been calculated, from partition functions, following the classical statistical thermodynamic theory [11] subsequently they have been fitted by the general equation

$$\ln(K_{eq}) = K_\infty + K_p \left( \frac{1000}{T} \right)^{q_p} + K_e e^{-\frac{T}{q_e}}$$

We consider only the equilibrium constants for the generation of a new species from standard ones like  $\text{N}_2$  and  $\text{H}_2$  in nitrogen-hydrogen compounds formation. Therefore all the formation reactions can be synthesized as




Table 4 presents the parameter values utilized to calculate  $K_{eq}$ , for the species listed in table 1.

Tab. 3: Arrhenius coefficients for the reactions inserted in the model.  $K_0$  has the dimension of  $\text{cm}^{3(n-1)}/\text{s}$ , where  $n$  is the number of particles involved in the reaction,  $E_a$  is expressed in K and  $\alpha$  is a dimensionless parameter.

| process | $K_0$    | $\alpha$ | $E_a$ | Ref. |
|---------|----------|----------|-------|------|
| p1      | 1.53e-8  | 0        | 42400 | [6]  |
| p2      | 1.00e-9  | 0        | 47000 | [4]  |
| p3      | 3.20e-13 | 0.67     | 1720  | [5]  |
| p4      | 1.00e-32 | 0        | 0     | [7]  |
| p5      | 1.00e-34 | 0        | 0     | [7]  |
| p6      | 2.30e-13 | 0.67     | 2160  | [5]  |
| p7      | 6.64e-12 | 0        | 2800  | [6]  |
| p8      | 1.00e-33 | 0        | 0     | [7]  |
| p9      | 1.70e-12 | 0.68     | 957   | [5]  |
| p10     | 1.77e-11 | 0        | 0     | [5]  |
| p11     | 6.60e-13 | 0.55     | 957   | [5]  |
| p12     | 1.34e-31 | -0.60    | 0     | [5]  |
| p13     | 2.68e-31 | -0.60    | 0     | [5]  |
| p14     | 7.44e-32 | -0.50    | 0     | [5]  |
| p15     | 3.31e-27 | -1.50    | 0     | [5]  |
| p16     | 1.33e-12 | 0.5      | 10850 | [4]  |
| p17     | 1.70e-8  | 0.       | 21000 | [4]  |
| p18     | 2.60e-12 | 0        | 0     | [4]  |
| p19     | 1.70e-13 | 0        | 0     | [4]  |

Tab 4: Coefficients used to calculate the formation equilibrium constants when the pressures are expressed in Pa.

| Species         | $K_\infty$ | $K_p$    | $q_p$    | $K_e$    | $q_e$   |
|-----------------|------------|----------|----------|----------|---------|
| NH <sub>3</sub> | 51.8293    | -13.1631 | 0.960208 | -7.97367 | 628.095 |
| NH <sub>2</sub> | 19.6666    | 63.4542  | 1.01863  | 13.5452  | 311.287 |
| NH              | -5.14978   | 85.2911  | 0.998065 | -2.21874 | 423.673 |
| N               | 28.3772    | -114.298 | 0.997620 | -2.14877 | 4371.66 |
| H               | 26.1506    | -52.7759 | 0.996362 | -2.71911 | 2157.34 |

From these formation equilibrium constants we can calculate the equilibrium constants relative to all the reactions involving the species in the table.

The kinetic model has been improved including a state-to-state kinetics for the diatomic species N<sub>2</sub> and H<sub>2</sub>, substituting processes (P12-P15) with the state-selective dissociation and adding vibrational relaxation processes [12-14]. All the other processes involve only the ground state of such molecules.

## Results

The kinetics of ammonia is not well known, even if this subject has been widely studied. The main problem is the kinetics slowness that prevents from estimating the kinetic constant precisely. Experimental works [1,2] on ammonia thrusters assume a complete decomposition of ammonia in the reservoir, but the kinetic scheme proposed does not permit to reach the equilibrium condition in an acceptable time for  $T < 2000$

K, even if the asymptotic value agrees to the equilibrium composition. For this reason we compare the results obtained starting from pure ammonia and from equilibrium concentrations.




Fig. 2: Molar fractions of mixture species along the nozzle. We assume as reservoir conditions  $P_0=4$  Bar and  $T_0=1500$  K and start from an equilibrium inlet composition.

We investigate four different pressure values in the range 1-4 Bar. In figure 2 we report the concentration profile along the nozzle obtained for reservoir conditions of  $P=4$  Bar and  $T=1500$  K, and introducing the vibrational kinetics of  $N_2$  and  $H_2$ .

Tab. 5: Mass flow rate and thrust of the nozzle as a function of the inlet pressure. The inlet temperature is  $T_0=1500$  K except when marked with the “\*” symbol assigned to  $T_0=2500$  K. At inlet we suppose an equilibrium composition.

| $P_0$ (Bar) | mass flow rate (g/s) | thrust (mN) |
|-------------|----------------------|-------------|
| 1           | 2.1708e-2            | 64.337      |
| 2           | 4.3404e-2            | 128.68      |
| 3           | 6.5077e-2            | 192.97      |
| 4           | 8.6784e-2            | 257.38      |
| 4*          | 6.5954e-2            | 256.74      |

\*  $T=2500$  K




Fig. 3: Hydrogen vibrational distributions at different nozzle positions in the same conditions as in fig. 2.

Tab. 6: Mass flow rate and thrust of the nozzle determined experimentally in different test cases.

| mass flow rate (g/s) | thrust (mN) |
|----------------------|-------------|
| .140                 | 219         |
| .147                 | 223         |
| .117                 | 183         |
| .121                 | 190         |

Tab 7: Mass flow rate and thrust as a function of the inlet dissociation degree ( $\alpha$ ) of the ammonia. Inlet pressure and temperature are  $P_0=4$  Bar and  $T_0=1500$  K.

| $\alpha$ | mass flow rate (g/s) | thrust (mN) |
|----------|----------------------|-------------|
| 0.0      | 1.1189e-1            | 284.13      |
| 0.2      | 1.0437e-1            | 280.35      |
| 0.4      | 9.7946e-2            | 275.67      |
| 0.8      | 8.9483e-2            | 264.37      |
| 1.0      | 8.5450e-2            | 253.33      |






Fig. 4: Nitrogen vibrational distributions at different nozzle positions in the same conditions as in fig. 2.




Fig. 5: Pressure profile along the nozzle as a function of the inlet pressure for  $T_0=1500$  K and starting from an inlet equilibrium composition.

It is interesting to observe that the flow is practically frozen along the whole nozzle except for some minor species such as H and  $\text{NH}_2$  that completely disappear at the nozzle exit. The atomic nitrogen molar fraction is lower than  $10^{-10}$ .

Figures 3 and 4 describe the vibrational distribution of hydrogen and nitrogen for the conditions of figure 2. We can observe that the nitrogen distributions are frozen. On the contrary, while  $\text{H}_2$  distributions, for  $v \leq 3$ , are almost frozen, their tails are strongly depleted, resulting in non-Boltzmann distributions. The different behaviour of the two species is due to the different percentage of nitrogen and hydrogen atoms; hydrogen atom concentration is high enough so that the VT collisions involving atoms are fast enough to cool the distribution tails. We must point out that we neglect the vibrational depletion of  $\text{N}_2(v)$  by atomic and molecular hydrogen collisions. We observe that the Mach number is practically independent on the initial temperature and pressure, obtaining at the nozzle exit a value close to Mach 5.4. We report the pressure along the nozzle in figure 5. It is quite interesting to note that the exit pressure is proportional to the inlet pressure. These two results occur as the chemistry weakly affects the macroscopic quantities during the expansion.

Table 5 displays the mass flow rate and the thrust for different inlet pressures at  $T_0=1500$  K or  $T_0=2500$  K. The agreement with the experimental results reported in table 6 is satisfactory, as the nozzle reservoir conditions (mainly the temperature) are not well known experimentally.

There are some incertitude in the chemistry model, because the dissociation of ammonia is very slow for  $T < 2000$  K. In such conditions the kinetic models published in the literature cannot provide the complete dissociation of ammonia in an acceptable time period. On account of this we also try as initial condition a pure ammonia gas.

Dissociation inside the reservoir and the nozzle is very poor, so that again in this case the flow is frozen. As a consequence, the flow properties depend only on the  $C_p/C_v$  ratio and on the mean molar mass, then the exit properties are completely different from the equilibrium case. As an example in figure 6 we compare the Mach numbers computed starting from an equilibrium composition (Eq.) and from pure ammonia (NoEq.). It is not possible to really know what composition prevails inside the reservoir for  $T < 2000$  K, moreover some impurities or wall catalytic effects can accelerate the kinetics, bringing the system to equilibrium faster than predicted by our kinetic model.




Fig. 6: Mach number profile compared for inlet equilibrium (Eq) and pure ammonia (noEq) case (pressure and temperature conditions as in fig 2).

We try the same comparison at  $T_0=2500$  K. In this case, the mixture reaches the equilibrium composition in the reservoir. Nevertheless the Mach number profiles in

the equilibrium and non equilibrium case are again different (see fig. 7). This is the demonstration that the history of the gas in the reservoir is important.




Fig. 7: Same as in fig 6 with reservoir temperature  $T_0=2500 \text{ K}$ .

Effects of initial conditions propagate also on the temperature profiles. In figure 8 we show the normalized temperature profile calculated starting from an equilibrium condition (Eq.) and from an undissociated ammonia (NoEq.) for a reservoir temperature of 1500 K and a pressure of 4 Bar. We observe that the exit temperature is much higher in the case of the equilibrium condition. This behaviour could be due to the lower mean molar mass associated to the mixture in equilibrium composition inside the reservoir.

Different behaviours occur when the reservoir temperature reaches 2500 K (see fig. 9). In fact, at this temperature, the reactions in the inlet are faster than in the flow, therefore one can observe an increase of the temperature due to the mixture dissociation. Even if the ammonia energy is lower than that of nitrogen and hydrogen molecules, the compression due to the double particle number density produces an increase of the temperature. At the nozzle exit, the differences are lower than in the case of an inlet temperature of 1500 K.

We find similar behaviours for the relaxation of the vibrational temperature, calculated as the temperature of the first excited level (figure 10). Starting from non equilibrium conditions we can observe an increase of the vibrational temperatures following the gas temperature. At the nozzle exit the vibrational temperature freezes

at a temperature higher than 2300 K just after the throat.  $N_2$  vibrational temperature is practically frozen.

As a consequence of the previous results, we can state that there are some incertitudes about the inlet composition. At this purpose we have reported in table 7 the calculated mass flow rate and thrust for different dissociation degree “ $\alpha$ ” of ammonia for the process  $NH_3 = 1.5 H_2 + 0.5 N_2$  defined as

$$\alpha = 1 - \frac{[NH_3]}{[NH_3] + .5[N_2]}$$

that ranges from 0 (pure ammonia) to 1 ( $N_2$  and  $H_2$  mixture). We note that both quantities decrease when the dissociation degree increases, but the thrust changes more slowly than the mass flow rate.




Fig. 8: Reduced temperature profile compared for inlet equilibrium (Eq) or pure ammonia (noEq) case, for a reservoir temperature  $T_0 = 1500\text{K}$  (pressure and temperature conditions as in fig 2).

## Conclusions.

In this study we investigate the role of chemical kinetics in modeling ammonia solar thermal engine. Many problems still need to be solved. In particular, the kinetic model has to be improved, insertion of some impurities or wall catalysis could speed up the dissociation kinetics.

A further improvement of the model could be the inclusion of non equilibrium in rotational and vibrational levels of species other than  $N_2$  and  $H_2$ , even if it seems that, in the conditions the thruster runs, the vibrational kinetics is not so much effective.




Fig. 9: Reduced temperature profile compared for inlet equilibrium (Eq) or pure ammonia (noEq) case, for a reservoir temperature  $T_0 = 2500\text{K}$  (pressure and temperature conditions as in fig 2).




Fig. 10: Vibrational temperature ( $T_v$ ) profile of  $N_2$  and  $H_2$  in the same conditions as in figure 9.

## References

- [1] F. Kennedy, P. Palmer and M. Paul, "Microscale Solar Thermal Engine Ground Test Campaign at the Surrey Space Centre" AIAA-2004-4137.
- [2] F. Kennedy, P. Palmer, "A Comparison of Simulation and Test Campaign Results for a Microscale Solar Thermal Engine" 54th international Astronautical Congress, Sept. 29th – Oct. 3<sup>rd</sup> 2003, Bremen, Germany.
- [3] G. Colonna, M. Tuttafesta, D. Giordano, "Numerical Methods to Solve Euler Equations in One-dimensional steady Nozzle Flow" Comp. Phys. Comm. 138 (2001) 213-221.
- [4] A. I. Boothroyd, W. J. Keogh, P. G. Martin, and M. R. Peterson, "A Refined  $H_3$  Potential Energy Surface ", J. Chem. Phys., 104, (1996) 7139
- [5] M. Capitelli, C.M. Ferreira, B.F. Gordiets, A.I. Osipov, "Plasma Kinetics in Atmospheric Gases" Ed. Springer, Berlin, Germany (2000)

- [6] S.M.Starikovskaia, A. Yu. Starikovskii, D.V.Zatsepin, "Hydrogen oxidation in a stoichiometric hydrogen-air mixture in the fast ionization wave", *Combust. Theory Modelling* 5 (2001) 97-129.
- [7] K. Yasui, "Chemical Reactions in Sonoluminescing Bubble", *Journal of the Physical Society of Japan*, Vol. 66, No. (1997) 2911-2920.
- [8] B. Gordiets, C.M. Ferreira, M.J. Pinheiro, A. Ricard, "Self consistent kinetic model of low pressure N<sub>2</sub>-H<sub>2</sub> flowing discharges: I. Volume processes", *Plasma Sources Sci. Technol.* 7 (1998) 363-378.
- [9] M. Yumura, T.Asaba, Y. Matsumoto, H. Matsui, "Thermal decomposition of Ammonia", *Journal of Computational chemistry*, Vol 1 (1980) 439-450.
- [10] D. F. Davidson, K. Kohse-Höingaus, A. Y. Chang, R. K. Hanson, "A Pyrolysis Mechanism fo Ammonia" *International Journal of Chemical Kinetics* Vol 22. (1990) 513-535.
- [11] L.D.Landau, "Statistical Physics", 1979, Elsevier Science
- [12] G.Colonna, M.Tuttafesta, M.Capitelli and D.Giordano, "Non-Arrhenius NO Formation Rates in One-Dimensional Nozzle Airflow", *J.Thermophysics and Heat Transfer*, 13 No 3 (1999) 372-375.
- [13] M.Capitelli, G.Colonna, F.Esposito, "On The Coupling Of Vibrational Relaxation With The Dissociation-Recombination Kinetics: From Dynamics To Aerospace Applications", *Journal of Physical Chemisry A* Vol 108 (2004) 8930-8934.
- [14] F.Tedeschi, Degree Thesis, Bari (2003).