

SHIP PRODUCTION COMMITTEE  
FACILITIES AND ENVIRONMENTAL EFFECTS  
SURFACE PREPARATION AND COATINGS  
DESIGN/PRODUCTION INTEGRATION  
HUMAN RESOURCE INNOVATION  
MARINE INDUSTRY STANDARDS  
WELDING  
INDUSTRIAL ENGINEERING  
EDUCATION AND TRAINING

September 1981  
NSRP 0008

# **THE NATIONAL SHIPBUILDING RESEARCH PROGRAM**

## **Proceedings of the REAPS Technical Symposium**

### **Paper No. 12: A CNC Sheetmetal Fabrication System for Production of Ships Ventilation Components and Flatwork**


U.S. DEPARTMENT OF THE NAVY  
CARDEROCK DIVISION,  
NAVAL SURFACE WARFARE CENTER

| Report Documentation Page                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                    |                                     |                                          | Form Approved<br>OMB No. 0704-0188       |                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------|------------------------------------------|------------------------------------------|---------------------------------|
| Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. |                                    |                                     |                                          |                                          |                                 |
| 1. REPORT DATE<br><b>SEP 1981</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                    | 2. REPORT TYPE<br><b>N/A</b>        |                                          | 3. DATES COVERED<br><b>-</b>             |                                 |
| 4. TITLE AND SUBTITLE<br><b>The National Shipbuilding Research Program Proceedings of the IREAPS Technical Symposium Paper No. 12: A CNC Sheetmetal Fabrication System for Production of Ships Ventilation Components and Flatwork</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                    |                                     |                                          | 5a. CONTRACT NUMBER                      |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 5b. GRANT NUMBER                         |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 5c. PROGRAM ELEMENT NUMBER               |                                 |
| 6. AUTHOR(S)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                                     |                                          | 5d. PROJECT NUMBER                       |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 5e. TASK NUMBER                          |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 5f. WORK UNIT NUMBER                     |                                 |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br><b>Naval Surface Warfare Center CD Code 2230 - Design Integration Tools Building 192 Room 128 9500 MacArthur Blvd Bethesda, MD 20817-5700</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                    |                                     |                                          | 8. PERFORMING ORGANIZATION REPORT NUMBER |                                 |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                                     |                                          | 10. SPONSOR/MONITOR'S ACRONYM(S)         |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 11. SPONSOR/MONITOR'S REPORT NUMBER(S)   |                                 |
| 12. DISTRIBUTION/AVAILABILITY STATEMENT<br><b>Approved for public release, distribution unlimited</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                    |                                     |                                          |                                          |                                 |
| 13. SUPPLEMENTARY NOTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                                     |                                          |                                          |                                 |
| 14. ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                                     |                                          |                                          |                                 |
| 15. SUBJECT TERMS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                    |                                     |                                          |                                          |                                 |
| 16. SECURITY CLASSIFICATION OF:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     | 17. LIMITATION OF ABSTRACT<br><b>SAR</b> | 18. NUMBER OF PAGES<br><b>14</b>         | 19a. NAME OF RESPONSIBLE PERSON |
| a. REPORT<br><b>unclassified</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | b. ABSTRACT<br><b>unclassified</b> | c. THIS PAGE<br><b>unclassified</b> |                                          |                                          |                                 |

## DISCLAIMER

These reports were prepared as an account of government-sponsored work. Neither the United States, nor the United States Navy, nor any person acting on behalf of the United States Navy (A) makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness or usefulness of the information contained in this report/manual, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or (B) assumes any liabilities with respect to the use of or for damages resulting from the use of any information, apparatus, method, or process disclosed in the report. As used in the above, "Persons acting on behalf of the United States Navy" includes any employee, contractor, or subcontractor to the contractor of the United States Navy to the extent that such employee, contractor, or subcontractor to the contractor prepares, handles, or distributes, or provides access to any information pursuant to his employment or contract or subcontract to the contractor with the United States Navy. ANY POSSIBLE IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR PURPOSE ARE SPECIFICALLY DISCLAIMED.

Proceedings  
IREAPS Technical Symposium  
September 15-17, 1981  
Baltimore, Maryland



INSTITUTE FOR RESEARCH AND ENGINEERING FOR AUTOMATION AND PRODUCTIVITY IN SHIPBUILDING

IREAPS

A CNC SHEETMETAL FABRICATION SYSTEM FOR PRODUCTION  
OF SHIPS VENTILATION COMPONENTS AND FLATWORK

Thomas R. Galie  
Project Manager  
Naval Ship Systems Engineering Station,  
Philadelphia, Pennsylvania

David R. Blais  
Bath Iron Works Corporation  
Bath, Maine

ABSTRACT

The U. S. Navy has a need to produce more ships at lower cost. As documented by a recent study, present shipyard methods for fabricating ventilation and flatwork are key cost drivers in ship production. They consist of a multitude of repetitious operations, resulting in excessive manhours and material costs.

By utilizing computer graphics technology and Computer Numeric Control (CNC) machine tools, it is possible to reduce the manhours required for fabrication of ventilation and flatwork by as much as 40 percent. Benefits resulting from increased efficiency in materials use, in-process storage and production planning may also be realized by users. In addition, the U. S. Navy can benefit through a reduction in ship production costs, increased production capacity and spread of a new technology adaptable to many shipyards.

This paper discusses a joint effort by the Naval Ship Systems Engineering Station (NAVSSSES) and the Bath Iron Works Corporation (BIW) to develop and implement a Computer-Aided Manufacturing (CAM) system for cutting the cost of fabricating ventilation and flatwork in BIW sheetmetal operation. It is a cost-shared project, funded by the Navy under its Manufacturing Technology (MAN TECH) program.

Key topics presented will be: Sheetmetal Fabrication Process at BIW; CNC Sheetmetal Fabrication System Configuration; System Advantages, and Implementation Factors for follow-on users.

## 1.0 INTRODUCTION .

In 1976-77, the U. S. Navy Manufacturing Technology (MAN TECH) Program Office conducted a study to identify key operations in Naval ship construction where new approaches to production could be developed and which could reduce costs and make more efficient use of U. S. shipyards capacity. This study identified the sheetmetal fabrication operation as a high cost driver within BIW. Further investigations conducted by NAVSSES confirmed this as a cost driver throughout U. S. shipbuilding. Consequently, based on a proposal from BIW, NAVSSES initiated the CNC Sheetmetal Fabrication System Project to develop a promising new approach to sheetmetal fabrication.

The vehicle used to fund this project is the Department of the Navy's Manufacturing Technology (MAN TECH) program. MAN TECH's basic objective is to improve the productivity and responsiveness of the defense industrial base. This is accomplished through projects which demonstrate specific applications of new and improved manufacturing technologies. Concepts, whose feasibility has already been shown in R&D, are often transferred and developed by industry in a proof-of-application effort. The application and benefits are then documented for use by the Navy and industry at large.

The CNC Sheetmetal Fabrication System is one such project. It was funded in 1979 and is well underway, with all of the hardware and much of the software in place at BIW. The current schedule will see system proveout completed by December 1981 with full documentation to follow.

The system integrates a Numerical Control Support System (NCSS) with a Direct Numerical Controlled (DNC) Sheetmetal Fabrication Center (SFC), which, together, automate that portion of the sheetmetal fabrication process which begins with the lofting operations and ends with the finished two dimensional component parts.

This paper starts with a description of current sheetmetal operations at BIW and describes the new system being developed which will automate these current operations. A discussion of the anticipated benefits for the Navy, BIW and follow-on users will also be presented.

## 2.0 SHEETMETAL FABRICATION PROCESS AT BIW

Shipboard sheetmetal products fabricated at BIW consist primarily of ventilation ductwork and of flatwork. Ventilation ductwork consists of a variety of components, the majority of which fall into a few generic shapes (ie: elbows, straights, transitions, reducers, twists and tees). Flatwork refers to all other products fabricated from steel material with maximum thickness of 1/4 inch (ie: gage boards, power panels, bulkhead curtain plates, electrical enclosure curtain plates and crew's lockers and berths).

Figure 1 diagrammatically depicts the current fabrication process used at BIW for both ventilation and flatwork. Note that the process initiates with a pre-existant ship's plan or engineering drawing from which a specific ventilation or flatwork shape will be defined as a "part". Templates for each part - for example, a centered rectangular to round transition or an under-deck curtain plate -- are then manufactured during the manual lofting

stage. In the case of a ventilation shape, this lofting operation also involves breaking the three dimensional ventilation part into an equivalent, properly scaled, two dimensional flat pattern. Then each flat pattern is further broken down into several individual pieces, which we, in the project, refer to as "piece-marks". Finally, a template for each piece-mark must be manufactured. Therefore, a multitude of templates, one for each piece mark, must be manufactured during lofting for a single ventilation part. After the lofting operation, each template is laid out by hand and scribed into sheet-metal stock. The stock is then rough sheared and the piece-mark or flatwork part is cut out and hand trimmed to final dimensions. If an access hole is required, this will be done next on a manual punch machine. The pieces are then identified and either stored as is, or assembled for immediate installation as finished parts.

As described, this process requires highly specialized labor skills to perform excessively repetitious, time consuming manual operation. The process is therefore easily recognized as labor intensive. Bulk storage of the valuable, reuseable templates is required, and this results in dedication of floor space which could be better used for manufacturing. This process also fosters an undesirable situation in which the sheetmetal shop must fabricate three to four complete ship sets of ventilation material ahead of the individual hull erection schedule.

### 3.0 CNC SHEETMETAL FABRICATION SYSTEM

The development of the CNC Sheetmetal Fabrication System is conceived as a viable, timely solution for the high cost of manufacturing ventilation and flatwork at BIW. It has also been acknowledged as a potential solution to similar costs drivers at other U. S. shipyards by the Society of Naval and Architectural Marine Engineers (SNAME) .

This system incorporates two modern technologies: Interactive Graphics and Direct Numerical Control of production machinery. The system itself is made up of two computer based modules: the Numeric Control Support System (NCSS) and the Sheetmetal Fabrication Center (SFC). Figure 2 is a diagrammatic comparison of the forthcoming new ventilation and flatwork production process versus the current process previously described. As shown, the NCSS module will replace the current manual lofting and manual layout operations; and, the SFC will replace the rough shearing, finish trimming and hole punching operations.

As presently conceived, these modules will be located in separate areas and will be linked by a "soft" medium, ie the "Job Diskette". This job diskette will contain all the parts definition and management data generated by the NCSS. This is the data which must be communicated to the SFC for fabrication of ventilation piece-marks and flatwork parts. Figure 3 is a schematic drawing showing the hardware layout for each of the two modules. Note the dashed line connecting the two modules. This represents the "soft" link.

#### 3.1 THE NUMERICAL CONTROL SUPPORT SYSTEM (NCSS)

The NCSS will be located in BIW's computer operations room and consists of a computer, highspeed printer/plotter, a graphics display terminal, a high speed magnetic tape drive, a dual floppy diskette drive and a cartridge module disk unit.

The function of the NCSS is to (1) interactively (person/computer) develop ventilation and flatwork parts production data and (2) automatically generate material management information, parts management information, production management reports and Numerical Control (NC) machinery control data.. The system software will handle ventilation parts and flatwork parts separately and each in a very unique manner. BIW has developed a geometric set of twenty-nine standard ventilation shapes. This set is being programmed as a hardware independent software package and developed solely for the definition and production of standard ventilation shapes. We have estimated that in excess of 90% of all geometric requirements for ventilation parts will be covered by this set of standard ventilation shapes., All one-of-a-kind ventilation parts and all flatwork parts will be produced using a commercially available interactive graphics software package.

### 3.2 THE SHEETMETAL FABRICATION CENTER (SFC)

The SFC will be located in the sheetmetal shop and consists of a computer, a dual floppy diskette drive, an auxiliary data entry console and a commercial turret punch press with plasma cutting capability. Control data generated by the NCSS will be input into the SFC via the job diskette for the actual cutting or fabrication of both ventilation piece-marks and flatwork parts.

### 3.3 CNC SHEETMETAL FABRICATION SYSTEM OPERATION (CNS-SMFS)

The previous sections discussed the NCSS and SFC as separate modules which, when integrated, comprise the entire CNC Sheetmetal Fabrication System (CNC-SMFS). It was noted that this integrated system handles standard ventilation shapes and flatwork parts differently. This is shown in Figure 4. Note that the interactive graphics software package for flatwork (and one-of-a-kind ventilation parts)- is shown here as a CAD/CAM System. This part of the CNC-SMFS is conceived as user-specified, and therefore, will not be described further. The software for standard ventilation shapes is being developed under the project. The following discussion of the system operation will, therefore, center on the production of a standard ventilation shapes (the example will be a centered rectangular to round transition).

The CNC-SMFS is a menu driven system as depicted in Figure 4. The system requires two operators: the first operator will work out of the computer operations room and the second will work out of the sheetmetal shop. The first operator will refer to the engineering drawing and identify specific generic shapes that will be required for a single production run.. He will then call to a particular entry in the "shapes menu" displayed on the graphics display terminal. The CNS-SMFS will respond by displaying a three dimensional line drawing of the selected shape. Assuming the operator has selected shape number 12, a rectangular to round transition will be displayed as shown in Figure 5. The CNC-SMFS will then prompt the operator to input identification information,, material data, dimensional data and air flow direction. After the operator has verified all the data, the CNC-SMFS will display the properly dimensioned and scaled piece-marks. This display is, therefore, the 2-dimensional flatpattern equivalent of the specific 3-dimensional ventilation part defined. For shape number twelve, there will be two separate piece-marks, A and B, in the flatpattern, as shown in Figure 6. The operator now has the option of including a variety of access holes, if required. Figure 6 shows the inclusion of a round access hole in piece-mark B. At this point, the

operator has uniquely defined a specific ventilation part and may either return to the shapes menu to define a new part or initiate the nesting routine. If the operator has completed definition of all the parts for a production run, he will then begin nesting the individual piece-marks. Nesting is performed interactively as shown in Figure 7. The CNC-SMFS will call up each piece-mark in succession and the operator will either nest the part on a sized sheet on the screen or move onto the next piece-mark. When all nests for a production run are completed and verified, the CNC-SMFS will automatically process all the data and create a job diskette. This job diskette will include the post-processed NC data for driving the turret punch press, as well as the following reports:

|                     |                |
|---------------------|----------------|
| -Components list    | -Nest drawings |
| -Material list      | -Labels        |
| -Shear list         | -Tooling list  |
| -Operator's listing | -NC listing    |

The job diskette, along with the operator's listing, nest drawings and labels are transferred to the second operator in the sheetmetal shop. This operator will then load the diskette into the CNC-SMFS's DNC link, place the proper material on the turret punch press and input a start command. After the CNC-SMFS has cut a duplicate of the nested drawing in the sheetmetal stock, the operator will affix labels to each piece-mark or flatwork part. The CNC-SMFS will control all cutting operations and leave small tabs between the cuts. These tabs enable the operator to off-load an entire finished nest intact. This completes the operation of the CNC Sheetmetal Fabrication System.

#### 4.0- SYSTEM ADVANTAGES

The primary advantage of this system is a reduction in current labor costs in the production of shipboard ventilation and flatwork. BIW estimates an overall labor manhour reduction of approximately 40%.

This is the net of the following percentage savings for specific operations and the moderate additional requirements for the newly added operations:

| <u>Operations</u> | <u>Estimated Savings<br/>(% of Current Hours)</u> |
|-------------------|---------------------------------------------------|
| Shearing          | 75                                                |
| Layout            | 75                                                |
| Punching          |                                                   |
| Material Handling | 20                                                |
| Lofting           | 100                                               |
| Special Fittings  | 25                                                |
| Clerical          | 10                                                |

Additional benefits can be grouped as:

- materials use
- in-process storage
- production planning
- work throughput

Three materials-use benefits are anticipated. Computer nesting is expected to result in less generated scrap through closer nesting than typical with manual layout. The CNC-SMFS also allows common border locations for nested piece-marks and flatwork parts. The other materials use benefit concerns the increase in sheetmetal fabrication shop responsiveness. The system will be able to produce work on a more responsive basis by reducing the current long lead times in ship construction schedules.

In-process storage needs will be eliminated entirely for templates. A reduction in in-process storage of finished parts will also result from the decrease in ventilation production lead times.

Production planning will become more flexible and work throughout will increase since the impact of engineering changes will only result in paper changes and will not be realized in material waste.

For the Navy, benefits are accrued in two major ways. Both center around the opportunity for use of this new system concept, not only by BIW, but by other shipyards. First, the ship production cost is reduced through a reduction in production cost for ventilation parts and flatwork. This has the potential to result in a lower ship procurement cost for the Navy. Secondly, the potential for increased sheetmetal production capacity may add to the capacity of the industrial base.

#### 5.0 CONSIDERATIONS FOR FOLLOW-ON USERS

The above benefits will make permanent system use at BIW attractive. While the situations at other yards will vary, it is possible that the system can prove similarly attractive for follow-on users.

Several key points related to follow-on use are worth raising. First, the CNC-SMFS software is portable for use with other hardware. The programming of standard ventilation shapes, in particular, is seen as an important advance.

Full documentation on the system will be available through the Navy when the project is completed. This will include source documentation on the standard ventilation shapes programs and notes on portability for follow-on users.

Finally, both the Navy and BIW will be pleased to discuss and demonstrate the experience gained in this project. An integral part of MAN TECH projects is the dissemination of information to industry to help increase the application of valuable projects. The experience to date in this project indicates that its value is high and that, from the Navy's standpoint, additional application of this technology and system concept is desirable..

#### REFERENCES

- (1) "High Cost Areas of Ship Construction", prepared by Automation Industries VITRO LABORATORIES, DIV. under Navy Contract No. N00024-74-C-7108 Task No. 745, 14 Aug 1978.
- (2) Letter from SNAME, Mr. E. L. Peterson, to the Department of the Navy dated March 4, 1980.

FIGURE 1

CURRENT FABRICATION PROCESS






FIGURE 2

SHEETMETAL FABRICATION: NEW vs. CURRENT



**HARDWARE LAYOUT**  
**CNC SHEETMETAL FABRICATION SYSTEM**  
**FIGURE 3**



**FIGURE 4**  
**NEW SYSTEM**




FIGURE 5  
INTERACTIVE STANDARD SHAPES DISPLAY




FIGURE 6  
FLAT PATTERN LAYOUT





FIGURE 7  
COMPUTER-AIDED NESTING



Additional copies of this report can be obtained from the  
National Shipbuilding Research and Documentation Center:

**<http://www.nsnet.com/docctr/>**

Documentation Center  
The University of Michigan  
Transportation Research Institute  
Marine Systems Division  
2901 Baxter Road  
Ann Arbor, MI 48109-2150

Phone: 734-763-2465  
Fax: 734-763-4862  
E-mail: [Doc.Center@umich.edu](mailto:Doc.Center@umich.edu)