

## The AFRL Auroral Boundary Algorithm

M. P. Hagan  
E. G. Holeman  
W. J. Burke  
F. J. Rich

30 Jan 2006

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.



**AIR FORCE RESEARCH LABORATORY**  
**Space Vehicles Directorate**  
**29 Randolph Rd**  
**AIR FORCE MATERIEL COMMAND**  
**Hanscom AFB, MA 01731-3010**

---

AFRL-VS-HA-TR-2006-1025

When Government drawings, specifications, or other data included in this document are used for any purpose other than Government procurement, this does not in any way obligate the U.S. Government. The fact that the Government formulated or supplied the drawings, specifications, or other data does not license the holder or any other person or corporation; or convey any rights or permission to manufacture, use, or sell any patented invention that may relate to them.

This technical report has been reviewed and is approved for publication.

/signed/  
Robert A. Morris, Chief  
Battlespace Environment Division

/signed/  
William J. Burke  
Author.

/signed/  
Joel B. Mozer, Chief  
Space Weather Center of Excellence

This report is published in the interest of scientific and technical information exchange and its publication does not constitute the Government's approval or disapproval of its ideas or findings.

This report has been reviewed by the ESC Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center (DTIC). All other requestors should apply to the National Technical Information Service (NTIS).

If your address has changed, if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify AFRL/VSIM, 29 Randolph Rd., Hanscom AFB, MA 01731-3010. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document require that it be returned.



## Contents

1.	SUMMARY	1
2	INTRODUCTION	1
3.	THE DATABASE	2
4.	THE SENSOR	3
5.	THE SATELLITE ORBIT	3
6.	STATISTICAL PARAMETERS	4
7.	STATISTICAL PARAMETER EQUATIONS	5
8.	BOUNDARIES AND THEIR DETERMINATION	6
9.	BOUNDARY ANALYSIS	7
	9.1 Table Structure Quads 1 and 3	7
	9.2 Table Structure Quads 2 and 4	7
10.	QUAD 4 BOUNDARY LOGIC AND DETERMINATION	8
	10.1 LOGIC	8
	Possible LOGIC Transitions	8
	10.2 Determination	9
	Observations	9
	$S_i > h_i$ Results and Analysis	9
	Boundary Time and Magnetic Latitude	10
	Steps in Calculations	11
11.	SPECTRAL IMAGES	11
	REFERENCES	41

## Illustrations

1a.	Satellite Orbit Path Showing Morning and Evening Sector Locations	4
1b.	Orbit Sector, Start Time, End Time, and Boundary Time Determined for Orbit 9	6
2.	Flowchart for S1 Boundary Test	34
3.	Flowchart for S2 Boundary Test	35
4.	Flowchart for S3 Boundary Test	36
5.	Flowchart for S4 Boundary Test	37
6.	Flowchart for S5 Boundary Test	38
7.	Compressed-Time View of All 4 boundaries	39
8.	Expanded-Time View of Quadrant 1 and Quadrant 2 Boundaries	39
9.	Expanded-Time View of Quadrant 3 and Quadrant 4 Boundaries	40

## Tables

1.	Boundaries for Entire Day, Four Boundaries/Orbit, for 25 July 2004 (Day 207)	12
2.	Boundary Analysis Sheets Showing $n_i$ , $S_i$ , $\Delta T$ , $Mlat$ , and LOGIC for Orbit 9	13

# AFRL AURORAL BOUNDARY ALGORITHM

## 1. SUMMARY

The equatorward auroral boundary location is determined from the AFRL algorithm using electron flux data obtained with the SSJ5 sensor onboard DMSP satellites. This report presents the data used for determination, describes the operation of the algorithm, and describes in detail the method of determination of the four equatorward auroral boundaries for orbit 9 of DMSP satellite F16, 25 July 2004 (Julian day 207). Results are presented numerically and also as spectral views of these boundary locations in time and in magnetic latitude.

## 2. INTRODUCTION

The dynamics of the auroral oval negatively impact the operations of Air Force communications and surveillance systems at high magnetic latitudes. Research aimed at understanding the vagaries of these space weather effects on system performance led to the development of new methods to specify and predict the location and intensity of auroral optical-emission and plasma distributions. By the early 1970s auroral scientists recognized that the nightside auroral oval magnetically maps to the magnetospheric plasma sheet. Electrons and ions with energies in the kilo-electron Volts (keV) range in the plasma sheet precipitate into the high-latitude ionosphere to create optical emissions and new ionospheric plasma.

Using auroral electron flux measurements by the particle spectrometer on the Defense Meteorological Satellite Program (DMSP) satellites F2 and F4, *Gussenhoven et al.* [1980, 1981] demonstrated that the location of the equatorward boundary of the auroral oval linearly correlates with the Kp geomagnetic index. The prevailing linear relationships vary from one magnetic local time sector to the next. Gussenhoven and coworkers at AFRL developed automatic techniques to recognize the location of auroral boundaries from variations in the data streams of the SSJ sensors that fly on DMSP satellites, [*Hardy et al.*, 1984]. The algorithm's utility is

limited by the fact that boundary identifications are observed only along the spacecraft's trajectory. Boundary extensions to other magnetic local times derive from statistical inference.

DMSP F16 was launched in October 2003 carrying the Special Sensor Ultraviolet Spectrographic Imager (SSUSI). In principle the SSUSI imager offers the possibility of extending in local time our instantaneous knowledge of the auroral boundary location via direct UV measurements. To validate SSUSI's ability to identify auroral boundaries, we compared its measurements with those by the SSJ5 sensor on DMSP F16. In support of this effort we deemed it useful to write a detailed description of the AFRL algorithm for identifying auroral boundaries.

The AFRL Auroral Boundary Algorithm provides automatic identification of the equatorward boundary of the auroral oval. This report describes (a) the database used; (b) the statistical parameters generated from the database; (c) the actual tests performed on these statistics; (d) the use of these test results. Collectively, these details constitute the operation of the algorithm which results in the equatorward auroral boundary determination. The specific database provides for determination of 4 boundaries in each orbit of 6060 seconds. Boundaries for one complete orbit are shown as they are generated, together with the database, statistical parameters, tests results, and description and display of final boundary determination. These boundaries are shown also graphically as spectral images in both compressed-time and expanded-time views.

### **3. THE DATABASE**

The database used in this description results from data recorded by the SSJ5 sensor onboard the DMSP Satellite F16, during orbit 9 of the satellite on 25 July 2004 (Julian Day 207). The specific data used for boundary determination are electron counts as recorded in 20 discrete energy bins of the J sensor. The calculations are performed by considering significant changes in slope of electron count-rate (counts/observation) spectra, a process dominated by data acquired in high-energy channels.

#### 4. THE SENSOR

The J sensor stores electron counts in 20 assigned energy channels,  $E_1$  through  $E_{20}$ , where the high-energy channels are  $E_1 = 30\text{keV}$ ,  $E_2 = 20\text{keV}$ ,  $E_3 = 14.4\text{keV}$ , ...,  $E_{10} = 1\text{keV}$ , and the low-energy channels are  $E_{11} = 1\text{keV}$ , ...,  $E_{20} = 30\text{eV}$ . The electron counts,  $e_i$  ( $i = 1 \dots 20$ ), in channel  $E_i$  are summed every 4 seconds. Times assigned to the sums are those of the start of each 4-sec interval. There are 1515 such 4-sec intervals in one orbit of  $\sim 102$  minutes, and 14 orbits/day. The counts are summed in pairs,  $n_i$ , ( $i = 1 \dots 10$ ), where  $n_1 = e_1 + e_2$ ,  $n_2 = e_3 + e_4$ , ...,  $n_{10} = e_{19} + e_{20}$ . For DMSP satellites designated F16 and higher there is no channel  $E_{11}$ . Consequently, in summing the counts, since  $n_6 = e_{11} + e_{12}$ ,  $e_{11}$  has been set equal to  $e_{12}$ .

#### 5. THE SATELLITE ORBIT

The DMSP satellite orbit is considered as starting at the equator in the Evening Sector (see Figure 1a). As the satellite moves from equator to pole (poleward), the equatorward edge of the auroral boundary is approached. Data (electron counts) are run, as collected, through the algorithm in quadrant 1 (Quad 1) and quadrant 3 (Quad 3) (shaded sectors). Conversely, in (Quad 2) and (Quad 4) (white sectors) data are collected as the satellite moves from pole to equator (equatorward). In the white sectors, the sensor encounters auroral activity early in the sector, and exits the equatorward boundary later in the sector as it approaches the equator. Therefore, for such sectors the data are run through the algorithm in order from later-taken to earlier-taken (run backwards in time through the algorithm) as the satellite moves equatorward. In summary, the data are run forward in the shaded sectors, and backwards in the white sectors. Each of the 4 boundary calculations uses 1515 seconds of data, and has an uncertainty of 4 seconds (30 km) for J sensors.




Figure 1a

Satellite Path Showing Morning and Evening Sector Locations

## 6. STATISTICAL PARAMETERS

The summed counts,  $n_i$ , become the basis for generating a set of five statistical parameters  $S_i$ , which are controlling factors in the boundary determination (see Statistical Parameter Equations for  $S_1 \dots S_5$  below). Each  $S_i$  is tested against a corresponding threshold,  $h_i$ , for acceptance or rejection. The thresholds are determined for the J sensor on each satellite during post-launch calibration in the laboratory. In this report, since the data have come from the J5 instrument on DMSP satellite F16, the five thresholds for  $h_1 \dots h_5$  are 350, 28, 20, 25, and 35 respectively. If  $S_i > h_i$ , then the satellite has probably encountered a boundary. This hypothesis is tested to determine whether or not a boundary was crossed by looking for consistency in exceeding the threshold value, and is then either accepted or rejected on this basis. When all criteria are satisfied the boundary is considered crossed and the boundary search is completed.

Note:

The summed counts,  $n_i$ , and the statistical parameters,  $S_i$ , together with other parameters constitute the Database for this report, and are shown in Table 2. Due to printer limitations at the time of planning and testing this algorithm, where  $S_i$  number sizes become too large to fit on the printed page, \*\*\*\* appears in those locations in this Table. This has no bearing on the boundary determination.

## 7. STATISTICAL PARAMETER EQUATIONS

$S_1$  is a function of  $n_6, \dots, n_9$  (lower energy channel counts), but the other four,  $S_2, \dots, S_5$ , are functions of  $n_1, \dots, n_5$  (higher energy channel counts) only. The following equations were created and chosen strictly by trial and error at the time of the algorithm development, as adjustments were made to best determine the boundary.

$$S_1 = n_6 + n_7 + n_8 + n_9$$

$$S_2 = \frac{10}{31} \sqrt{\frac{31m_2 - m_1^2}{\frac{m_1}{31}}}$$

where

$$m_1 = 16n_1 + 8n_2 + 4n_3 + 2n_4 + n_5$$

$$m_2 = 16n_1^2 + 8n_2^2 + 4n_3^2 + 2n_4^2 + n_5^2$$

$$S_3 = \frac{10}{31} \sqrt{\frac{31m_2 - m_1^2}{\frac{m_1}{31}}}$$

where

$$m_1 = n_1 + 2n_2 + 4n_3 + 8n_4 + 16n_5$$

$$m_2 = n_1^2 + 2n_2^2 + 4n_3^2 + 8n_4^2 + 16n_5^2$$

$$S_4 = \frac{10|m_1 - m_2|}{\sqrt{\max(m_1, m_2)}}$$

where

$$m_1 = n_1 + n_2$$

$$m_2 = n_4 + n_5$$

$$S_5 = 25 \sqrt{\frac{5m_2 - m_1^2}{\frac{m_1}{5}}}$$

where

$$m_1 = \sum_{L=1}^5 n_L$$

$$m_2 = \sum_{L=1}^5 n_L^2$$

## 8. BOUNDARIES AND THEIR DETERMINATION

Boundaries determined from the data recorded by DMSP F16 on 25 July 2004 (Julian day 207) are shown in Table 1 for the entire day. The bordered area encloses four boundaries determined during one full satellite orbit. The values for these boundaries are shown also in Figure 1b below. In Quad 1 of this orbit on the nightside, termed “evening sector” starting at 47613 + 500 sec (48113 sec), a boundary was determined at 48461 sec at 55°.3 Magnetic Latitude, 157°.9 Magnetic Longitude; in Quad 2 on the dayside, termed “morning sector” starting at 49157 + 0 sec (49157 sec), as DMSP moved equatorward from the pole (N), a boundary was determined at 49693 sec at 60°.1 Magnetic Latitude, 359°.2 Magnetic Longitude; in Quad 3, on the dayside, “morning sector” starting at 50673 + 600 sec (51273 sec), as DMSP moved poleward (S) from the equator, a boundary was determined at 51617 sec at -56°.0 Magnetic Latitude, 338°.6 Magnetic Longitude; in Quad 4, on the nightside, “evening sector” starting at 52277 + 0 sec (52277 sec), as DMSP moved equatorward from the pole (S), a boundary was determined at 52833 sec at -57°.0 Magnetic Latitude, 150°.6 Magnetic Longitude.

		Quad 1	Quad 2	Quad 3	Quad 4
		47613 + 500	49157 + 0	50673 + 600	52277 + 0
Orbit Start	>>>>>	48113	49157	51273	52277
		47613 + 848	49157 + 536	50673 + 944	52277 + 556
Boundary	→	48461	49693	51617	52833
		49157 + 0	49157 + 996	52277 + 0	52277 + 896
Orbit End	>>>>>	49157	50153	52277	53173

Figure 1b

Orbit Sector Start Time, End Time, and Boundary Time as Determined for Orbit 9

## 9. BOUNDARY ANALYSIS

For a boundary determination to occur, there must be significant changes in the slope of the count-rate as indicated by  $S_i$ . The data used for the determination of these four boundaries are shown on the Boundary Analysis sheets of Table 2 (21 pages), including  $n_i$  and  $S_i$  values for every 4-sec interval of the orbit. *For discussion and illustration of the operation of the algorithm, the boundary determination in Quad 4 (above) will be examined in detail, and revealed by shaded and colored areas on page 31 (Table 2).* The full set of data and statistics for this boundary determination are shown on pages 30-34 (Table 2).

### 9.1 Boundary Analysis Table Structure – Quarter Orbits Quad 1 and Quad 3

On page 14, the first page of the Boundary Analysis Table (Table 2), the 25 data columns are labeled  $t_1 \dots t_{25}$ . These are 25 4-sec intervals of time for listings of  $n_i$  ( $i = 1 \dots 9$ ). For listing purposes, recording of the start time of this quarter orbit (Quad 1) is shown as 47613 (sec). On the line following, observe the notation “AT T = 500” (sec). Consequently, the time for entry  $n_1$  as shown at  $t_1$  is  $47613 + 500$ ; at  $n_2$ , is  $47613 + 504$ ;  $n_3$ , is  $47613 + 508$ , etc across the row of 25 entries – time increasing by 4 sec for each interval. Therefore, time has increased by 100 sec by the start of the data on the lower half of page 14 (“AT T = 600”). This proceeds through page 19 of Table 2, to the end of Quad 1. Recall, from Figure 1a, that data are run forward through the algorithm in Quad 1 and Quad 3 (the shaded sectors). Accordingly, see the data of Quad 3 (Table 2, pages 25-29) and observe that time increases for this quarter orbit as it did for Quad 1.

### 9.2 Boundary Analysis Table Structure – Quarter Orbits Quad 2 and Quad 4

Data for Quad 2 starts on page 20 of the Boundary Analysis Table (Table 2). For listing purposes, recording of the start time of this quarter orbit is shown as 49157. On the line following, observe the notation “AT T = 996” (sec). Consequently, the time for entry  $n_1$  as shown at  $t_1$  is  $49157 + 996$ ; at  $n_2$ ,  $49157 + 992$ ; at  $n_3$ ,  $49157 + 988$ , etc across the row of 25 entries – time decreasing by 4 sec for each interval. Therefore time has decreased by 100 sec by the start of the data on the lower half of page 20 (“AT T = 896”). Recall, again from Figure 1a, that data are run backwards through the algorithm in Quad 2 and Quad 4 (the white sectors). Accordingly, view the data of Quad 4 (Table 2, pages 30-34) and observe that time decreases for this quarter orbit as it did for Quad 2.

## 10. Quad 4 BOUNDARY LOGIC and DETERMINATION

Refer to page 30 (Table 2) for start of this detailed discussion which results in Quad 4 boundary determination parameters on page 31. Here  $t_1 = 52277 + 896$  sec [quarter orbit start time + number of seconds elapsed beyond start time (Del T)], and start of 4-sec summing for  $n_1$ ;  $t_2 = 52277 + 892$  sec, etc. Special note must be made here of page 31 where the boundary will be met, and the lines marked Del T, Mlat,  $S_1 \dots S_5$ , and LOGIC. Mlat = 10 x magnetic latitude in degrees to one decimal place. This form of Mlat is retained in Table 2 in order to preserve the format of some printing constraints encountered during algorithm development.

### 10.1 LOGIC

The *logic state* (LOGIC) for any given 4-sec interval, set to 0 at the start of every quarter orbit, is determined by the  $S_i > h_i$  test. The possible LOGIC for a 4-sec interval is 0, 1, -1, 1, 2, or 3. If  $S_i > h_i$ ,  $q_i$  is TRUE for that  $S_i$ . The time assigned is that of the start of the 4-sec interval. If  $S_i > h_i$  for 3 consecutive 4-sec intervals,  $Q_i$  is TRUE for that  $S_i$ , LOGIC is set to 1, and the time assigned is that of the start of the 12-sec interval. That LOGIC *never* returns to 0 during this quarter orbit, but it sets to -1 if the TRUE condition is not maintained for a sufficient duration.

#### *Possible LOGIC transitions*

0 to 1	One or two $Q_i$ s are TRUE
1 to -1	TRUE for $Q_i$ s does not maintain
-1 to 1	One or two $Q_i$ s are TRUE again
1 to 2	Three $Q_i$ s are TRUE
2 to 3	Five $Q_i$ s are TRUE

For a boundary to be determined, LOGIC must reach 2 or 3, values from which it cannot return to a lower state. When LOGIC = 2 is reached, three  $Q_i$ s are TRUE. While in LOGIC = 2 state, if data are exhausted before five  $Q_i$ s are TRUE, the boundary is determined, and search is complete. To reach LOGIC = 3,  $Q_1$ ,  $Q_2$ ,  $Q_3$ ,  $Q_4$ , and  $Q_5$  must all be TRUE, the boundary is determined, and search is complete. As  $Q_i$  becomes TRUE for its  $S_i$ , Magnetic Latitude (MLAT) of the boundary, as contributed by that  $S_i$ , is recorded in its appropriate position (replacing -999)

in Table 2. Flowcharts of this operation, leading to the boundary determination, are shown in Figures 2 through 6 for determination of  $Q_1 \dots Q_5$  TRUE, and will be followed for here for  $S_1 \dots S_5$  for the bottom half of page 31 to where the Evening Sector boundary occurs, for shaded sector Quad 4, for DMSP F16 Orbit 9, Julian Day 207 (25 July 2004).

## 10.2 DETERMINATION

### *Observations*

In the top half of page 30, within the black-bordered region (where  $S_i$  values are enclosed), the  $S_i > h_i$  test has never passed for a 4-sec interval, the  $q_i$  has never been TRUE, and certainly  $S_i > h_i$  for three consecutive 4-sec intervals has not been TRUE. Therefore,  $Q_i$  has not been TRUE for any  $S_i$ . The same situation holds for the bottom half of page 30. Everything of interest to us in this discussion happens on page 31. Refer to Figures 2 - 6 for flowcharts generating +, \*, and ^ as discussed below.

### *$S_i > h_i$ Test Results and Analysis*

The first incidence of  $S_i > h_i$  TRUE in this quarter orbit occurs for  $S_2$  at Del T = 656, and is reflected by a "+" after the  $S_2$  value of 30. At the same Del T,  $S_i > h_i$  TRUE for  $S_3$ , as evidenced by a "+" after the  $S_3$  value of 25. In the case of  $S_2$ , the  $S_i > h_i$  TRUE does not maintain at Del T = 652, the next 4-sec interval (as seen by a lack of "\*" after the  $S_2$  value of 25). Observe the behavior of  $S_2$ ,  $S_3$ , and  $S_4$  for the remainder of the top half of page 31.  $Q_1 \dots Q_5$  have never proven TRUE for the span of time from Del T = 696 through Del T = 600. Note that for this case if  $S_2 > h_2$  TRUE had maintained for three consecutive 4-second intervals, the three cells would have contained, in sequence, a "+" a "\*" a "^" after the  $S_2$  value in each respective cell.

On the bottom half of page 31, activity increases greatly. Note that LOGIC has gone from 0 to -1 in column 2 to column 3. This, however, is *not* an allowed transition. Transition from 0 to 1 is allowed, never returning to 0 again in any given quarter orbit. Also, transition 1 to -1 is allowed when the TRUE condition does not maintain. What has happened here is that transition 0 to 1 to -1 has occurred too rapidly to register the 0 to 1 transition. Since  $S_2 \dots S_5$  are have not changed considerably in this time frame, the 0 to -1 transition most probably had occurred due to change in the  $S_1$  value.

Now note the following:

at Del T = 560, S<sub>4</sub> starts a sequence of “+” “\*” “^”

at Del T = 556, S<sub>1</sub> starts a sequence of “+” “\*” “^”

at Del T = 552, S<sub>2</sub> starts a sequence of “+” “\*” “^”

at Del T = 552, S<sub>5</sub> starts a sequence of “+” “\*” “^”

at Del T = 528, S<sub>3</sub> starts a sequence of “+” “\*” “^”

The first full sequence is *completed* by S<sub>4</sub> at Del T = 552, and so LOGIC transitioned from -1 to 1 *at that time*. At that time S<sub>1</sub>, S<sub>2</sub>, and S<sub>5</sub> began or continued full sequences, and LOGIC remained at 1. When, finally, S<sub>3</sub> *completed* a sequence at Del T = 520, LOGIC transitioned to 2 *at that time*, since now Q<sub>1</sub>, Q<sub>2</sub>, and Q<sub>3</sub> are TRUE. Recall from the Boundary Analysis section, that although the LOGIC is set at the times reflected on page 31, the *time assigned* to these Qi TRUE events are the times of the start of the completed 12-sec intervals.

### ***Boundary Time and Magnetic Latitude***

For this boundary, the Magnetic Latitude (Mlat) for times for Qi TRUE are (yellow):

	Q <sub>1</sub>	Q <sub>2</sub>	Q <sub>3</sub>	Q <sub>4</sub>	Q <sub>5</sub>
Mlat >>>>	570	572	585	568	572
<b>Replacing&gt;&gt;&gt;&gt;</b>	<b>-999</b>	<b>-999</b>	<b>-999</b>	<b>-999</b>	<b>-999</b>

*(in the appropriate row on page 31)*

**Steps in calculation:**

- 1) Average the Mlat values ( $Mlat_{Avg}$ )
- 2) Take differences ( $Mlat - Mlat_{Avg}$ )
- 3) If all within  $1^\circ$  difference, assign  $Mlat_{Avg}$  as the Boundary Magnetic Latitude
- 4) If *not* all within  $1^\circ$  difference, discard Mlat farthest from  $Mlat_{Avg}$  and repeat from 1) until 3) is satisfied.

**Calculation Illustration**

	Differences		Differences	
Original		Remaining		
Mlats	5 entries	Mlats	4 entries	
56.8	-0.5	56.8	-0.5	
57.0	-0.3	57.0	-0.3	
57.2	-0.1	57.2	-0.1	
57.2	-0.1	57.2	-0.1	
<b>58.5</b>	<b>1.2</b>	<b>58.5 eliminated</b>		
	286.7		228.2	
Mlat Avg>>>>	57.3		<b>57.1</b>	
# Entries >>>>	5.0		4.0	

**Resulting Mlat is truncated to 57.0**

Time corresponding to the Boundary Mlat is looked up in the ephemeris.

Here, page 31, the Del T is seen to be 556. The Boundary is at 52883 seconds (52277 + 556).

**11. SPECTRAL IMAGES**

Spectral images of the four orbit 9 boundary determinations (upper portion) and expanded view of each boundary (lower portion) are shown in Figures 7, 7a, and 7b as functions of UT, Local time, and Magnetic Latitude.

- Figure 7      Compressed-time view of all 4 boundaries
- Figure 7a     Expanded-time view - Quad 1 and Quad 2 boundaries
- Figure 7b     Expanded-time view - Quad 3 and Quad 4 boundaries

Table 1. Auroral Boundaries for entire day 207

Sat ID	Index	UT sec	UT hms	Year	Day	Glat	Glon	Mlat	Mlon
F16	1	449	0:07:29	2004	207	65.1	139.0	60.4	206.8
F16	7	2293	0:38:13	2004	207	-41.8	103.7	-57.0	169.3
F16	9	3453	0:57:33	2004	207	-68.0	309.6	-56.1	16.6
F16	16	5441	1:30:41	2004	207	46.6	269.0	59.4	337.7
F16	17	6557	1:49:17	2004	207	65.5	114.0	61.2	185.3
F16	23	8385	2:19:45	2004	207	-40.4	78.7	-53.7	139.2
F16	25	9613	2:40:13	2004	207	-65.7	281.3	-53.8	0.4
F16	30	11581	3:13:01	2004	207	48.0	243.1	57.0	303.5
F16	31	12697	3:31:37	2004	207	64.2	87.2	60.6	160.9
F16	37	14601	4:03:21	2004	207	-46.1	51.1	-55.0	106.8
F16	40	15837	4:23:57	2004	207	-59.8	250.6	-51.9	338.3
F16	44	17777	4:56:17	2004	207	52.5	215.4	55.7	272.9
F16	46	18853	5:14:13	2004	207	62.0	59.8	59.2	135.1
F16	53	20813	5:46:53	2004	207	-51.6	23.2	-55.2	76.9
F16	55	22077	6:07:57	2004	207	-52.8	221.0	-51.4	310.0
F16	58	24017	6:40:17	2004	207	59.5	185.8	57.5	245.0
F16	59	25005	6:56:45	2004	207	60.0	32.7	58.0	110.4
F16	66	27005	7:30:05	2004	207	-55.9	355.4	-53.7	50.1
F16	68	28269	7:51:09	2004	207	-48.5	193.6	-53.2	281.3
F16	73	30197	8:23:17	2004	207	63.0	157.5	58.8	222.1
F16	74	31197	8:39:57	2004	207	55.8	4.5	55.2	84.9
F16	81	33177	9:12:57	2004	207	-59.0	328.0	-51.0	28.2
F16	83	34477	9:34:37	2004	207	-43.2	166.0	-53.7	248.7
F16	87	36257	10:04:17	2004	207	59.9	134.5	55.6	204.2
F16	89	37325	10:22:05	2004	207	55.1	338.6	57.7	63.4
F16	96	39381	10:56:21	2004	207	-63.9	298.6	-52.1	9.9
F16	98	40649	11:17:29	2004	207	-40.0	139.3	-54.2	215.5
F16	102	42325	11:45:25	2004	207	57.2	110.8	53.7	183.1
F16	104	43437	12:03:57	2004	207	55.4	313.3	62.8	39.2
F16	111	45593	12:39:53	2004	207	-69.0	267.3	-57.8	353.7
F16	113	46813	13:00:13	2004	207	-37.3	112.9	-52.7	182.2
F16	118	48461	13:27:41	2004	207	58.3	84.7	55.3	157.9
F16	120	49693	13:48:13	2004	207	47.4	283.9	60.1	359.2
F16	127	51617	14:20:17	2004	207	-64.1	247.5	-56.0	338.6
F16	129	52833	14:40:33	2004	207	-42.8	89.4	-57.0	150.6
F16	135	54605	15:10:05	2004	207	59.9	58.1	57.3	133.1
F16	136	55885	15:31:25	2004	207	43.0	256.7	54.7	321.5
F16	143	57657	16:00:57	2004	207	-59.8	225.5	-56.4	319.1
F16	145	58913	16:21:53	2004	207	-44.9	64.6	-55.8	121.2
F16	151	60673	16:51:13	2004	207	57.1	34.4	55.2	110.8
F16	153	61937	17:12:17	2004	207	46.7	232.7	53.8	292.4
F16	159	63705	17:41:45	2004	207	-56.0	202.5	-58.0	295.8
F16	161	64945	18:02:25	2004	207	-49.7	41.2	-56.3	94.8
F16	166	66773	18:32:53	2004	207	56.2	9.5	55.3	89.2
F16	168	67913	18:51:53	2004	207	54.7	211.0	56.9	267.9
F16	174	69749	19:22:29	2004	207	-51.9	179.2	-59.3	269.0
F16	175	70929	19:42:09	2004	207	-57.2	19.6	-58.1	69.9
F16	182	72877	20:14:37	2004	207	55.5	344.4	57.2	68.4
F16	184	73957	20:32:37	2004	207	58.8	188.0	57.1	247.0
F16	189	75689	21:01:29	2004	207	-41.8	157.8	-53.7	238.7
F16	191	76949	21:22:29	2004	207	-62.5	358.0	-58.0	49.2
F16	198	78989	21:56:29	2004	207	55.3	319.1	61.7	45.3
F16	200	80001	22:13:21	2004	207	62.9	165.6	58.9	228.3
F16	205	81793	22:43:13	2004	207	-41.2	132.6	-55.9	207.1
F16	207	83021	23:03:41	2004	207	-65.0	334.8	-56.2	32.0
F16	214	84953	23:35:53	2004	207	46.6	297.7	57.7	18.2
F16	216	86085	23:54:45	2004	207	64.6	141.8	60.0	209.2

Table 2. Boundary Analysis sheets for Orbit 9

EVENING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 47613 LAT INTERVAL = 11 814 Q2																									
AT T = 500 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																									
	t1	t2	t3	t4	t5	t6	t7	t8	t9	t10	t11	t12	t13	t14	t15	t16	t17	t18	t19	t20	t21	t22	t23	t24	t25
n <sub>1</sub>	2	0	1	0	2	0	2	3	0	1	1	2	2	2	0	1	2	0	2	1	0	2	3	2	1
n <sub>2</sub>	3	3	3	2	2	0	4	2	1	3	4	4	3	7	4	2	2	1	2	0	0	2	3	0	1
n <sub>3</sub>	3	5	0	0	0	2	3	3	1	1	1	2	0	2	0	1	3	2	2	1	0	1	0	0	4
n <sub>4</sub>	1	0	2	3	0	1	3	2	1	0	2	1	2	1	2	1	1	1	0	0	2	2	1	3	2
n <sub>5</sub>	0	1	1	1	0	1	1	1	0	2	2	1	1	1	1	1	2	1	3	1	2	1	1	4	0
n <sub>6</sub>	0	0	0	0	2	0	0	0	0	2	2	0	0	0	2	0	0	2	0	0	0	0	0	4	0
n <sub>7</sub>	2	3	2	2	2	0	3	1	2	3	1	6	2	4	0	2	7	2	1	4	1	2	4	3	2
n <sub>8</sub>	4	3	3	5	6	2	3	3	7	2	3	7	2	6	2	10	4	6	0	4	7	2	2	6	6
n <sub>9</sub>	7	5	4	8	7	5	6	7	4	12	3	5	9	7	7	6	10	9	7	6	10	7	12	9	10
Del T	500	504	508	512	516	520	524	528	532	536	540	544	548	552	556	560	564	568	572	576	580	584	588	592	596
Mlat	369	371	374	376	378	380	382	384	386	388	391	393	395	397	399	401	403	406	408	410	412	414	416	418	420
S <sub>1</sub>	13	11	9	15	17	7	12	11	13	19	9	18	13	17	11	18	21	19	8	14	18	11	18	22	18
S <sub>2</sub>	0	0	0	0	0	0	5	3	0	0	0	0	0	12	0	0	0	0	0	0	0	0	0	0	0
S <sub>3</sub>	0	0	0	0	0	0	7	5	0	0	0	0	0	11	0	0	0	0	0	0	0	0	0	0	0
S <sub>4</sub>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
S <sub>5</sub>	0	0	0	0	0	0	7	5	0	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0
LOGIC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AT T = 600 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																									
n <sub>1</sub>	1	4	0	0	2	1	0	4	2	1	1	1	3	1	4	0	0	1	0	0	2	2	0	5	0
n <sub>2</sub>	1	3	2	4	1	3	2	2	3	4	2	4	0	3	2	1	3	3	3	2	2	0	5	3	3
n <sub>3</sub>	0	3	2	2	1	0	3	2	1	5	3	2	1	2	0	0	5	0	3	1	2	3	4	1	0
n <sub>4</sub>	0	5	3	2	2	1	1	2	4	0	2	4	4	1	1	0	2	2	3	2	3	1	2	2	1
n <sub>5</sub>	0	0	2	2	4	1	3	1	0	1	0	1	2	1	1	2	2	1	2	3	3	1	3	1	1
n <sub>6</sub>	2	0	4	2	2	6	2	2	2	2	0	0	0	0	0	6	0	0	4	0	0	0	0	2	2
n <sub>7</sub>	0	0	5	0	3	2	5	2	2	0	3	1	3	0	4	5	3	6	1	3	2	4	1	2	2
n <sub>8</sub>	3	5	4	5	4	8	4	6	2	7	2	4	6	3	3	5	7	7	8	6	5	9	3	6	8
n <sub>9</sub>	12	3	9	6	6	11	5	4	7	1	12	12	4	8	9	7	10	11	8	12	9	13	7	5	11
Del T	600	604	608	612	616	620	624	628	632	636	640	644	648	652	656	660	664	668	672	676	680	684	688	692	696
Mlat	423	425	427	429	431	433	435	438	440	442	444	446	448	450	452	455	457	459	461	463	465	467	470	472	474
S <sub>1</sub>	17	8	22	13	15	27	16	14	13	10	17	17	13	11	16	23	20	24	21	21	16	26	11	15	23
S <sub>2</sub>	1	4	0	0	0	0	0	6	0	11	0	9	0	0	0	0	14	0	12	0	2	0	15	8	0
S <sub>3</sub>	0	15	0	0	0	0	0	5	0	13	0	9	0	0	0	0	7	0	4	0	2	0	5	7	0
S <sub>4</sub>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
S <sub>5</sub>	0	11	0	0	0	0	0	7	0	14	0	10	0	0	0	0	12	0	8	0	3	0	11	11	0
LOGIC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2. Boundary Analysis sheets for Orbit 9 - continued

EVENING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 47613 LAT INTERVAL = 11 814 Q2																								
ATT = 700 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																								
$n_1$	3	2	4	0	1	2	2	0	2	0	1	2	1	0	3	1	4	1	0	4	2	1	3	1
$n_2$	3	0	9	2	1	5	4	2	0	5	4	2	2	4	5	4	3	3	3	3	1	4	3	6
$n_3$	1	1	0	2	3	8	2	4	1	2	3	2	2	4	2	2	2	0	1	3	3	1	1	0
$n_4$	2	5	1	2	3	3	3	1	2	0	5	0	0	0	0	2	5	4	2	4	3	1	4	3
$n_5$	0	2	2	3	3	3	0	0	3	2	4	0	1	1	5	1	2	0	2	3	1	4	1	1
$n_6$	2	4	0	4	0	0	0	4	0	6	2	0	6	0	0	0	2	6	0	4	4	4	4	4
$n_7$	4	6	1	3	4	6	3	4	3	4	1	3	1	7	3	5	5	1	2	1	2	8	6	0
$n_8$	3	5	5	5	6	4	5	8	1	4	6	1	7	7	11	6	10	4	3	5	11	9	9	9
$n_9$	10	7	7	13	16	14	4	13	5	12	14	11	11	9	5	16	16	12	16	11	13	13	25	12
Del T	700	704	708	712	716	720	724	728	732	736	740	744	748	752	756	760	764	768	772	776	780	784	788	792
Mlat	476	478	480	482	484	486	488	490	492	494	496	498	501	503	505	507	509	511	513	515	518	520	522	524
$S_1$	19	22	13	25	26	24	12	29	9	26	23	15	25	23	19	27	31	19	27	17	30	34	44	25
$S_2$	0	0	14	0	6	10	6	0	0	0	9	0	0	0	7	0	4	0	0	2	0	9	4	15
$S_3$	0	0	14	0	3	8	12	0	0	0	4	0	0	0	12	0	7	0	0	2	0	8	9	11
$S_4$	0	0	27+	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
$S_5$	0	0	20	0	7	12	10	0	0	8	0	0	0	0	12	0	7	0	0	3	0	11	8	16
LOGIC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AT T = 800 (LAT(I),I=1,5) = 545 559 557 549 557																								
$n_1$	1	1	4	2	0	8	2	5	4	11	6	8	8	15	14	17	9	22	8	18	16	18	16	13
$n_2$	3	3	4	3	4	3	4	5	10	10	12	19	22	22	18	23	37	36	74	103	91	80	116	148
$n_3$	2	2	4	4	2	10	4	6	8	8	20	24	29	24	19	30	48	71	70	152	287	480	326	390
$n_4$	5	5	3	3	3	2	5	14	15	7	19	18	24	29	34	68	62	75	128	270	370	314	644	884
$n_5$	10	6	7	3	8	8	6	13	21	24	23	28	25	32	62	67	88	178	447	832	1218	1296	1176	1564
$n_6$	8	6	6	4	6	0	10	16	32	46	28	44	50	70	124	146	322	460	672	1936	2776	2320	2104	2504
$n_7$	3	6	2	5	4	4	9	36	110	66	44	95	190	157	212	297	347	552	1188	1836	3288	2968	2328	2684
$n_8$	2	8	9	7	10	9	20	64	131	111	112	197	440	389	338	392	580	1010	1648	1668	2080	2808	2584	3352
$n_9$	11	22	19	22	12	22	47	113	243	258	277	472	742	644	676	770	1072	1084	1776	2272	2656	3072	2216	3960
Del T	800	804	808	812	816	820	824	828	832	836	840	844	848	852	856	860	864	868	872	876	880	884	888	892
Mlat	528	530	533	535	537	539	541	543	545	547	549	551	553	555	557	559	561	564	566	568	570	572	574	576
$S_1$	24	42	36	38	32	35	86	229	516+	481*	461^	808^	808^	808^	808^	808^	808^	808^	808^	808^	808^	808^	808^	808^
$S_2$	12	9	2	4	15	10	6	10	15	8	17	17	21	11	21	29+	40*	49^	109^	151^	198^	210^	198^	236^
$S_3$	12	7	7	2	11	11	4	9	13	20+	8	10	6	7	27+	22*	24^	51^	105^	140^	170^	176^	138^	161^
$S_4$	28+	21	0	0	21	3	15	32+	36*	17	37+	28*	27^	30^	65^	81^	84^	122^	205^	295^	371^	376^	395^	462^
$S_5$	18	11	7	4	16	15	7	16	21	21	18	18	19	14	40+	42*	46^	77^	160^	218^	269^	274^	245^	288^
LOGIC	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	2	2	2	2	2	2

Table 2. Boundary Analysis sheets for Orbit 9 - continued

EVENING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 47613 LAT INTERVAL = 11 814 Q2																									
ATT = 900 (LAT(I),I=1,5) = 545 559 557 549 557																									
	21	16	22	25	32	20	43	48	51	50	38	171	410	791	136	121	81	40	56	14	39	1009	557	****	****
n <sub>1</sub>	128	209	194	172	198	467	420	944	638	1084	1074	3096	5960	3484	1736	1050	1686	1314	1138	192	939	****	4250	****	****
n <sub>2</sub>	468	1022	622	624	680	1436	1864	1656	1632	2212	2496	4712	6120	4672	3512	4048	****	****	5400	864	****	****	9672	6392	4368
n <sub>3</sub>	1084	1268	1228	810	798	1072	1148	1168	1276	2112	2528	2888	3416	3888	3648	****	****	****	3836	****	****	****	3800	2512	2588
n <sub>4</sub>	1376	1248	1088	688	646	896	988	1212	1012	2340	2560	3084	3920	2800	2616	6480	****	****	****	****	****	4904	2039	1384	1596
n <sub>5</sub>	1424	1264	868	592	512	808	1184	1488	1824	3624	3864	1912	3608	2152	1912	2672	7368	****	****	****	****	2664	1702	920	1056
n <sub>6</sub>	1348	858	682	828	680	1100	1988	2488	3928	5112	4288	3096	****	1192	1312	2290	4664	****	****	****	****	1984	1728	824	1070
n <sub>7</sub>	1524	792	1114	1992	1724	1968	2776	3088	5400	5424	3792	4048	****	534	546	1898	6292	7296	5584	5296	6080	2218	1668	810	756
n <sub>8</sub>	1496	1532	3004	4360	3328	2568	2240	2312	4856	5088	2324	6904	2732	297	214	4094	7504	****	1856	2272	6480	2488	5000	940	1092
Del T	900	904	908	912	916	920	924	928	932	936	940	944	948	952	956	960	964	968	972	976	980	984	988	992	996
Mlat	580	582	584	586	588	590	592	595	597	599	601	603	605	607	609	611	613	615	617	619	621	623	625	626	628
S <sub>1</sub>	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
S <sub>2</sub>	1236^	251^	225^	182^	179^	246^	283^	247^	249^	306^	336^	0^	0^	0^	372^	134^	0^	0^	97^	325^	101^	102^	110^	139^	0^
S <sub>3</sub>	8133^	98^	105^	72^	69^	90^	117^	78^	94^	105^	114^	140^	180^	142^	140^	161^	45^	0^	71^	0^	38^	38^	229^	0^	181^
S <sub>4</sub>	465^	456^	436^	336^	319^	333^	361^	284^	334^	497^	557^	350^	112^	295^	554^	****	****	****	****	****	****	703^	135^	****	****
S <sub>5</sub>	1267^	242^	236^	178^	172^	219^	262^	209^	223^	277^	305^	346^	412^	294^	335^	761^	0^	0^	992^	782^	****	****	607^	826^	885^
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
ATT = 1000 (LAT(I),I=1,5) = 545 559 557 549 557																									
n <sub>1</sub>	****	****	****	****	8744	5072	2468	1628	1494	909	8217	8	4	5	6	1	1	1	10	4	2	1	4	4	2
n <sub>2</sub>	****	****	****	****	8472	5816	3784	3584	****	****	****	53	13	11	17	14	6	6	75	19	4	3	4	4	6
n <sub>3</sub>	6248	5568	5264	****	5096	5360	3960	2792	2904	****	****	252	56	61	74	48	21	21	296	24	7	4	5	0	
n <sub>4</sub>	5224	3304	4576	9896	9544	****	3108	1432	1740	****	****	981	164	254	463	134	37	54	461	17	7	6	9	11	4
n <sub>5</sub>	3600	2948	3104	3480	****	3504	2056	1744	7688	7848	1454	1020	1554	7028	569	88	94	531	21	13	17	16	10	16	
n <sub>6</sub>	2128	2584	2104	2520	4840	****	9100	1396	2240	4744	5768	1624	4656	4800	****	1286	194	426	1394	50	30	28	32	24	20
n <sub>7</sub>	2096	2288	1708	2368	5188	****	****	654	7836	5720	4680	1716	8936	2356	****	1506	1201	740	1165	145	46	37	40	29	43
n <sub>8</sub>	2312	2132	1536	1792	2820	****	****	2448	****	4436	5168	4848	8152	1132	****	2486	1560	985	1390	436	107	40	46	49	51
n <sub>9</sub>	4420	2464	1768	2028	2160	****	****	3044	****	8488	7548	5952	5472	1230	5624	1142	4428	1405	5351	635	155	60	49	55	52
Del T	1000	1004	1008	1012	1016	1020	1024	1028	1032	1036	1040	1044	1048	1052	1056	1060	1064	1068	1072	1076	1080	1084	1088	1092	1096
Mlat	630	632	634	636	638	640	642	644	646	648	650	652	654	655	657	659	661	663	665	667	669	671	673	675	677
S <sub>1</sub>	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
S <sub>2</sub>	0^	42^	94^	0^	0^	0^	233^	194^	193^	0^	21^	265^	241^	309^	748^	168^	55^	60^	146^	24^	12^	18^	10^	8^	16^
S <sub>3</sub>	0^	0^	172^	121^	55^	0^	111^	132^	127^	0^	86^	160^	191^	237^	0^	133^	42^	40^	70^	8^	11^	18^	14^	8^	21^
S <sub>4</sub>	****	****	****	666^	221^	****	183^	261^	223^	148^	****	481^	339^	421^	862^	259^	105^	115^	287^	24^	31^	39^	34^	28^	26^
S <sub>5</sub>	1926^	0^	727^	417^	366^	883^	230^	222^	211^	0^	0^	304^	305^	383^	885^	214^	70^	72^	154^	20^	17^	27^	20^	14^	28^
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Table 2. Boundary Analysis sheets for Orbit 9 - continued

EVENING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 47613 LAT INTERVAL = 11 814 Q2	
AT T = 1100 (LAT(I),I=1,S) = 545 559 557 549 557	
n <sub>1</sub>	3 4 0 2 1 2 1 0 1 0 1 2 0 4 1 2 2 4 0 1 1 3 1 1 1
n <sub>2</sub>	3 6 0 4 3 3 3 4 1 2 7 1 6 5 7 4 2 3 0 4 4 4 2 6 1
n <sub>3</sub>	3 7 7 1 4 3 5 6 0 4 3 4 4 4 3 5 1 5 4 2 4 5 3 0 4
n <sub>4</sub>	7 8 10 9 9 15 6 13 14 16 9 14 14 8 17 12 8 9 9 12 9 15 16 9 15
n <sub>5</sub>	17 20 19 12 20 16 19 30 25 23 19 28 19 23 19 20 22 21 20 21 23 19 27 24 17
n <sub>6</sub>	16 34 30 30 26 24 14 28 54 28 30 26 18 28 42 36 28 24 38 30 32 30 42 36 18
n <sub>7</sub>	37 29 30 39 42 55 41 46 52 41 42 36 47 40 37 33 27 48 33 50 36 39 31 49 33
n <sub>8</sub>	44 36 63 38 44 62 54 66 104 88 75 61 48 56 67 44 45 63 69 59 36 43 35 24 23
n <sub>9</sub>	37 41 55 45 53 55 73 76 282 143 82 68 66 61 65 55 49 63 71 58 43 49 38 28 36
Del T	1100 1104 1108 1112 1116 1120 1124 1128 1132 1136 1140 1144 1148 1152 1156 1160 1164 1168 1172 1176 1180 1184 1188 1192 1196
Mlat	679 681 683 684 686 688 690 691 693 695 697 699 700 702 704 706 708 710 711 713 715 716 718 720 722
S <sub>1</sub>	134 <sup>^</sup> 140 <sup>^</sup> 178 <sup>^</sup> 152 <sup>^</sup> 165 <sup>^</sup> 196 <sup>^</sup> 182 <sup>^</sup> 216 <sup>^</sup> 492 <sup>^</sup> 300 <sup>^</sup> 229 <sup>^</sup> 191 <sup>^</sup> 179 <sup>^</sup> 185 <sup>^</sup> 211 <sup>^</sup> 168 <sup>^</sup> 149 <sup>^</sup> 198 <sup>^</sup> 211 <sup>^</sup> 197 <sup>^</sup> 147 <sup>^</sup> 161 <sup>^</sup> 146 <sup>^</sup> 137 <sup>^</sup> 110 <sup>^</sup>
S <sub>2</sub>	13 <sup>^</sup> 12 <sup>^</sup> 30 <sup>^</sup> 14 <sup>^</sup> 21 <sup>^</sup> 20 <sup>^</sup> 19 <sup>^</sup> 31 <sup>^</sup> 33 <sup>^</sup> 32 <sup>^</sup> 20 <sup>^</sup> 28 <sup>^</sup> 25 <sup>^</sup> 15 <sup>^</sup> 23 <sup>^</sup> 18 <sup>^</sup> 22 <sup>^</sup> 15 <sup>^</sup> 31 <sup>^</sup> 23 <sup>^</sup> 22 <sup>^</sup> 17 <sup>^</sup> 30 <sup>^</sup> 25 <sup>^</sup> 25 <sup>^</sup>
S <sub>3</sub>	18 <sup>^</sup> 17 <sup>^</sup> 17 <sup>^</sup> 13 <sup>^</sup> 19 <sup>^</sup> 15 <sup>^</sup> 20 <sup>^</sup> 24 <sup>^</sup> 19 <sup>^</sup> 18 <sup>^</sup> 23 <sup>^</sup> 15 <sup>^</sup> 21 <sup>^</sup> 15 <sup>^</sup> 16 <sup>^</sup> 23 <sup>^</sup> 19 <sup>^</sup> 20 <sup>^</sup> 19 <sup>^</sup> 21 <sup>^</sup> 15 <sup>^</sup> 22 <sup>^</sup> 24 <sup>^</sup> 15 <sup>^</sup>
S <sub>4</sub>	36 <sup>^</sup> 34 <sup>^</sup> 53 <sup>^</sup> 32 <sup>^</sup> 46 <sup>^</sup> 46 <sup>^</sup> 42 <sup>^</sup> 59 <sup>^</sup> 59 <sup>^</sup> 37 <sup>^</sup> 60 <sup>^</sup> 47 <sup>^</sup> 39 <sup>^</sup> 46 <sup>^</sup> 45 <sup>^</sup> 47 <sup>^</sup> 41 <sup>^</sup> 53 <sup>^</sup> 48 <sup>^</sup> 47 <sup>^</sup> 46 <sup>^</sup> 60 <sup>^</sup> 45 <sup>^</sup> 53 <sup>^</sup>
S <sub>5</sub>	25 <sup>^</sup> 23 <sup>^</sup> 32 <sup>^</sup> 21 <sup>^</sup> 30 <sup>^</sup> 27 <sup>^</sup> 29 <sup>^</sup> 39 <sup>^</sup> 41 <sup>^</sup> 36 <sup>^</sup> 27 <sup>^</sup> 39 <sup>^</sup> 28 <sup>^</sup> 29 <sup>^</sup> 27 <sup>^</sup> 36 <sup>^</sup> 27 <sup>^</sup> 35 <sup>^</sup> 32 <sup>^</sup> 33 <sup>^</sup> 26 <sup>^</sup> 39 <sup>^</sup> 37 <sup>^</sup> 30 <sup>^</sup>
LOGIC	3 3
AT T = 1200 (LAT(I),I=1,S) = 545 559 557 549 557	
n <sub>1</sub>	2 1 0 1 2 3 0 0 1 1 3 3 2 1 1 3 3 2 1 2 0 1 3 0 1
n <sub>2</sub>	5 4 3 4 4 2 1 5 8 1 1 1 1 1 1 3 3 2 4 5 5 2 3 0
n <sub>3</sub>	5 7 6 2 2 2 3 7 4 3 0 3 6 2 5 4 6 4 3 7 2 5 1 0 6
n <sub>4</sub>	9 8 12 9 10 16 13 13 10 11 10 14 10 11 8 13 8 11 12 5 10 12 11 13 10
n <sub>5</sub>	27 25 25 17 16 20 18 18 12 21 25 21 26 22 23 15 23 19 11 15 19 13 14 24 27
n <sub>6</sub>	34 18 30 26 30 24 34 16 32 20 24 28 24 26 34 20 28 30 28 20 22 6 18 24 28
n <sub>7</sub>	33 28 35 31 34 31 30 41 39 47 36 44 31 36 44 31 36 35 34 38 33 22 16 17 23 36 28
n <sub>8</sub>	30 28 29 45 30 44 34 29 40 36 35 41 31 35 41 44 61 49 30 18 32 27 33 41 41
n <sub>9</sub>	28 35 25 33 42 29 24 35 29 41 30 48 43 35 41 29 70 43 29 21 9 27 30 48 45
Del T	1200 1204 1208 1212 1216 1220 1224 1228 1232 1236 1240 1244 1248 1252 1256 1260 1264 1268 1272 1276 1280 1284 1288 1292 1296
Mlat	723 725 727 729 730 732 734 736 737 739 740 742 744 745 747 748 750 752 753 755 756 758 760 761 763
S <sub>1</sub>	125 <sup>^</sup> 109 <sup>^</sup> 119 <sup>^</sup> 135 <sup>^</sup> 136 <sup>^</sup> 128 <sup>^</sup> 122 <sup>^</sup> 121 <sup>^</sup> 140 <sup>^</sup> 144 <sup>^</sup> 125 <sup>^</sup> 161 <sup>^</sup> 129 <sup>^</sup> 132 <sup>^</sup> 151 <sup>^</sup> 127 <sup>^</sup> 197 <sup>^</sup> 155 <sup>^</sup> 109 <sup>^</sup> 75 <sup>^</sup> 80 <sup>^</sup> 83 <sup>^</sup> 104 <sup>^</sup> 149 <sup>^</sup> 142 <sup>^</sup>
S <sub>2</sub>	21 <sup>^</sup> 23 <sup>^</sup> 29 <sup>^</sup> 19 <sup>^</sup> 16 <sup>^</sup> 22 <sup>^</sup> 29 <sup>^</sup> 24 <sup>^</sup> 17 <sup>^</sup> 26 <sup>^</sup> 25 <sup>^</sup> 22 <sup>^</sup> 25 <sup>^</sup> 27 <sup>^</sup> 25 <sup>^</sup> 15 <sup>^</sup> 17 <sup>^</sup> 19 <sup>^</sup> 17 <sup>^</sup> 13 <sup>^</sup> 24 <sup>^</sup> 17 <sup>^</sup> 16 <sup>^</sup> 33 <sup>^</sup> 31 <sup>^</sup>
S <sub>3</sub>	24 <sup>^</sup> 22 <sup>^</sup> 21 <sup>^</sup> 17 <sup>^</sup> 15 <sup>^</sup> 18 <sup>^</sup> 17 <sup>^</sup> 13 <sup>^</sup> 9 <sup>^</sup> 20 <sup>^</sup> 25 <sup>^</sup> 19 <sup>^</sup> 23 <sup>^</sup> 21 <sup>^</sup> 22 <sup>^</sup> 13 <sup>^</sup> 21 <sup>^</sup> 17 <sup>^</sup> 11 <sup>^</sup> 15 <sup>^</sup> 18 <sup>^</sup> 10 <sup>^</sup> 15 <sup>^</sup> 23 <sup>^</sup> 24 <sup>^</sup>
S <sub>4</sub>	48 <sup>^</sup> 48 <sup>^</sup> 55 <sup>^</sup> 41 <sup>^</sup> 39 <sup>^</sup> 51 <sup>^</sup> 53 <sup>^</sup> 46 <sup>^</sup> 27 <sup>^</sup> 53 <sup>^</sup> 52 <sup>^</sup> 52 <sup>^</sup> 55 <sup>^</sup> 53 <sup>^</sup> 41 <sup>^</sup> 44 <sup>^</sup> 47 <sup>^</sup> 37 <sup>^</sup> 29 <sup>^</sup> 44 <sup>^</sup> 38 <sup>^</sup> 40 <sup>^</sup> 55 <sup>^</sup> 59 <sup>^</sup>
S <sub>5</sub>	35 <sup>^</sup> 34 <sup>^</sup> 35 <sup>^</sup> 27 <sup>^</sup> 25 <sup>^</sup> 32 <sup>^</sup> 32 <sup>^</sup> 26 <sup>^</sup> 18 <sup>^</sup> 34 <sup>^</sup> 40 <sup>^</sup> 32 <sup>^</sup> 36 <sup>^</sup> 36 <sup>^</sup> 35 <sup>^</sup> 23 <sup>^</sup> 30 <sup>^</sup> 29 <sup>^</sup> 21 <sup>^</sup> 20 <sup>^</sup> 30 <sup>^</sup> 25 <sup>^</sup> 40 <sup>^</sup> 40 <sup>^</sup>
LOGIC	3 3



Table 2. Boundary Analysis sheets for Orbit 9 - continued

EVENING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 47613 LAT INTERVAL = 11 814 Q2																
ATT = 1500 (LAT(I),I=1,5) = 545 559 557 549 557																
	2	1	2	1	2	1	0	1	2	-1	-1	-1	-1	-1	-1	-1
n <sub>1</sub>	2	1	2	1	0	0	0	1	2	-1	-1	-1	-1	-1	-1	-1
n <sub>2</sub>	5	6	1	2	3	2	4	3	3	0	-1	-1	-1	-1	-1	-1
n <sub>3</sub>	11	8	15	12	8	8	7	17	11	17	7	-1	-1	-1	-1	-1
n <sub>4</sub>	38	44	45	37	37	28	48	34	40	44	30	-1	-1	-1	-1	-1
n <sub>5</sub>	89	119	105	117	100	98	91	87	94	96	91	-1	-1	-1	-1	-1
n <sub>6</sub>	130	136	154	144	144	150	176	132	114	116	130	-1	-1	-1	-1	-1
n <sub>7</sub>	194	200	198	176	190	190	194	186	171	165	187	-1	-1	-1	-1	-1
n <sub>8</sub>	205	198	197	212	246	234	173	183	151	148	170	-1	-1	-1	-1	-1
n <sub>9</sub>	170	178	156	180	168	171	120	133	124	97	137	-1	-1	-1	-1	-1
Del T	1500	1504	1508	1512	1516	1520	1524	1528	1532	1536	1540	****	****	****	****	****
Mlat	814	814	815	815	815	815	815	816	815	814	814	-1	-1	-1	-1	-1
S <sub>1</sub>	699 <sup>^</sup>	712 <sup>^</sup>	705 <sup>^</sup>	712 <sup>^</sup>	748 <sup>^</sup>	745 <sup>^</sup>	663 <sup>^</sup>	634 <sup>^</sup>	560 <sup>^</sup>	526 <sup>^</sup>	624 <sup>^</sup>	-1	-1	-1	-1	-1
S <sub>2</sub>	56 <sup>^</sup>	69 <sup>^</sup>	69 <sup>^</sup>	70 <sup>^</sup>	64 <sup>^</sup>	67 <sup>^</sup>	64 <sup>^</sup>	59 <sup>^</sup>	66 <sup>^</sup>	62 <sup>^</sup>	64 <sup>^</sup>	-1	-1	-1	-1	-1
S <sub>3</sub>	45 <sup>^</sup>	55 <sup>^</sup>	49 <sup>^</sup>	56 <sup>^</sup>	50 <sup>^</sup>	53 <sup>^</sup>	44 <sup>^</sup>	44 <sup>^</sup>	46 <sup>^</sup>	45 <sup>^</sup>	50 <sup>^</sup>	-1	-1	-1	-1	-1
S <sub>4</sub>	106 <sup>^</sup>	121 <sup>^</sup>	120 <sup>^</sup>	120 <sup>^</sup>	112 <sup>^</sup>	109 <sup>^</sup>	113 <sup>^</sup>	106 <sup>^</sup>	113 <sup>^</sup>	114 <sup>^</sup>	108 <sup>^</sup>	-1	-1	-1	-1	-1
S <sub>5</sub>	75 <sup>^</sup>	91 <sup>^</sup>	84 <sup>^</sup>	92 <sup>^</sup>	84 <sup>^</sup>	86 <sup>^</sup>	78 <sup>^</sup>	73 <sup>^</sup>	80 <sup>^</sup>	77 <sup>^</sup>	83 <sup>^</sup>	-1	-1	-1	-1	-1
LOGIC	3	3	3	3	3	3	3	3	3	3	3	-1	-1	-1	-1	-1
EXITING SEARCJ WITH ITIM = 49157 50669 813 10																
NORB = 9 379 1 49157																

Table 2. Boundary Analysis sheets for Orbit 9 - continued

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 49157 LAT INTERVAL = 813 10 Q1																										
ATT = 996 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																										
	1	2	0	3	4	2	3	4	5	4	6	2	1	2	4	2	0	7	13	12	9	4	7	11	7	
n <sub>1</sub>	4	3	2	2	1	1	2	5	2	2	2	3	4	4	2	3	5	8	5	4	5	6	3	5	9	
n <sub>2</sub>	0	0	0	2	4	3	3	0	1	2	3	2	0	1	2	1	0	2	1	0	2	3	4	0	3	2
n <sub>3</sub>	0	1	4	2	0	0	2	2	1	1	1	1	0	4	6	0	2	1	1	2	6	2	4	2	4	4
n <sub>4</sub>	2	1	0	3	2	4	2	1	3	0	1	1	1	0	6	4	3	0	4	2	1	2	4	4	1	1
n <sub>5</sub>	4	8	0	0	4	2	4	2	10	6	2	4	6	0	2	10	2	6	2	8	0	2	6	6	6	6
n <sub>6</sub>	11	19	16	26	19	18	15	21	14	16	11	14	19	19	24	16	19	18	13	19	17	22	10	16	16	
n <sub>7</sub>	22	27	38	34	41	28	24	26	34	33	34	28	41	38	36	32	36	36	37	36	28	31	25	31	44	
n <sub>8</sub>	59	49	68	67	57	57	51	51	43	71	58	49	69	50	47	49	57	52	47	45	63	56	75	60	55	
Del T	996	992	988	984	980	976	972	968	964	960	956	952	948	944	940	936	932	928	924	920	916	912	908	904	900	
Mlat	367	369	371	373	375	377	379	381	383	385	387	389	391	393	395	397	399	401	403	405	407	409	411	413	415	
S <sub>1</sub>	96	103	122	127	121	105	94	100	101	126	105	95	135	107	109	107	114	112	99	108	108	111	116	113	121	
S <sub>2</sub>	10	0	0	0	0	7	0	5	8	0	10	0	0	0	7	5	16	12	16	16	9	5	11	13	9	
S <sub>3</sub>	80	0	0	0	0	10	0	6	7	0	8	0	0	0	8	10	6	22+	12	11	13	7	7	8	14	
S <sub>4</sub>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17	0	0	36+	30*	30^	18	0	0	25+	27*	
S <sub>5</sub>	10	0	0	0	0	12	0	7	12	0	13	0	0	0	12	10	13	23	22	22	14	9	13	16	16	
LOGIC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ATT = 896 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																										
n <sub>1</sub>	4	10	8	7	8	7	6	9	11	4	5	4	9	5	7	6	7	8	7	6	4	10	5	7	8	
n <sub>2</sub>	11	6	2	11	5	11	8	13	9	10	5	5	4	5	11	12	7	12	13	11	8	14	7	11	11	
n <sub>3</sub>	5	3	4	4	2	5	7	9	4	6	4	4	6	5	2	5	8	9	1	3	13	6	4	7	4	
n <sub>4</sub>	8	4	2	3	5	3	5	5	1	5	6	2	5	3	7	4	12	6	6	10	5	8	9	12	12	
n <sub>5</sub>	2	7	4	5	3	4	2	4	5	14	6	5	8	11	10	5	6	16	9	12	4	6	8	10	7	
n <sub>6</sub>	8	4	12	8	6	6	10	4	16	4	12	6	4	8	10	4	6	14	4	10	8	10	10	12	10	
n <sub>7</sub>	9	16	20	20	24	21	20	18	30	18	31	23	15	26	29	25	21	22	25	27	27	16	23	23	19	
n <sub>8</sub>	29	39	37	32	27	25	29	44	43	45	55	55	57	49	47	53	41	55	53	32	43	32	40	48	37	
n <sub>9</sub>	52	54	57	53	48	52	59	53	55	56	63	74	60	50	59	64	59	61	67	56	56	52	72	67	67	
Del T	896	892	888	884	880	876	872	868	864	860	856	852	848	844	840	836	832	828	824	820	816	812	808	804	800	
Mlat	417	419	421	424	426	428	430	432	434	436	438	440	442	444	446	448	450	452	454	456	458	460	462	464	466	
S <sub>1</sub>	98	113	126	113	105	104	118	119	144	123	161	158	136	133	145	146	127	152	149	125	134	110	145	150	133	
S <sub>2</sub>	12	9	11	9	8	8	4	7	10	11	2	3	8	5	9	10	4	7	13	10	12	8	5	6	7	
S <sub>3</sub>	14	7	6	8	6	9	10	10	11	13	2	6	5	13	9	8	8	12	11	9	12	7	5	5	9	
S <sub>4</sub>	12	12	0	23	13	25+	18	27+	31*	11	5	0	0	10	2	21	9	4	11	10	8	20	12	8	0	
S <sub>5</sub>	15	12	12	13	11	13	10	13	17	16	3	6	8	13	13	13	9	13	17	14	15	12	8	8	12	
LOGIC	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	

Table 2. Boundary Analysis sheets for Orbit 9 - continued

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 49157 LAT INTERVAL = 813 10 Q1																									
AT T = 796 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																									
	6	12	15	11	14	12	10	12	15	12	12	14	16	15	11	12	13	16	11	4	9	20	17	21	26
n <sub>1</sub>	9	13	5	8	9	15	12	13	9	11	7	13	13	10	13	9	12	14	10	7	17	13	21	18	24
n <sub>2</sub>	8	9	5	8	14	13	6	11	7	7	13	9	8	8	14	5	13	15	13	9	12	11	12	26	16
n <sub>3</sub>	11	8	9	14	4	12	12	8	11	8	11	9	8	9	7	10	7	11	19	14	11	18	20	27	19
n <sub>4</sub>	7	10	14	6	9	16	10	9	7	7	10	12	3	13	15	14	11	16	19	16	10	12	14	15	19
n <sub>5</sub>	4	14	6	14	6	16	14	16	18	12	16	6	12	12	6	18	10	24	30	34	20	24	24	26	30
n <sub>6</sub>	35	26	28	32	22	24	27	36	34	37	22	30	24	27	31	24	31	35	40	57	32	22	30	41	37
n <sub>7</sub>	39	45	45	29	45	39	41	51	36	40	41	27	28	44	55	38	44	30	63	34	44	31	40	45	34
n <sub>8</sub>	67	65	55	58	55	65	53	64	50	50	51	61	54	54	49	48	49	66	99	71	76	113	62	58	69
Del T	796	792	788	784	780	776	772	768	764	760	756	752	748	744	740	736	732	728	724	720	716	712	708	704	700
Mlat	468	471	473	475	477	479	481	483	486	488	490	492	494	496	498	500	502	504	506	508	510	512	514	517	519
S <sub>1</sub>	145	150	134	133	128	144	135	167	138	139	130	124	118	137	141	128	134	155	232	196	172	190	156	170	170
S <sub>2</sub>	15	4	14	6	8	3	5	3	9	5	6	5	9	8	5	7	4	3	7	12	9	9	6	6	7
S <sub>3</sub>	85	4	10	11	10	4	5	4	7	4	4	4	14	6	9	9	6	5	7	9	5	7	7	12	4
S <sub>4</sub>	7	14	6	2	20	1	0	16	12	16	4	11	33+	6	4	6	14	5	27+	34*	9	5	6	4	16
S <sub>5</sub>	7	7	16	11	14	5	8	6	11	8	7	7	17	9	10	11	8	6	12	17	9	11	10	12	9
LOGIC	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1
AT T = 696 (LAT(I),I=1,5) = 533 -999 -999 -999 -999																									
n <sub>1</sub>	38	33	30	34	46	51	72	65	87	93	101	98	111	134	151	159	191	206	231	237	296	322	337	396	416
n <sub>2</sub>	20	19	29	25	55	51	59	75	97	88	87	113	107	131	163	154	210	219	229	253	286	325	388	367	412
n <sub>3</sub>	26	29	27	33	38	64	63	65	77	95	94	99	124	170	155	173	178	214	236	253	298	301	360	398	422
n <sub>4</sub>	28	25	33	28	49	60	56	85	65	98	115	105	112	147	144	168	187	218	212	273	280	314	360	396	382
n <sub>5</sub>	19	25	42	42	45	63	52	63	94	92	116	107	116	145	178	158	193	210	216	233	278	338	388	392	430
n <sub>6</sub>	28	36	38	54	56	74	82	98	98	92	126	118	134	172	162	194	204	206	230	260	288	368	332	388	368
n <sub>7</sub>	37	38	45	59	79	79	103	99	101	98	135	135	138	155	155	195	192	264	247	267	330	364	430	454	434
n <sub>8</sub>	61	46	58	51	81	61	111	105	109	136	122	145	139	163	182	198	245	262	284	303	343	394	418	502	466
n <sub>9</sub>	82	59	75	76	93	108	109	107	134	128	149	148	184	154	192	219	224	263	261	312	336	356	440	478	514
Del T	696	692	688	684	680	676	672	668	664	660	656	652	648	644	640	636	632	628	624	620	616	612	608	604	600
Mlat	521	523	525	527	529	531	533	535	537	539	541	543	545	547	549	551	553	555	557	559	561	563	565	567	569
S <sub>1</sub>	208	179	216	240	309	322	405+	409*	442^	454^	532^	546^	595^	644^	691^	806^	865^	995^	****	****	****	****	****	****	****
S <sub>2</sub>	14	11	4	7	7	6	8	7	9	2	8	6	4	10	5	4	7	3	3	6	3	4	11	6	4
S <sub>3</sub>	10	4	9	11	5	4	6	11	13	3	9	3	3	7	11	4	5	2	5	10	4	7	7	3	9
S <sub>4</sub>	14	2	18	13	6	18	20	6	18	6	28+	0	6	15	4	7	10	1	14	7	9	1	8	8	5
S <sub>5</sub>	16	11	11	12	10	9	10	12	15	4	14	6	6	14	11	6	9	4	7	11	5	8	12	7	10
LOGIC	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1

Table 2. Boundary Analysis sheets for Orbit 9 - continued

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 49157 LAT INTERVAL = 813 10 Q1																										
AT T = 596 (LAT(I),I=1,5) = 533 601 579 577 601																										
n <sub>1</sub>	468	490	480	430	364	351	420	414	384	354	402	560	444	518	624	536	314	277	470	528	514	416	334	252	255	
n <sub>2</sub>	418	500	458	428	392	384	418	422	402	408	456	606	542	610	668	704	486	456	476	530	528	440	378	338	240	
n <sub>3</sub>	456	442	458	392	404	394	436	416	398	404	448	590	538	522	584	750	362	327	368	532	329	346	396	272	239	
n <sub>4</sub>	458	454	430	518	516	458	532	430	440	446	474	560	580	506	644	642	243	268	310	354	282	226	256	202	167	
n <sub>5</sub>	476	456	448	460	666	616	554	470	460	426	444	462	438	456	536	530	273	271	299	340	269	251	275	167	118	
n <sub>6</sub>	452	528	444	436	792	632	568	352	516	424	424	412	356	416	444	472	242	224	306	344	294	214	228	152	158	
n <sub>7</sub>	484	502	492	494	1054	844	560	426	562	426	412	494	428	472	456	556	238	204	374	330	318	232	271	169	145	
n <sub>8</sub>	478	522	564	460	1044	864	556	504	496	426	432	498	472	560	586	694	257	254	361	714	412	276	263	195	190	
n <sub>9</sub>	530	586	604	498	934	884	560	548	514	454	410	472	620	634	656	826	307	348	554	822	524	294	322	204	204	
Del T	596	592	588	584	580	576	572	568	564	560	556	552	548	544	540	536	532	528	524	520	516	512	508	504	500	
Mlat	571	573	575	577	579	581	583	585	587	589	591	593	595	597	599	601	603	605	607	608	610	612	614	616	618	
S <sub>1</sub>	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	720^	697^
S <sub>2</sub>	9	9	6	12	31+	26	16	5	9	15	13	11	23	18	12	35+	41*	42^	26^	23^	41^	30^	19^	27^	19^	
S <sub>3</sub>	7	6	5	18	46+	43*	22^	11^	9^	7^	25^	28^	18^	21^	33^	36^	28^	29^	39^	42^	38^	28^	35^	39^	39^	
S <sub>4</sub>	15	25+	19	38+	123*	103^	75^	21^	38^	37^	19^	42^	10^	49^	31^	19^	100^	71^	109^	111^	152^	129^	67^	90^	94^	
S <sub>5</sub>	11	12	9	24	64+	56*	33	12	17	18	14	26	31	27	23	43+	58*	49^	48^	52^	72^	58^	37^	46^	46^	
LOGIC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	
AT T = 496 (LAT(I),I=1,5) = 533 601 579 577 601																										
n <sub>1</sub>	205	223	288	305	207	259	358	177	331	141	90	92	74	72	99	342	465	538	488	246	186	277	350	301	177	
n <sub>2</sub>	226	304	235	300	224	250	340	157	428	176	122	91	95	86	83	260	284	324	237	165	188	210	299	228	147	
n <sub>3</sub>	208	245	211	198	211	138	243	145	241	183	114	93	133	148	105	138	253	226	391	173	191	321	490	466	264	
n <sub>4</sub>	150	186	149	151	119	88	140	95	139	127	114	112	123	123	146	102	133	143	164	138	169	289	366	389	318	
n <sub>5</sub>	89	148	130	112	90	120	133	70	108	90	100	82	78	82	115	99	126	127	137	100	154	219	296	245	224	
n <sub>6</sub>	112	110	146	116	124	156	168	92	200	166	170	126	86	112	198	194	164	138	198	138	206	252	448	420	492	
n <sub>7</sub>	120	133	163	146	169	172	208	288	339	263	221	217	242	248	299	314	224	183	195	233	273	270	550	412	986	
n <sub>8</sub>	148	155	188	227	267	278	346	1240	572	458	548	434	444	420	484	532	296	312	248	398	635	320	702	570	1386	
n <sub>9</sub>	222	205	187	341	418	402	1040	****	1080	898	1048	762	520	494	666	912	584	826	539	1090	4896	722	984	508	722	
Del T	496	492	488	484	480	476	472	468	464	460	456	452	448	444	440	436	432	428	424	420	416	412	408	404	400	
Mlat	620	622	624	626	628	630	632	634	636	638	640	642	644	646	648	650	652	654	656	658	660	662	664	666	667	
S <sub>1</sub>	602^	603^	684^	830^	978^	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
S <sub>2</sub>	19^	26^	29^	34^	22^	38^	38^	21^	47^	18^	14^	5^	22^	27^	14^	53^	61^	73^	65^	31^	5^	22^	30^	42^	35^	
S <sub>3</sub>	43^	34^	33^	46^	44^	39^	52^	34^	70^	31^	7^	12^	23^	25^	16^	50^	59^	66^	71^	30^	11^	25^	35^	48^	31^	
S <sub>4</sub>	92^	84^	106^	139^	106^	133^	160^	92^	185^	56^	1^	7^	22^	32^	48^	163^	179^	201^	157^	85^	26^	9^	5^	41^	93^	
S <sub>5</sub>	47^	44^	50^	66^	52^	66^	76^	43^	94^	35^	13^	12^	29^	35^	24^	87^	97^	114^	100^	46^	13^	32^	46^	62^	50^	
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Table 2. Boundary Analysis sheets for Orbit 9 - continued

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 49157 LAT INTERVAL = 813 10 Q1																									
AT T = 396 (LAT(I),I=1,5) = 533 601 579 577 601																									
n <sub>1</sub>	24	38	10	1	3	0	5	1	3	1	1	4	2	2	3	1	2	0	2	0	1	6	3	4	1
n <sub>2</sub>	37	49	24	3	4	8	3	3	5	2	3	5	4	3	3	2	7	5	3	3	3	5	3	4	6
n <sub>3</sub>	130	145	49	5	5	10	3	2	6	3	4	12	3	7	6	3	5	7	6	6	6	1	4	10	4
n <sub>4</sub>	304	325	925	19	22	16	14	8	16	11	17	10	21	19	12	16	20	20	8	13	12	10	18	15	7
n <sub>5</sub>	439	500	4365	56	42	43	37	37	48	35	21	43	30	37	35	36	31	41	15	41	26	29	20	35	42
n <sub>6</sub>	1268	1872	****	156	76	74	90	78	84	74	68	58	70	54	98	82	78	80	86	78	88	72	48	68	88
n <sub>7</sub>	3624	5976	****	1545	187	205	173	178	187	189	147	147	151	174	182	178	207	202	178	188	163	170	188	192	183
n <sub>8</sub>	****	****	****	****	416	439	210	255	277	225	205	203	188	258	227	251	290	308	242	282	285	312	335	288	263
n <sub>9</sub>	6520	8616	****	****	2034	1574	272	357	648	227	271	271	191	267	176	242	345	298	279	308	279	325	269	312	276
Del T	396	392	388	384	380	376	372	368	364	360	356	352	348	344	340	336	332	328	324	320	316	312	308	304	300
Mlat	669	671	673	675	677	679	680	682	684	686	688	690	692	694	695	697	699	701	703	705	707	708	710	712	714
S <sub>1</sub>	****	****	****	****	****	****	745	868	****	715	691	679	600	753	683	753	920	888	785	856	815	879	840	860	810
S <sub>2</sub>	1116	112	534	46	32	35	25	35	33	34	26	27	29	31	26	36	26	38	14	39	26	18	21	23	34
S <sub>3</sub>	78	84	0	38	28	29	29	34	34	30	17	32	22	26	28	21	28	13	32	32	21	26	16	24	36
S <sub>4</sub>	250	256	722	81	71	66	60	61	70	63	55	60	63	68	59	67	58	71	37	69	55	44	51	59	60
S <sub>5</sub>	1147	152	641	61	47	46	45	52	52	48	32	46	40	43	43	48	37	47	21	51	35	37	30	38	53
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
AT T = 296 (LAT(I),I=1,5) = 533 601 579 577 601																									
n <sub>1</sub>	2	3	0	2	1	0	2	1	5	1	0	2	2	3	0	1	2	0	0	1	6	0	2	1	1
n <sub>2</sub>	3	5	3	5	2	2	8	3	6	6	7	2	2	1	3	3	3	3	4	5	3	2	2	3	4
n <sub>3</sub>	5	4	6	5	8	5	16	5	4	6	12	8	6	3	7	6	9	6	7	4	4	9	9	10	12
n <sub>4</sub>	20	17	16	12	16	20	19	18	18	24	23	22	23	20	24	26	18	17	19	27	18	20	24	28	29
n <sub>5</sub>	39	37	41	46	41	73	84	55	78	86	63	57	55	60	66	75	96	59	63	54	55	66	62	55	61
n <sub>6</sub>	76	58	86	66	42	118	120	100	92	128	122	122	90	90	158	110	162	124	138	116	94	112	128	88	158
n <sub>7</sub>	179	131	162	151	170	179	200	167	184	185	177	213	177	184	199	214	251	210	192	176	159	170	183	175	166
n <sub>8</sub>	290	279	248	236	215	268	214	255	220	207	232	256	208	200	220	201	1260	237	186	147	175	160	174	202	160
n <sub>9</sub>	262	268	207	213	173	190	167	214	173	162	163	188	185	205	169	331	7723	359	98	103	97	100	86	104	102
Del T	296	292	288	284	280	276	272	268	264	260	256	252	248	244	240	236	232	228	224	220	216	212	208	204	200
Mlat	716	718	720	722	723	725	727	728	730	732	734	735	737	739	741	742	744	746	748	749	751	752	754	755	757
S <sub>1</sub>	807	736	703	666	600	755	701	736	669	682	694	779	660	679	746	856	****	930	614	542	525	542	571	569	586
S <sub>2</sub>	33	27	40	34	33	61	55	40	48	57	46	44	44	46	54	56	62	50	50	44	34	54	46	45	46
S <sub>3</sub>	28	27	30	35	29	46	49	37	49	49	37	36	41	40	44	44	56	40	41	34	38	42	38	32	34
S <sub>4</sub>	70	62	71	66	67	94	97	74	89	98	85	84	83	84	91	96	102	83	86	83	74	90	88	86	89
S <sub>5</sub>	46	43	50	53	46	75	76	58	76	79	60	60	59	66	67	73	87	65	58	58	58	68	62	56	58
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Table 2. Boundary Analysis sheets for Orbit 9 - continued

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 49157 LAT INTERVAL = 813 10 Q1																								
ATT = 196 (LAT(0),I=1,5) = 533 601 579 577 601																								
n <sub>1</sub>	3	2	2	0	4	0	0	1	4	5	1	2	0	4	1	2	4	1	2	0	0	1	0	
n <sub>2</sub>	7	4	4	2	3	6	0	2	5	1	3	1	3	5	3	2	5	2	5	2	8	2	5	3
n <sub>3</sub>	8	5	7	9	9	8	8	5	10	6	10	8	5	12	10	11	6	6	9	11	6	8	6	3
n <sub>4</sub>	22	26	19	24	24	22	19	17	18	28	13	17	25	16	25	20	33	24	28	30	18	36	25	21
n <sub>5</sub>	57	63	69	56	71	48	70	52	39	50	51	54	53	48	57	80	76	61	54	84	58	61	64	67
n <sub>6</sub>	122	134	106	102	94	118	116	94	88	134	150	128	132	128	140	124	128	134	154	180	120	116	116	114
n <sub>7</sub>	189	151	191	190	154	157	195	179	172	184	200	203	208	226	221	218	212	206	229	234	219	229	195	218
n <sub>8</sub>	151	196	194	174	159	196	170	185	195	166	204	239	263	230	236	240	240	257	236	265	265	273	273	255
n <sub>9</sub>	117	143	135	118	111	108	119	88	97	106	145	200	202	205	189	201	202	190	185	225	250	181	226	
Del T	196	192	188	184	180	176	172	168	164	160	156	152	148	144	140	136	132	128	124	120	116	112	108	
Mlat	759	760	762	763	765	767	768	770	772	773	774	776	777	779	780	781	783	784	786	787	788	790	791	
S <sub>1</sub>	579 <sup>^</sup>	624 <sup>^</sup>	626 <sup>^</sup>	584 <sup>^</sup>	518 <sup>^</sup>	579 <sup>^</sup>	600 <sup>^</sup>	546 <sup>^</sup>	552 <sup>^</sup>	590 <sup>^</sup>	699 <sup>^</sup>	770 <sup>^</sup>	805 <sup>^</sup>	789 <sup>^</sup>	786 <sup>^</sup>	783 <sup>^</sup>	782 <sup>^</sup>	787 <sup>^</sup>	804 <sup>^</sup>	904 <sup>^</sup>	854 <sup>^</sup>	799 <sup>^</sup>		
S <sub>2</sub>	36 <sup>^</sup>	46 <sup>^</sup>	48 <sup>^</sup>	43 <sup>^</sup>	55 <sup>^</sup>	31 <sup>^</sup>	61 <sup>^</sup>	49 <sup>^</sup>	32 <sup>^</sup>	39 <sup>^</sup>	31 <sup>^</sup>	42 <sup>^</sup>	44 <sup>^</sup>	44 <sup>^</sup>	36 <sup>^</sup>	56 <sup>^</sup>	52 <sup>^</sup>	42 <sup>^</sup>	44 <sup>^</sup>	57 <sup>^</sup>	42 <sup>^</sup>	56 <sup>^</sup>		
S <sub>3</sub>	35 <sup>^</sup>	39 <sup>^</sup>	44 <sup>^</sup>	35 <sup>^</sup>	42 <sup>^</sup>	30 <sup>^</sup>	45 <sup>^</sup>	37 <sup>^</sup>	26 <sup>^</sup>	31 <sup>^</sup>	36 <sup>^</sup>	36 <sup>^</sup>	33 <sup>^</sup>	35 <sup>^</sup>	33 <sup>^</sup>	48 <sup>^</sup>	41 <sup>^</sup>	38 <sup>^</sup>	33 <sup>^</sup>	46 <sup>^</sup>	37 <sup>^</sup>	35 <sup>^</sup>		
S <sub>4</sub>	77 <sup>^</sup>	87 <sup>^</sup>	87 <sup>^</sup>	84 <sup>^</sup>	94 <sup>^</sup>	71 <sup>^</sup>	94 <sup>^</sup>	80 <sup>^</sup>	67 <sup>^</sup>	82 <sup>^</sup>	70 <sup>^</sup>	79 <sup>^</sup>	84 <sup>^</sup>	76 <sup>^</sup>	80 <sup>^</sup>	96 <sup>^</sup>	99 <sup>^</sup>	85 <sup>^</sup>	83 <sup>^</sup>	103 <sup>^</sup>	78 <sup>^</sup>	96 <sup>^</sup>		
S <sub>5</sub>	55 <sup>^</sup>	64 <sup>^</sup>	69 <sup>^</sup>	58 <sup>^</sup>	69 <sup>^</sup>	48 <sup>^</sup>	73 <sup>^</sup>	61 <sup>^</sup>	43 <sup>^</sup>	54 <sup>^</sup>	53 <sup>^</sup>	57 <sup>^</sup>	57 <sup>^</sup>	57 <sup>^</sup>	53 <sup>^</sup>	76 <sup>^</sup>	68 <sup>^</sup>	62 <sup>^</sup>	56 <sup>^</sup>	76 <sup>^</sup>	57 <sup>^</sup>	64 <sup>^</sup>		
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		
ATT = 96 (LAT(0),I=1,5) = 533 601 579 577 601																								
n <sub>1</sub>	2	2	1	1	1	2	2	0	1	4	1	2	4	2	3	2	0	2	1	2	3	4	0	
n <sub>2</sub>	1	2	4	5	6	1	1	4	6	2	5	3	2	1	5	2	3	2	4	6	6	9		
n <sub>3</sub>	3	4	4	8	6	5	8	6	2	18	8	6	9	8	9	5	4	9	6	3	12	5		
n <sub>4</sub>	14	16	14	12	16	20	24	18	18	20	17	17	24	17	20	17	16	23	20	27	31	34		
n <sub>5</sub>	49	42	33	36	34	23	42	45	45	30	57	52	65	48	50	36	34	38	55	54	95			
n <sub>6</sub>	94	86	76	92	104	80	86	72	74	70	68	96	96	92	84	68	64	90	94	112	102			
n <sub>7</sub>	213	219	203	201	174	185	205	180	181	176	154	158	171	177	156	189	181	152	186	171	137			
n <sub>8</sub>	282	241	289	235	186	194	229	208	186	188	194	180	199	190	181	205	179	173	212	160	173			
n <sub>9</sub>	223	197	191	176	116	123	146	132	92	98	104	116	112	139	105	120	112	94	98	100				
Del T	96	92	88	84	80	76	72	68	64	60	56	52	48	44	40	36	32	28	24	20				
Mlat	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	809	810	810	811	811				
S <sub>1</sub>	812 <sup>^</sup>	743 <sup>^</sup>	759 <sup>^</sup>	704 <sup>^</sup>	580 <sup>^</sup>	582 <sup>^</sup>	666 <sup>^</sup>	592 <sup>^</sup>	533 <sup>^</sup>	532 <sup>^</sup>	520 <sup>^</sup>	550 <sup>^</sup>	578 <sup>^</sup>	598 <sup>^</sup>	526 <sup>^</sup>	582 <sup>^</sup>	536 <sup>^</sup>	509 <sup>^</sup>	590 <sup>^</sup>	543 <sup>^</sup>				
S <sub>2</sub>	42 <sup>^</sup>	36 <sup>^</sup>	30 <sup>^</sup>	30 <sup>^</sup>	29 <sup>^</sup>	28 <sup>^</sup>	38 <sup>^</sup>	41 <sup>^</sup>	38 <sup>^</sup>	27 <sup>^</sup>	42 <sup>^</sup>	40 <sup>^</sup>	43 <sup>^</sup>	39 <sup>^</sup>	34 <sup>^</sup>	32 <sup>^</sup>	36 <sup>^</sup>	34 <sup>^</sup>	43 <sup>^</sup>	41 <sup>^</sup>				
S <sub>3</sub>	38 <sup>^</sup>	32 <sup>^</sup>	26 <sup>^</sup>	28 <sup>^</sup>	25 <sup>^</sup>	18 <sup>^</sup>	27 <sup>^</sup>	32 <sup>^</sup>	33 <sup>^</sup>	17 <sup>^</sup>	38 <sup>^</sup>	36 <sup>^</sup>	39 <sup>^</sup>	34 <sup>^</sup>	32 <sup>^</sup>	27 <sup>^</sup>	27 <sup>^</sup>	25 <sup>^</sup>	36 <sup>^</sup>	34 <sup>^</sup>				
S <sub>4</sub>	75 <sup>^</sup>	70 <sup>^</sup>	61 <sup>^</sup>	60 <sup>^</sup>	60 <sup>^</sup>	60 <sup>^</sup>	77 <sup>^</sup>	74 <sup>^</sup>	70 <sup>^</sup>	62 <sup>^</sup>	79 <sup>^</sup>	77 <sup>^</sup>	87 <sup>^</sup>	76 <sup>^</sup>	74 <sup>^</sup>	67 <sup>^</sup>	66 <sup>^</sup>	72 <sup>^</sup>	80 <sup>^</sup>	81 <sup>^</sup>				
S <sub>5</sub>	60 <sup>^</sup>	51 <sup>^</sup>	43 <sup>^</sup>	43 <sup>^</sup>	40 <sup>^</sup>	35 <sup>^</sup>	49 <sup>^</sup>	52 <sup>^</sup>	53 <sup>^</sup>	33 <sup>^</sup>	59 <sup>^</sup>	57 <sup>^</sup>	63 <sup>^</sup>	54 <sup>^</sup>	51 <sup>^</sup>	45 <sup>^</sup>	44 <sup>^</sup>	59 <sup>^</sup>	57 <sup>^</sup>	78 <sup>^</sup>				
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3				
EXITING SEARCH WITH ITIM = 50673 52273 14 874																								
NORB = 9 401 3 50673																								

Table 2. Boundary Analysis sheets for Orbit 9 - continued

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 50673 LAT INTERVAL = 14 874 Q1																																	
ATT = 600 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																																	
n <sub>1</sub>	3	3	2	2	4	3	3	1	2	4	3	4	8	5	5	7	6	8	9	6	5	8											
n <sub>2</sub>	4	2	1	6	7	4	0	3	7	4	2	6	8	5	9	6	7	12	14	5	7	10	12	7	6								
n <sub>3</sub>	3	4	4	1	3	2	6	0	1	4	3	5	6	3	3	6	5	6	5	7	10	6	12	14	6								
n <sub>4</sub>	5	3	1	0	2	1	4	1	1	0	5	4	7	12	3	4	8	6	5	4	5	13	9	10	6								
n <sub>5</sub>	5	1	2	1	6	3	3	5	2	9	6	2	6	3	7	5	5	3	5	5	4	7	6	8	9								
n <sub>6</sub>	0	0	2	0	4	2	2	4	6	0	14	4	2	6	6	6	10	8	4	18	4	10	8	4	6								
n <sub>7</sub>	17	20	8	13	11	9	7	13	11	18	10	15	3	18	9	17	16	17	13	17	15	18	17	6	11								
n <sub>8</sub>	28	31	26	30	26	27	28	24	25	29	22	31	17	29	29	22	33	24	32	24	37	23	34	40	34								
n <sub>9</sub>	49	62	47	47	64	54	51	59	66	55	52	46	62	53	41	42	62	63	53	55	66	64	50	62	54								
Del T	600	604	608	612	616	620	624	628	632	636	640	644	648	652	656	660	664	668	672	676	680	684	688	692	696								
Mlat	383	385	387	389	391	393	395	397	399	401	403	405	407	409	411	413	415	417	419	421	423	425	427	429	431								
S <sub>1</sub>	94	113	83	90	105	92	88	100	108	102	98	96	84	106	85	87	121	112	102	114	122	115	109	112	105								
S <sub>2</sub>	13	4	6	0	11	5	11	7	11	12	6	4	9	9	7	2	4	11	11	3	4	5	9	11	3								
S <sub>3</sub>	3	8	6	0	9	6	7	11	10	16	6	7	3	16	9	3	5	10	9	4	8	9	8	7	5								
S <sub>4</sub>	0	0	0	0	0	0	0	0	0	0	21	0	5	15	16	6	2	19	24	6	15	2	7	14	2								
S <sub>5</sub>	15	7	8	0	12	8	12	12	15	19	10	7	8	17	12	3	6	14	15	5	9	9	10	12	5								
LOGIC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0								
ATT = 700 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																																	
n <sub>1</sub>	6	8	7	11	9	10	15	13	10	9	19	12	13	16	12	21	20	12	16	22	17	15	12	20	12								
n <sub>2</sub>	5	14	7	19	10	8	8	13	20	11	10	18	13	14	18	20	14	22	20	13	19	15	22	18	15								
n <sub>3</sub>	11	10	8	15	4	13	14	17	13	22	22	7	13	13	24	13	15	18	17	16	25	19	14	13	13								
n <sub>4</sub>	12	7	9	10	13	7	13	11	8	7	14	15	14	12	11	16	18	22	19	14	15	15	18	21	8								
n <sub>5</sub>	5	4	7	10	14	8	5	12	14	9	18	7	17	15	11	15	15	15	23	19	16	11	11	18	13								
n <sub>6</sub>	12	14	14	8	6	14	22	12	6	14	24	12	18	14	22	20	6	12	20	8	16	14	14	8	24								
n <sub>7</sub>	18	20	15	17	25	26	17	28	27	17	24	27	19	26	26	23	26	23	29	21	27	22	27	40	37								
n <sub>8</sub>	32	35	38	32	36	39	51	37	34	46	36	41	48	41	40	45	34	38	32	61	51	40	34	44	52								
n <sub>9</sub>	56	69	45	66	71	62	73	68	59	61	68	58	58	69	72	68	54	64	61	62	69	65	59	94	98								
Del T	700	704	708	712	716	720	724	728	732	736	740	744	748	752	756	760	764	768	772	776	780	784	788	792	796								
Mlat	433	435	437	439	441	443	445	447	449	451	453	455	457	459	461	463	465	467	469	471	473	475	477	479	481								
S <sub>1</sub>	118	138	112	123	138	141	163	145	126	138	152	138	143	150	160	156	120	137	142	152	163	141	134	186	211								
S <sub>2</sub>	18	8	2	9	7	5	9	4	12	13	10	10	2	3	11	6	6	11	4	9	6	3	11	5	4								
S <sub>3</sub>	11	11	3	7	9	6	13	5	9	14	7	12	4	3	12	4	3	7	5	6	7	7	9	5	6								
S <sub>4</sub>	14	23	5	18	15	7	10	5	14	8	5	14	8	5	14	15	1	4	9	3	8	7	8	1	11								
S <sub>5</sub>	13	13	3	12	13	8	14	6	13	19	12	15	5	4	16	9	6	11	6	9	10	8	12	8	8								
LOGIC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0								

**Table 2. Boundary Analysis sheets for Orbit 9 - continued**

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 50673 LAT INTERVAL = 14 874 Q1																											
ATT = 800 (LAT(I),I,S) = 524 -999 -999 -999 -999																											
n <sub>1</sub>	12	9	14	21	16	16	21	22	28	27	35	21	26	34	45	31	27	43	37	49	63	55	69	83	99		
n <sub>2</sub>	19	22	12	15	12	20	14	19	21	29	28	35	27	41	40	41	36	34	50	54	74	74	93	80	108		
n <sub>3</sub>	14	10	20	16	21	23	25	16	28	34	29	49	42	41	33	28	29	39	43	60	82	67	98	95	124		
n <sub>4</sub>	17	19	21	26	16	17	12	20	21	24	26	27	28	36	40	24	29	45	54	51	63	68	99	94	121		
n <sub>5</sub>	11	27	23	18	24	25	14	22	26	19	30	38	28	34	36	34	41	43	51	57	75	70	72	105	138		
n <sub>6</sub>	38	32	16	30	42	12	30	22	26	30	44	38	38	34	50	32	30	52	48	58	60	96	82	102	126		
n <sub>7</sub>	54	47	37	53	44	35	32	36	27	43	48	44	49	44	60	41	48	50	60	63	85	68	97	120	122		
n <sub>8</sub>	93	113	72	57	47	53	52	59	71	67	59	76	74	92	68	97	60	66	85	110	103	102	114	140	184		
n <sub>9</sub>	297	310	158	103	124	101	83	144	97	93	119	142	100	153	126	116	116	110	111	181	136	202	197	259	314		
Del T	800	804	808	812	816	820	824	828	832	836	840	844	848	852	856	860	864	868	872	876	880	884	888	892	896		
Mlat	483	485	488	490	492	494	496	498	500	502	505	507	509	511	513	515	517	520	522	524	526	528	530	532	534		
S <sub>1</sub>	482+	502*	283	243	257	201	197	261	221	233	270	300	261	323	304	286	254	278	304	412+	384*	468^	490^	621^	746^		
S <sub>2</sub>	8	16	8	7	7	6	9	4	6	5	6	18	9	5	6	9	7	6	9	5	8	10	14	6	10		
S <sub>3</sub>	7	13	6	8	9	7	10	4	5	10	3	12	8	4	4	8	9	4	5	4	7	3	14	7	9		
S <sub>4</sub>	5	22	27+	12	18	9	15	1	2	17	8	11	4	5	9	16	8	11	17	4	0	7	6	25+	32*		
S <sub>5</sub>	19	20	12	11	12	9	14	6	7	12	6	20	13	6	8	12	11	7	11	6	10	9	17	11	15		
LOGIC	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1		
ATT = 900 (LAT(I),I,S) = 524 560 560 532 560																											
n <sub>1</sub>	122	175	219	229	316	303	320	358	386	438	480	518	564	614	656	660	694	670	626	540	496	514	516	418	420		
n <sub>2</sub>	154	169	213	246	288	294	343	356	454	428	516	548	588	614	618	686	720	672	608	616	490	514	560	546	550		
n <sub>3</sub>	160	209	240	239	277	280	376	384	394	532	528	616	716	776	674	700	756	764	662	666	662	542	786	792	694		
n <sub>4</sub>	174	179	219	246	282	318	390	474	410	532	580	692	812	1080	1188	950	1112	1162	1320	1560	970	782	962	1488	1680		
n <sub>5</sub>	169	177	251	253	316	346	342	408	414	534	602	844	1088	1296	1280	1364	1984	2376	2584	3904	3112	2784	2424	2944	2896		
n <sub>6</sub>	190	228	258	258	320	280	388	456	452	572	592	920	1072	1264	1320	1552	2176	3224	4024	5208	5400	4696	3400	4472	4248		
n <sub>7</sub>	194	230	281	283	320	317	366	424	450	486	588	908	1080	1376	1540	1408	2128	3080	4792	6088	6808	5672	5440	4880	3952		
n <sub>8</sub>	215	249	358	382	388	452	462	496	574	618	800	1448	1528	1844	2204	1864	2944	3336	5720	4688	5800	7256	6136	6280	5128		
n <sub>9</sub>	288	410	642	548	600	588	622	640	740	872	944	2004	2096	2520	3248	2928	4208	4952	5032	7016	6216	5880	5496	5144	4032		
Del T	900	904	908	912	916	920	924	928	932	936	940	944	948	952	956	960	964	968	972	976	980	984	988	992	996		
Mlat	537	539	541	543	545	547	549	552	554	556	558	560	563	565	567	569	571	574	578	580	582	585	587	589			
S <sub>1</sub>	887^	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****		
S <sub>2</sub>	16	9	6	5	9	7	12	15	14	19	14	30+	44*	62^	64^	51^	86^	114^	139^	228^	187^	163^	136^	195^	200^		
S <sub>3</sub>	7	8	9	3	10	13	11	18	6	13	14	40+	60*	71^	75^	84^	140^	176^	193^	281^	261^	253^	197^	212^	205^		
S <sub>4</sub>	36^	6^	17^	10^	2^	26^	25^	56^	5^	61^	54^	119^	171^	235^	240^	201^	302^	369^	427^	582^	484^	425^	396^	520^	533^		
S <sub>5</sub>	18	12	12	6	12	16	16	27	14	27	23	57+	86*	114^	121^	113^	188^	241^	279^	418^	368^	344^	272^	330^	331^		
LOGIC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2		

Table 2. Boundary Analysis sheets for Orbit 9 - continued

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 50673 LAT INTERVAL = 14 874 Q1																									
AT T = 1000 (LAT(I),I=1,S) = 524 560 560 532 560																									
n <sub>1</sub>	396	368	414	379	290	239	230	176	174	144	117	110	159	167	393	628	478	790	642	756	406	73	135	108	677
n <sub>2</sub>	650	586	434	414	434	354	409	356	285	341	352	284	257	312	449	584	598	762	714	990	807	162	313	188	646
n <sub>3</sub>	746	826	724	598	682	778	808	704	650	1014	1048	832	754	624	482	592	330	470	572	882	908	460	838	512	798
n <sub>4</sub>	1336	1380	1408	1352	1092	1120	1308	1212	1228	1612	1764	1860	1708	1816	1516	1430	1172	1458	1446	1478	1284	832	868	926	1036
n <sub>5</sub>	2904	3040	2200	2624	2420	2124	2368	2012	1836	1932	1828	2228	2128	2108	2000	1824	1500	1740	1840	1292	1222	1048	1020	960	1044
n <sub>6</sub>	4024	4024	2968	3560	3000	2472	2744	2680	2312	2376	2408	3528	3432	3128	2840	2600	2344	2952	2776	1944	1552	1600	1624	1320	1296
n <sub>7</sub>	3296	4192	4008	3936	3576	2976	3088	3568	2816	2544	2768	4872	4808	3656	3488	2552	3040	3184	3016	2848	2264	2356	2564	1844	1960
n <sub>8</sub>	4648	4016	4296	4032	3432	2688	3184	4008	3008	2664	2608	5976	8792	5592	2680	2272	2624	2600	2536	2992	2992	4168	4344	2196	2736
n <sub>9</sub>	3312	3776	3776	3144	2704	2256	3176	7776	4536	2672	2128	9200	***	5800	1872	1596	1788	1788	1784	2840	3616	9432	7304	2248	3424
Del T	1000	1004	1008	1012	1016	1020	1024	1028	1032	1036	1040	1044	1048	1052	1056	1060	1064	1068	1072	1076	1080	1084	1088	1092	1096
Mlat	591	593	596	598	600	602	604	607	609	611	613	615	618	620	622	624	626	628	630	632	635	637	639	641	643
S <sub>1</sub>	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
S <sub>2</sub>	1187	204	161	190	184	186	205	198	196	233	246	271	246	244	162	108	105	93	103	66	111	170	157	158	42
S <sub>3</sub>	8216	223	161	206	199	170	179	160	149	131	124	160	159	162	156	128	125	122	126	59	59	103	74	90	42
S <sub>4</sub>	490	521	459	504	470	465	500	474	470	513	521	577	552	549	450	357	308	291	336	194	258	379	331	366	165
S <sub>5</sub>	1324	341	265	324	306	278	299	277	268	273	274	323	310	315	266	203	194	183	196	101	129	207	171	192	73
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
AT T = 1100 (LAT(I),I=1,S) = 524 560 560 532 560																									
n <sub>1</sub>	344	312	116	29	37	36	54	50	22	4	4	4	1	3	0	6	1	2	3	4	8	1	1	1	3
n <sub>2</sub>	613	312	341	54	65	109	117	143	42	12	13	3	6	4	5	5	7	9	7	6	4	3	5	9	5
n <sub>3</sub>	668	532	497	194	259	281	311	525	163	25	14	6	5	3	10	3	6	8	8	9	2	9	6	4	8
n <sub>4</sub>	926	806	402	482	664	762	814	3224	302	19	28	11	65	14	10	15	51	13	23	78	64	15	11	15	15
n <sub>5</sub>	1052	826	590	1002	2092	3188	2344	***	157	39	285	115	1060	36	22	229	115	39	131	489	1200	22	28	50	12
n <sub>6</sub>	1336	956	796	2168	6784	9256	6328	***	1644	1210	1540	1030	842	472	54	2184	636	492	766	1412	***	82	182	276	14
n <sub>7</sub>	2096	1220	1094	***	***	***	***	***	8928	3513	4648	5080	7600	6745	212	3400	1940	1456	3020	***	***	3322	***	***	44
n <sub>8</sub>	3272	1982	1956	***	***	***	***	***	6256	4154	9568	***	***	7936	2132	7176	4616	2880	5516	***	***	***	***	5065	61
n <sub>9</sub>	5696	2900	1588	***	***	***	***	***	6912	6144	***	4996	***	5992	6072	5232	***	2164	4752	***	***	***	***	2208	53
Del T	1100	1104	1108	1112	1116	1120	1124	1128	1132	1136	1140	1144	1148	1152	1156	1160	1164	1168	1172	1176	1180	1184	1188	1192	1196
Mlat	645	647	650	652	654	656	659	661	663	665	668	670	672	674	677	679	681	684	686	688	690	692	695	697	699
S <sub>1</sub>	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	172
S <sub>2</sub>	88	79	97	183	286	371	286	0	95	27	115	69	291	27	25	109	71	27	71	170	303	25	25	37	14
S <sub>3</sub>	60	62	51	140	235	312	242	0	58	20	105	67	215	29	17	98	52	28	66	134	230	16	23	36	9
S <sub>4</sub>	229	249	169	363	505	605	531	***	184	55	167	106	333	60	47	149	122	56	116	233	352	54	52	68	36
S <sub>5</sub>	1115	119	101	241	384	500	394	0	107	33	162	102	345	44	29	153	89	42	103	216	369	29	36	55	18
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Table 2. Boundary Analysis sheets for Orbit 9 - continued

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 50673 LAT INTERVAL = 14 874 Q1																									
AT T = 1204 (LAT(0),I=1,5) = 524 560 560 532 560																									
n <sub>1</sub>	0	6	5	4	5	2	8	2	0	3	6	3	4	2	2	4	2	7	3	2	2	0	7	0	2
n <sub>2</sub>	5	4	4	6	7	4	1	1	1	2	6	4	5	1	5	2	2	8	7	0	8	0	3	3	5
n <sub>3</sub>	6	10	7	3	5	12	4	4	6	4	6	4	7	4	5	6	8	5	7	8	13	6	6	6	2
n <sub>4</sub>	8	6	10	13	7	7	13	5	12	9	6	7	6	8	7	9	11	5	12	3	7	6	6	8	9
n <sub>5</sub>	16	21	11	24	34	14	24	17	17	10	11	8	18	16	9	18	10	7	21	19	15	17	13	11	11
n <sub>6</sub>	24	20	26	32	130	20	34	24	14	24	14	24	38	24	36	16	16	26	28	22	24	24	18	20	28
n <sub>7</sub>	43	47	46	86	807	50	85	36	40	49	44	49	56	63	45	43	38	46	61	77	70	83	52	42	157
n <sub>8</sub>	47	62	91	339	6638	63	92	61	77	71	83	66	75	76	92	52	70	92	105	97	133	142	79	34	363
n <sub>9</sub>	56	58	232	773	1984	76	120	40	55	84	58	64	71	60	64	53	71	86	104	91	123	237	78	31	837
Del T	1200	1204	1208	1212	1216	1220	1224	1228	1232	1236	1240	1244	1248	1252	1256	1260	1264	1268	1272	1276	1280	1284	1288	1292	1296
Mlat	701	703	706	708	710	712	714	717	719	721	723	725	728	730	732	734	736	739	741	743	745	747	750	752	754
S <sub>1</sub>	170 <sup>^</sup>	187 <sup>^</sup>	395 <sup>^</sup>	****	****	209 <sup>^</sup>	331 <sup>^</sup>	161 <sup>^</sup>	186 <sup>^</sup>	228 <sup>^</sup>	199 <sup>^</sup>	203 <sup>^</sup>	240 <sup>^</sup>	223 <sup>^</sup>	237 <sup>^</sup>	164 <sup>^</sup>	195 <sup>^</sup>	250 <sup>^</sup>	298 <sup>^</sup>	287 <sup>^</sup>	350 <sup>^</sup>	486 <sup>^</sup>	227 <sup>^</sup>	127 <sup>^</sup>	****
S <sub>2</sub>	21 <sup>^</sup>	12 <sup>^</sup>	7 <sup>^</sup>	17 <sup>^</sup>	19 <sup>^</sup>	17 <sup>^</sup>	18 <sup>^</sup>	17 <sup>^</sup>	27 <sup>^</sup>	10 <sup>^</sup>	3 <sup>^</sup>	6 <sup>^</sup>	11 <sup>^</sup>	17 <sup>^</sup>	10 <sup>^</sup>	14 <sup>^</sup>	16 <sup>^</sup>	3 <sup>^</sup>	15 <sup>^</sup>	22 <sup>^</sup>	17 <sup>^</sup>	27 <sup>^</sup>	8 <sup>^</sup>	20 <sup>^</sup>	12 <sup>^</sup>
S <sub>3</sub>	14 <sup>^</sup>	19 <sup>^</sup>	6 <sup>^</sup>	20 <sup>^</sup>	30 <sup>^</sup>	11 <sup>^</sup>	20 <sup>^</sup>	20 <sup>^</sup>	15 <sup>^</sup>	9 <sup>^</sup>	8 <sup>^</sup>	6 <sup>^</sup>	17 <sup>^</sup>	16 <sup>^</sup>	6 <sup>^</sup>	16 <sup>^</sup>	8 <sup>^</sup>	4 <sup>^</sup>	15 <sup>^</sup>	22 <sup>^</sup>	11 <sup>^</sup>	18 <sup>^</sup>	12 <sup>^</sup>	11 <sup>^</sup>	11 <sup>^</sup>
S <sub>4</sub>	38 <sup>^</sup>	32 <sup>^</sup>	26 <sup>^</sup>	44 <sup>^</sup>	45 <sup>^</sup>	32 <sup>^</sup>	46 <sup>^</sup>	40 <sup>^</sup>	51 <sup>^</sup>	32 <sup>^</sup>	12 <sup>^</sup>	20 <sup>^</sup>	30 <sup>^</sup>	42 <sup>^</sup>	22 <sup>^</sup>	40 <sup>^</sup>	37 <sup>^</sup>	7 <sup>^</sup>	40 <sup>^</sup>	42 <sup>^</sup>	25 <sup>^</sup>	47 <sup>^</sup>	20 <sup>^</sup>	39 <sup>^</sup>	29 <sup>^</sup>
S <sub>5</sub>	23 <sup>^</sup>	24 <sup>^</sup>	12 <sup>^</sup>	30 <sup>^</sup>	40 <sup>^</sup>	19 <sup>^</sup>	31 <sup>^</sup>	28 <sup>^</sup>	29 <sup>^</sup>	16 <sup>^</sup>	9 <sup>^</sup>	10 <sup>^</sup>	21 <sup>^</sup>	26 <sup>^</sup>	11 <sup>^</sup>	24 <sup>^</sup>	18 <sup>^</sup>	5 <sup>^</sup>	23 <sup>^</sup>	32 <sup>^</sup>	18 <sup>^</sup>	31 <sup>^</sup>	15 <sup>^</sup>	21 <sup>^</sup>	18 <sup>^</sup>
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
ATT = 1300 (LAT(0),I=1,5) = 524 560 560 532 560																									
n <sub>1</sub>	4	1	3	2	1	4	1	2	0	5	3	5	1	2	0	3	4	1	0	3	3	1	0	1	2
n <sub>2</sub>	1	4	2	1	1	4	4	1	0	0	7	3	6	4	2	3	5	4	2	3	0	7	3	2	2
n <sub>3</sub>	9	4	3	1	3	4	4	3	2	7	5	2	7	3	0	7	14	6	5	4	3	6	3	5	6
n <sub>4</sub>	13	9	9	8	7	16	10	5	11	8	5	13	13	8	4	6	9	8	8	9	8	11	8	9	6
n <sub>5</sub>	12	10	14	13	11	19	10	10	20	16	14	16	8	17	18	7	18	24	12	13	8	18	18	14	18
n <sub>6</sub>	46	40	44	20	22	24	28	18	44	28	26	22	16	26	20	26	34	24	20	12	26	22	20	12	28
n <sub>7</sub>	159	73	65	56	57	61	60	59	57	56	48	56	53	48	42	53	57	74	48	53	60	55	53	39	53
n <sub>8</sub>	418	111	110	101	85	99	106	97	80	99	88	97	96	84	71	88	69	101	93	70	89	81	76	57	92
n <sub>9</sub>	1308	132	101	85	92	78	97	88	72	80	77	81	74	74	81	69	98	72	87	92	98	80	82	69	99
Del T	1300	1304	1308	1312	1316	1320	1324	1328	1332	1336	1340	1344	1348	1352	1356	1360	1364	1368	1372	1376	1380	1384	1388	1392	1396
Mlat	756	758	761	763	765	767	769	772	774	776	778	780	783	785	787	789	791	794	796	798	800	802	805	807	809
S <sub>1</sub>	****	356 <sup>^</sup>	320 <sup>^</sup>	262 <sup>^</sup>	256 <sup>^</sup>	262 <sup>^</sup>	291 <sup>^</sup>	262 <sup>^</sup>	253 <sup>^</sup>	263 <sup>^</sup>	239 <sup>^</sup>	256 <sup>^</sup>	239 <sup>^</sup>	232 <sup>^</sup>	214 <sup>^</sup>	236 <sup>^</sup>	258 <sup>^</sup>	271 <sup>^</sup>	248 <sup>^</sup>	227 <sup>^</sup>	273 <sup>^</sup>	238 <sup>^</sup>	231 <sup>^</sup>	177 <sup>^</sup>	272 <sup>^</sup>
S <sub>2</sub>	16 <sup>^</sup>	14 <sup>^</sup>	13 <sup>^</sup>	16 <sup>^</sup>	16 <sup>^</sup>	15 <sup>^</sup>	15 <sup>^</sup>	11 <sup>^</sup>	33 <sup>^</sup>	15 <sup>^</sup>	10 <sup>^</sup>	14 <sup>^</sup>	17 <sup>^</sup>	15 <sup>^</sup>	28 <sup>^</sup>	8 <sup>^</sup>	15 <sup>^</sup>	22 <sup>^</sup>	20 <sup>^</sup>	11 <sup>^</sup>	13 <sup>^</sup>	19 <sup>^</sup>	23 <sup>^</sup>	18 <sup>^</sup>	17 <sup>^</sup>
S <sub>3</sub>	9 <sup>^</sup>	9 <sup>^</sup>	14 <sup>^</sup>	15 <sup>^</sup>	12 <sup>^</sup>	15 <sup>^</sup>	9 <sup>^</sup>	12 <sup>^</sup>	20 <sup>^</sup>	15 <sup>^</sup>	14 <sup>^</sup>	15 <sup>^</sup>	14 <sup>^</sup>	17 <sup>^</sup>	24 <sup>^</sup>	4 <sup>^</sup>	12 <sup>^</sup>	22 <sup>^</sup>	11 <sup>^</sup>	12 <sup>^</sup>	9 <sup>^</sup>	14 <sup>^</sup>	18 <sup>^</sup>	13 <sup>^</sup>	18 <sup>^</sup>
S <sub>4</sub>	40 <sup>^</sup>	32 <sup>^</sup>	37 <sup>^</sup>	39 <sup>^</sup>	37 <sup>^</sup>	45 <sup>^</sup>	33 <sup>^</sup>	30 <sup>^</sup>	55 <sup>^</sup>	38 <sup>^</sup>	20 <sup>^</sup>	38 <sup>^</sup>	30 <sup>^</sup>	38 <sup>^</sup>	42 <sup>^</sup>	19 <sup>^</sup>	34 <sup>^</sup>	47 <sup>^</sup>	40 <sup>^</sup>	34 <sup>^</sup>	32 <sup>^</sup>	38 <sup>^</sup>	45 <sup>^</sup>	41 <sup>^</sup>	40 <sup>^</sup>
S <sub>5</sub>	20 <sup>^</sup>	17 <sup>^</sup>	22 <sup>^</sup>	25 <sup>^</sup>	21 <sup>^</sup>	26 <sup>^</sup>	18 <sup>^</sup>	18 <sup>^</sup>	36 <sup>^</sup>	23 <sup>^</sup>	17 <sup>^</sup>	24 <sup>^</sup>	17 <sup>^</sup>	25 <sup>^</sup>	36 <sup>^</sup>	9 <sup>^</sup>	20 <sup>^</sup>	33 <sup>^</sup>	22 <sup>^</sup>	19 <sup>^</sup>	17 <sup>^</sup>	23 <sup>^</sup>	30 <sup>^</sup>	23 <sup>^</sup>	27 <sup>^</sup>
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Table 2. Boundary Analysis sheets for Orbit 9 - continued

MORNING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 50673 LAT INTERVAL = 14 874 Q1																										
ATT = 1400 (LAT(I),I=1,5) = 524 560 560 532 560																										
n <sub>1</sub>	1	0	1	2	2	2	4	1	4	3	2	3	2	0	1	2	1	2	5	4	0	1	0	3		
n <sub>2</sub>	0	8	1	5	3	2	1	2	5	2	3	5	2	2	4	4	5	7	1	6	3	6	4	4		
n <sub>3</sub>	7	4	7	6	5	2	10	8	7	3	5	3	7	4	4	5	2	5	3	4	4	4	5	6		
n <sub>4</sub>	8	3	10	8	10	9	10	2	9	6	10	8	5	7	13	11	12	7	7	4	13	7	5	10		
n <sub>5</sub>	15	8	13	7	12	11	16	10	13	13	18	18	19	12	16	14	19	16	11	9	11	13	18	17		
n <sub>6</sub>	36	26	22	28	20	26	26	40	16	26	30	30	14	18	28	22	34	12	24	32	22	32	38	48	34	
n <sub>7</sub>	64	65	60	46	61	54	57	56	66	59	64	74	69	69	66	62	63	66	56	49	58	42	71	56	45	
n <sub>8</sub>	111	79	105	93	83	73	73	87	84	129	107	120	118	119	119	100	122	109	100	120	98	140	118	109	120	
n <sub>9</sub>	93	69	66	83	82	77	67	91	89	140	170	144	157	135	129	138	128	117	116	101	114	127	123	126	141	
Del T	1400	1404	1408	1412	1416	1420	1424	1428	1432	1436	1440	1444	1448	1452	1456	1460	1464	1468	1472	1476	1480	1484	1488	1492	1496	
Mlat	811	813	816	818	820	822	824	827	829	831	833	835	838	840	842	844	846	849	850	852	854	856	858	860	862	
S <sub>1</sub>	304 <sup>^</sup>	239 <sup>^</sup>	253 <sup>^</sup>	250 <sup>^</sup>	246 <sup>^</sup>	230 <sup>^</sup>	223 <sup>^</sup>	274 <sup>^</sup>	255 <sup>^</sup>	354 <sup>^</sup>	371 <sup>^</sup>	368 <sup>^</sup>	358 <sup>^</sup>	341 <sup>^</sup>	342 <sup>^</sup>	322 <sup>^</sup>	347 <sup>^</sup>	304 <sup>^</sup>	296 <sup>^</sup>	302 <sup>^</sup>	292 <sup>^</sup>	341 <sup>^</sup>	350 <sup>^</sup>	339 <sup>^</sup>	340 <sup>^</sup>	
S <sub>2</sub>	22 <sup>^</sup>	19 <sup>^</sup>	20 <sup>^</sup>	10 <sup>^</sup>	13 <sup>^</sup>	13 <sup>^</sup>	20 <sup>^</sup>	10 <sup>^</sup>	16 <sup>^</sup>	8 <sup>^</sup>	16 <sup>^</sup>	16 <sup>^</sup>	14 <sup>^</sup>	13 <sup>^</sup>	26 <sup>^</sup>	17 <sup>^</sup>	18 <sup>^</sup>	17 <sup>^</sup>	10 <sup>^</sup>	6 <sup>^</sup>	10 <sup>^</sup>	22 <sup>^</sup>	19 <sup>^</sup>	22 <sup>^</sup>	13 <sup>^</sup>	
S <sub>3</sub>	14 <sup>^</sup>	10 <sup>^</sup>	11 <sup>^</sup>	4 <sup>^</sup>	10 <sup>^</sup>	12 <sup>^</sup>	13 <sup>^</sup>	13 <sup>^</sup>	9 <sup>^</sup>	13 <sup>^</sup>	9 <sup>^</sup>	13 <sup>^</sup>	17 <sup>^</sup>	21 <sup>^</sup>	10 <sup>^</sup>	15 <sup>^</sup>	12 <sup>^</sup>	15 <sup>^</sup>	17 <sup>^</sup>	9 <sup>^</sup>	7 <sup>^</sup>	13 <sup>^</sup>	11 <sup>^</sup>	18 <sup>^</sup>	19 <sup>^</sup>	14 <sup>^</sup>
S <sub>4</sub>	45 <sup>^</sup>	9 <sup>^</sup>	43 <sup>^</sup>	20 <sup>^</sup>	36 <sup>^</sup>	35 <sup>^</sup>	45 <sup>^</sup>	17 <sup>^</sup>	34 <sup>^</sup>	22 <sup>^</sup>	43 <sup>^</sup>	41 <sup>^</sup>	32 <sup>^</sup>	34 <sup>^</sup>	50 <sup>^</sup>	40 <sup>^</sup>	44 <sup>^</sup>	35 <sup>^</sup>	25 <sup>^</sup>	10 <sup>^</sup>	25 <sup>^</sup>	39 <sup>^</sup>	42 <sup>^</sup>	35 <sup>^</sup>	38 <sup>^</sup>	
S <sub>5</sub>	26 <sup>^</sup>	17 <sup>^</sup>	22 <sup>^</sup>	10 <sup>^</sup>	18 <sup>^</sup>	20 <sup>^</sup>	24 <sup>^</sup>	17 <sup>^</sup>	18 <sup>^</sup>	17 <sup>^</sup>	25 <sup>^</sup>	26 <sup>^</sup>	27 <sup>^</sup>	18 <sup>^</sup>	28 <sup>^</sup>	22 <sup>^</sup>	26 <sup>^</sup>	25 <sup>^</sup>	14 <sup>^</sup>	9 <sup>^</sup>	18 <sup>^</sup>	23 <sup>^</sup>	28 <sup>^</sup>	27 <sup>^</sup>	21 <sup>^</sup>	
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
ATT = 1504 (LAT(I),I=1,5) = 524 560 560 532 560																										
n <sub>1</sub>	0	1	4	2	4	3	4	0	0	4	0	2	1	1	1	1	1	0	2	2	1	2	0	2	4	
n <sub>2</sub>	3	5	2	2	1	1	3	1	2	5	2	5	2	5	3	2	1	4	7	3	2	4	4	2	4	
n <sub>3</sub>	3	5	7	4	4	4	4	6	2	9	3	3	6	3	3	5	2	2	5	3	2	5	3	2	8	
n <sub>4</sub>	10	9	19	6	7	3	3	9	10	7	8	4	19	5	8	6	5	5	16	8	5	7	13	6	13	
n <sub>5</sub>	15	18	21	26	11	19	13	11	15	12	17	11	14	11	17	14	14	17	20	6	11	22	19	14	15	
n <sub>6</sub>	24	16	28	18	36	26	32	40	28	28	38	40	24	36	10	26	24	34	26	24	24	24	28	28	32	
n <sub>7</sub>	79	62	71	68	54	49	50	36	54	68	49	59	56	58	58	60	70	57	72	64	51	46	50	36	57	
n <sub>8</sub>	113	111	108	111	85	104	85	74	89	74	81	88	78	96	108	90	83	78	79	76	92	85	74	90	109	
n <sub>9</sub>	125	121	116	99	126	127	105	65	60	68	66	70	68	58	82	65	65	67	64	64	67	62	56	82	97	
Del T	90	119	97	90	103	98	88	27	41	31	30	51	34	43	39	51	47	42	41	35	50	44	27	38	67	
Mlat	1500	1504	1508	1512	1516	1520	1524	1528	1532	1536	1540	1544	1548	1552	1556	1560	1564	1568	1572	1576	1580	1584	1588	1592	1596	
S <sub>1</sub>	863	865	867	869	871	873	875	877	877	877	877	877	878	878	878	878	878	879	879	879	879	880	878	878	876	
S <sub>2</sub>	341 <sup>^</sup>	310 <sup>^</sup>	323 <sup>^</sup>	296 <sup>^</sup>	301 <sup>^</sup>	306 <sup>^</sup>	272 <sup>^</sup>	215 <sup>^</sup>	231 <sup>^</sup>	238 <sup>^</sup>	234 <sup>^</sup>	257 <sup>^</sup>	226 <sup>^</sup>	248 <sup>^</sup>	258 <sup>^</sup>	241 <sup>^</sup>	242 <sup>^</sup>	236 <sup>^</sup>	241 <sup>^</sup>	228 <sup>^</sup>	234 <sup>^</sup>	217 <sup>^</sup>	208 <sup>^</sup>	236 <sup>^</sup>	295 <sup>^</sup>	
S <sub>3</sub>	22 <sup>^</sup>	18 <sup>^</sup>	21 <sup>^</sup>	23 <sup>^</sup>	10 <sup>^</sup>	17 <sup>^</sup>	8 <sup>^</sup>	22 <sup>^</sup>	24 <sup>^</sup>	8 <sup>^</sup>	24 <sup>^</sup>	10 <sup>^</sup>	26 <sup>^</sup>	13 <sup>^</sup>	19 <sup>^</sup>	16 <sup>^</sup>	18 <sup>^</sup>	22 <sup>^</sup>	21 <sup>^</sup>	9 <sup>^</sup>	13 <sup>^</sup>	19 <sup>^</sup>	26 <sup>^</sup>	14 <sup>^</sup>	12 <sup>^</sup>	
S <sub>4</sub>	15 <sup>^</sup>	16 <sup>^</sup>	15 <sup>^</sup>	27 <sup>^</sup>	11 <sup>^</sup>	23 <sup>^</sup>	16 <sup>^</sup>	10 <sup>^</sup>	16 <sup>^</sup>	8 <sup>^</sup>	18 <sup>^</sup>	13 <sup>^</sup>	14 <sup>^</sup>	12 <sup>^</sup>	17 <sup>^</sup>	15 <sup>^</sup>	18 <sup>^</sup>	20 <sup>^</sup>	17 <sup>^</sup>	6 <sup>^</sup>	13 <sup>^</sup>	23 <sup>^</sup>	17 <sup>^</sup>	16 <sup>^</sup>	10 <sup>^</sup>	
S <sub>5</sub>	44 <sup>^</sup>	40 <sup>^</sup>	53 <sup>^</sup>	49 <sup>^</sup>	30 <sup>^</sup>	38 <sup>^</sup>	22 <sup>^</sup>	42 <sup>^</sup>	46 <sup>^</sup>	22 <sup>^</sup>	46 <sup>^</sup>	20 <sup>^</sup>	52 <sup>^</sup>	25 <sup>^</sup>	42 <sup>^</sup>	38 <sup>^</sup>	39 <sup>^</sup>	38 <sup>^</sup>	45 <sup>^</sup>	24 <sup>^</sup>	32 <sup>^</sup>	42 <sup>^</sup>	49 <sup>^</sup>	35 <sup>^</sup>	37 <sup>^</sup>	
S <sub>5</sub>	26 <sup>^</sup>	25 <sup>^</sup>	29 <sup>^</sup>	39 <sup>^</sup>	17 <sup>^</sup>	32 <sup>^</sup>	19 <sup>^</sup>	22 <sup>^</sup>	28 <sup>^</sup>	12 <sup>^</sup>	30 <sup>^</sup>	16 <sup>^</sup>	29 <sup>^</sup>	17 <sup>^</sup>	27 <sup>^</sup>	23 <sup>^</sup>	27 <sup>^</sup>	30 <sup>^</sup>	29 <sup>^</sup>	11 <sup>^</sup>	20 <sup>^</sup>	33 <sup>^</sup>	30 <sup>^</sup>	24 <sup>^</sup>	18 <sup>^</sup>	
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
EXITING SEARCH WITH ITIM = 52277 53729 872 11																										
NORB = 9 364 4 52277																										

Table 2. Boundary Analysis sheets for Orbit 9 - continued

EVENING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 52277 LAT INTERVAL = 872 11 Q2																									
AT T = 896 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																									
n <sub>1</sub>	1	5	0	2	3	2	0	3	0	2	1	0	1	2	2	1	2	1	3	1	3	4	0	3	
n <sub>2</sub>	1	2	6	0	1	2	3	3	1	2	2	3	0	1	1	0	5	4	0	1	1	5	1	0	
n <sub>3</sub>	1	0	1	2	0	1	1	0	3	3	4	1	1	1	0	1	2	1	3	4	1	2	2	2	
n <sub>4</sub>	1	1	1	0	1	1	1	0	0	1	2	0	0	2	4	1	2	2	1	0	2	0	3	3	
n <sub>5</sub>	1	0	1	1	3	2	2	0	3	5	1	4	0	2	0	3	0	1	1	0	0	0	0	1	
n <sub>6</sub>	0	0	2	0	6	0	4	2	0	0	0	0	2	0	2	6	4	0	2	2	0	8	2	4	
n <sub>7</sub>	3	2	6	2	1	4	3	2	5	4	5	1	1	4	2	10	4	7	1	5	3	4	3	8	
n <sub>8</sub>	9	11	10	3	13	8	4	7	10	8	10	8	8	11	6	9	8	9	10	13	6	15	7	10	13
n <sub>9</sub>	8	16	12	18	18	16	15	16	11	17	18	21	12	12	9	21	14	19	13	17	12	24	17	16	19
Del T	896	888	884	880	876	872	868	864	860	856	852	848	844	840	836	832	828	824	820	816	812	808	804	800	
Mlat	383	385	387	390	392	394	396	398	400	403	405	407	409	411	414	416	418	420	423	425	427	429	431	433	435
S <sub>1</sub>	20	29	30	23	38	28	26	27	26	29	33	30	23	27	19	46	30	35	26	37	23	43	36	31	44
S <sub>2</sub>	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	8	0	0	0	0	5	0	0
S <sub>3</sub>	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	8	0	0	0	0	13	0	0
S <sub>4</sub>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
S <sub>5</sub>	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	11	0	0	0	0	11	0	0
LOGIC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AT T = 796 (LAT(I),I=1,5) = -999 -999 -999 -999 -999																									
n <sub>1</sub>	1	1	0	1	5	4	3	0	1	2	1	2	2	4	3	3	3	5	4	4	4	2	4	3	3
n <sub>2</sub>	1	2	3	2	4	3	5	1	4	1	3	3	2	3	0	1	2	3	5	4	8	3	5	3	4
n <sub>3</sub>	0	0	2	3	1	1	2	5	0	2	0	2	1	0	2	3	1	2	4	5	2	2	5	2	4
n <sub>4</sub>	2	1	0	2	2	1	1	2	1	2	3	4	0	3	4	1	4	2	3	4	4	7	1	0	0
n <sub>5</sub>	1	0	1	1	2	2	4	1	3	0	4	1	0	1	2	1	3	2	1	2	1	2	2	1	2
n <sub>6</sub>	0	2	2	0	8	0	4	2	0	2	0	2	6	10	2	0	2	4	4	4	0	2	2	4	2
n <sub>7</sub>	3	3	9	5	7	1	6	6	6	6	4	4	3	3	2	4	3	3	4	4	6	8	3	3	8
n <sub>8</sub>	5	7	9	11	11	7	14	9	7	11	6	7	12	8	7	12	12	7	12	10	11	4	8	3	13
n <sub>9</sub>	15	15	14	17	19	16	17	18	23	12	20	21	12	16	18	20	16	17	7	18	23	31	17	17	19
Del T	796	792	788	784	780	776	772	768	764	760	756	752	748	744	740	736	732	728	724	720	716	712	708	704	700
Mlat	437	440	442	444	446	448	450	452	455	457	459	461	463	465	468	470	472	474	476	479	481	483	485	488	490
S <sub>1</sub>	23	27	34	35	37	32	37	37	38	29	32	38	37	29	27	36	33	31	27	36	40	45	30	27	42
S <sub>2</sub>	0	0	0	0	7	5	6	0	0	0	9	4	0	7	9	0	4	6	3	2	9	7	5	0	5
S <sub>3</sub>	0	0	0	0	5	4	8	0	0	0	7	8	0	9	6	0	5	3	9	6	12	11	9	0	9
S <sub>4</sub>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
S <sub>5</sub>	0	0	0	0	10	7	9	0	0	0	12	7	0	11	10	0	7	8	8	5	14	12	10	0	10
LOGIC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2. Boundary Analysis sheets for Orbit 9 - continued

EVENING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 52277 LAT INTERVAL = 872 11 Q2																																							
ATT = 696 (LAT(0),I=1,5) = -999 -999 -999 -999 -999																																							
n <sub>1</sub>	1	3	4	3	3	4	2	2	1	6	3	7	3	0	4	3	5	3	9	7	14	13	6	13															
n <sub>2</sub>	3	0	4	3	1	1	8	12	13	9	20	28	6	7	5	9	6	8	11	7	9	14	11	19															
n <sub>3</sub>	3	1	2	2	3	5	2	8	14	16	31	16	12	20	7	5	7	4	9	8	14	17	16	13	18														
n <sub>4</sub>	3	0	4	3	2	3	6	7	8	5	7	6	4	6	7	13	5	3	6	19	18	11	20	19	19														
n <sub>5</sub>	3	2	1	0	2	1	9	6	6	5	7	2	2	1	4	2	10	2	12	9	17	15	11	12															
n <sub>6</sub>	0	2	0	4	8	2	10	0	6	6	2	2	6	4	6	4	12	6	4	12	6	12	18	24	6														
n <sub>7</sub>	4	8	6	10	6	6	12	18	16	15	7	15	10	8	8	10	3	11	9	15	14	18	21	20	20														
n <sub>8</sub>	9	8	13	5	9	10	14	12	21	9	14	14	16	12	13	14	12	16	15	22	19	24	24	30	20														
n <sub>9</sub>	20	22	18	22	23	16	27	34	29	25	28	22	26	16	25	20	28	21	34	26	19	32	32	32	31														
DelT	696	692	688	684	680	676	672	668	664	660	656	652	648	644	640	636	632	628	624	620	616	612	608	604	600														
Mlat	492	494	497	499	501	503	506	508	510	512	515	517	519	522	524	526	528	530	532	535	537	539	541	543	546														
S <sub>1</sub>	33	40	37	41	46	34	63	64	72	55	51	53	58	40	52	48	55	54	62	75	58	86	95	106	77														
S <sub>2</sub>	7	0	4	3	5	8	13	17	23	11	30+	25	13	30+	18	11	7	7	14	9	10	7	4	12	7														
S <sub>3</sub>	2	0	9	12	3	9	9	6	11	14	25+	27*	16	27+	15	14	9	11	14	11	11	7	5	10	8														
S <sub>4</sub>	0	0	0	0	0	0	12	2	0	12	18	45+	0	0	0	9	0	0	16	26+	21	9	13	23	1														
S <sub>5</sub>	5	0	8	8	5	11	15	14	19	17	34	33	18	33	17	16	10	12	16	16	14	10	7	14	9														
LOGIC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0														
															Avg 1	Avg 2	<<<<<< No further Avg calc required																						
ATT = 596 (LAT(0),I=1,5) = 570 572 585 568 572																																							
n <sub>1</sub>	22	18	23	20	25	27	24	22	19	13	16	13	8	8	15	15	11	7	10	9	12	6	20	6	58														
n <sub>2</sub>	16	28	24	27	33	26	31	23	22	14	17	16	27	36	26	54	32	51	70	74	56	39	34	19	45														
n <sub>3</sub>	17	31	35	30	30	27	32	25	27	38	28	76	74	83	70	97	79	105	107	135	110	94	105	87	111														
n <sub>4</sub>	18	29	30	26	35	30	26	36	27	39	58	95	59	62	77	84	73	123	145	129	105	114	137	100	112														
n <sub>5</sub>	16	28	32	38	35	46	36	22	33	32	38	62	68	59	56	82	64	113	129	165	174	165	148	96	74														
n <sub>6</sub>	26	26	54	64	30	36	48	36	48	24	52	78	96	92	100	160	156	138	290	476	308	316	224	186	92														
n <sub>7</sub>	27	37	43	53	55	37	47	50	45	81	70	105	123	144	207	257	268	310	394	406	392	424	286	201	149														
n <sub>8</sub>	35	49	50	42	88	59	53	43	63	102	119	115	102	173	214	268	283	330	334	321	325	254	249	240	213														
n <sub>9</sub>	60	63	55	80	75	70	65	71	104	119	165	160	163	248	286	352	358	270	286	255	346	354	372	499	332														
DelT	596	592	588	584	580	576	572	568	564	560	556	552	548	544	540	536	532	528	524	520	516	512	508	504	500														
Mlat	548	550	552	555	557	559	561	563	565	568	570	572	574	576	579	581	583	585	588	590	592	594	596	598	601														
S <sub>1</sub>	148	175	202	239	248	202	213	200	260	326	406+	458*	484*	657*	807*	807*	807*	807*	807*	807*	807*	807*	807*	807*	807*														
S <sub>2</sub>	6	11	8	9	7	6	7	7	7	7	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23														
S <sub>3</sub>	3	4	5	10	4	14	7	11	7	12	19	26+	18	18	19	16	17	23+	25*	29*	38*	31*	25*	23*	23*														
S <sub>4</sub>	6	14	19	21	14	26+	8	17	24	52+	64*	102*	81*	70*	79*	75*	80*	115*	117*	123*	140*	136*	122*	60*	60*														
S <sub>5</sub>	6	10	10	13	8	16	9	13	11	27	34	56+	46*	45*	44*	45*	61*	62*	68*	71*	76*	69*	64*	38*	38*														
LOGIC	0	0	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1														
															Time of Boundary is time of start of successful 12-sec interval for Q1 TRUE = 52833 secs (52277 + 556)																								
															1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Table 2. Boundary Analysis sheets for Orbit 9 - continued

EVENING SECTOR BOUNDARY ANALYSIS		FOR QUARTER ORBIT FROM UT = 52277 LAT INTERVAL = 872 11 QZ																					
AT T = 496 (LAT(I),I=1,5) = 570 572 585 568 572		142	190	105	99	107	99	65	52	52	47	47	96	113	110	113	93	135	151	88	49	111	
n <sub>1</sub>	462 268 356	245	142	190	105	99	107	99	65	52	52	47	47	96	113	110	113	93	135	151	88	49	111
n <sub>2</sub>	420 256 398	262	163	179	153	182	179	127	112	355	551	864	894	566	752	796	678	374	676	488	498	495	1354
n <sub>3</sub>	488 298 398	362	274	602	1044	1396	812	866	1036	1592	1812	1996	2712	1120	1332	1392	1516	940	1002	670	3408	1752	4264
n <sub>4</sub>	518 353 430	480	495	1108	2296	3720	3424	2832	3096	3256	3584	2560	3200	1668	1272	1892	2912	2452	1370	1088	****	4976	7544
n <sub>5</sub>	476 290 382	658	716	1948	3904	4344	4536	4216	3896	3672	4056	2636	2532	1996	1280	2840	4112	2992	1556	1308	****	5168	2680
n <sub>6</sub>	544 330 488	1360	1476	6264	6552	5144	5976	5784	4504	4792	4680	3096	2760	3048	2152	4808	7800	3544	1720	1920	8248	3976	964
n <sub>7</sub>	500 342 650	2404	2512	****	7192	3928	4408	4192	3240	3608	4000	2456	2062	2920	2344	4020	7384	2432	1210	2168	4976	4272	600
n <sub>8</sub>	574 436 1554	5072	5896	****	4028	1988	2128	2148	1736	1576	2812	1328	1112	1574	1592	1168	3184	1700	842	1894	3032	2208	357
n <sub>9</sub>	618 774 7276	****	****	****	4140	984	1536	1332	1144	890	3206	890	603	922	910	864	1980	857	456	1541	2076	1340	432
Del T	496 492 488	484	480	476	472	468	464	460	456	452	448	444	440	436	432	428	424	420	416	412	408	404	400
Mlat	603 605 607	609	612	614	616	618	621	623	625	627	629	631	634	636	638	640	642	645	647	649	651	654	656
S <sub>1</sub>	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
S <sub>2</sub>	12^	14^	12^	54^	90^	204^	381^	450^	425^	433^	401^	408^	322^	370^	240^	208^	270^	356^	328^	194^	157^	46^	500^
S <sub>3</sub>	11^	17^	10^	61^	85^	170^	253^	244^	0^	267^	241^	204^	208^	128^	139^	123^	69^	163^	221^	195^	92^	95^	22^
S <sub>4</sub>	35^	46^	20^	187^	260^	486^	754^	866^	860^	812^	815^	783^	805^	594^	632^	495^	333^	556^	743^	674^	390^	358^	866^
S <sub>5</sub>	18^	24^	15^	95^	144^	292^	464^	502^	534^	505^	485^	434^	443^	313^	345^	263^	190^	310^	424^	388^	205^	190^	547^
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
AT T = 396 (LAT(I),I=1,5) = 570 572 585 568 572																							
n <sub>1</sub>	79 100 383	872	1148	1502	562	257	423	812	1208	1326	1940	522	422	422	254	207	96	111	137	138	63	69	42
n <sub>2</sub>	2198 1426 3920	5200	6232	7688	3028	1640	1536	2832	4680	4280	6168	1980	1288	1340	1256	1008	758	778	808	750	551	397	195
n <sub>3</sub>	6616 3688 6856	5528	5864	8104	3864	1896	2480	5704	****	7208	****	2992	1892	2184	2520	1724	1672	1892	1860	1704	1716	1224	616
n <sub>4</sub>	5304 3712 3668	2556	1932	2648	1388	1208	2556	****	****	7272	****	3176	1428	2036	3200	1684	2008	2156	2184	2196	2088	1496	1176
n <sub>5</sub>	1492 1412 820	576	438	610	378	468	1998	8872	4936	3184	6744	1588	666	1200	2608	1038	1372	1564	1804	2268	1992	900	1012
n <sub>6</sub>	1440 664 644	436	364	492	326	262	3132	****	4360	4312	4600	1512	704	1980	3352	908	1352	2584	2016	3864	3688	1552	1488
n <sub>7</sub>	986 528 592	376	347	357	231	224	1871	8288	3216	3612	3532	1136	672	1258	3512	1034	1122	1896	2012	7072	8760	7096	3424
n <sub>8</sub>	496 496 501	283	254	344	279	216	1358	3656	1426	1596	3084	889	503	1468	3384	1742	1354	1880	2452	6872	9896	****	4992
n <sub>9</sub>	426 339 582	402	190	334	250	350	1008	2736	1134	1568	3080	727	562	3226	1750	3730	1236	2504	3568	7336	****	****	5640
Del T	396 392 388	384	380	376	372	368	364	360	356	352	348	344	340	336	332	328	324	320	316	312	308	304	300
Mlat	658 660 662	664	667	669	671	673	675	678	680	682	684	687	689	691	693	696	698	700	702	705	707	709	711
S <sub>1</sub>	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****
S <sub>2</sub>	1218^	395^	202^	41^	207^	106^	327^	235^	243^	221^	0^	153^	97^	182^	211^	304^	218^	260^	275^	269^	271^	294^	209^
S <sub>3</sub>	8 43^	246^	49^	0^	0^	0^	344^	180^	94^	0^	54^	0^	128^	168^	144^	119^	122^	105^	109^	110^	103^	116^	109^
S <sub>4</sub>	548^	502^	27^	377^	583^	618^	304^	50^	384^	****	914^	474^	859^	327^	83^	259^	563^	288^	434^	464^	481^	535^	542^
S <sub>5</sub>	1544^	389^	525^	481^	545^	616^	400^	241^	229^	668^	763^	423^	659^	267^	196^	300^	205^	247^	261^	259^	278^	286^	223^
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Table 2. Boundary Analysis sheets for Orbit 9 - continued

EVENING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 52277 LAT INTERVAL = 872 11 Q2																									
ATT = 296 (LAT(I),J=1,5) = 570 572 585 568 572																									
n <sub>1</sub>	71	29	77	52	60	45	60	42	71	59	133	217	231	128	69	57	23	7	3	4	1	1	0	1	2
n <sub>2</sub>	427	241	497	601	740	350	581	276	504	693	740	908	812	522	413	463	182	20	23	1	0	2	4	3	3
n <sub>3</sub>	1030	818	3048	4282	4456	1808	3940	1488	2196	3320	1912	2160	1964	1324	1632	2300	696	63	48	9	3	3	7	16	6
n <sub>4</sub>	1356	1440	5096	5824	9896	4360	6840	3316	3704	4952	3400	3864	2516	1688	3204	4360	706	119	76	23	11	10	19	52	17
n <sub>5</sub>	1028	1052	2820	4928	7480	4760	7968	5376	3400	2856	2512	2424	1548	1136	2908	5480	493	85	80	37	15	13	22	78	25
n <sub>6</sub>	1368	1096	5176	7544	****	7896	****	8840	7032	5400	3360	3384	4012	976	9480	****	350	60	48	50	28	30	36	80	34
n <sub>7</sub>	2408	3052	5080	8952	****	9256	****	****	****	7256	5144	5776	7248	3360	****	****	215	28	29	28	31	38	39	34	33
n <sub>8</sub>	2280	3960	6240	****	****	8248	****	****	****	****	7784	8776	****	7544	****	****	105	7	23	65	57	82	88	27	44
n <sub>9</sub>	3064	3212	4632	****	8284	7200	****	****	****	9240	8296	8400	****	****	****	****	54	20	21	89	61	69	105	51	67
DelT	296	292	288	284	280	276	272	268	264	260	256	252	248	244	240	236	232	228	224	220	216	212	208	204	200
Mlat	714	716	718	721	723	725	727	729	731	734	736	738	740	742	745	747	749	751	754	756	758	760	762	764	766
S <sub>1</sub>	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	****	724	115	121	232	177	219	268	192	178
S <sub>2</sub>	1211	238	0	0	479	234	471	405	0	337	337	263	225	370	484	178	61	51	31	24	18	29	59	24	
S <sub>3</sub>	887	108	236	215	0	131	0	179	221	160	177	132	103	174	0	72	31	24	24	15	13	16	36	19	
S <sub>4</sub>	386	445	825	973	****	913	****	898	774	798	655	651	473	409	720	939	287	123	104	71	49	41	57	110	57
S <sub>5</sub>	1207	242	477	525	704	517	640	547	414	458	353	361	269	226	390	526	167	67	54	42	29	23	32	68	33
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
ATT = 196 (LAT(I),J=1,5) = 570 572 585 568 572																									
n <sub>1</sub>	4	6	1	1	1	1	1	4	2	1	1	2	2	2	3	1	0	1	0	1	2	0	1	4	1
n <sub>2</sub>	5	4	0	1	7	3	2	1	5	5	1	2	0	5	2	1	2	0	3	5	2	3	5	4	4
n <sub>3</sub>	4	6	4	4	3	7	1	5	3	6	6	4	1	9	7	3	8	2	3	6	4	5	3	4	2
n <sub>4</sub>	8	12	7	7	9	8	11	6	11	8	6	6	12	5	6	5	5	4	5	8	7	13	14	9	10
n <sub>5</sub>	5	11	7	12	12	16	17	18	12	11	12	9	18	14	14	10	11	13	9	12	10	16	15	17	11
n <sub>6</sub>	22	16	20	30	32	32	24	34	30	28	24	24	32	16	18	26	16	20	18	24	16	22	32	20	32
n <sub>7</sub>	39	30	31	38	40	38	28	32	37	33	34	38	40	41	33	24	29	28	40	31	28	39	41	55	47
n <sub>8</sub>	50	49	63	47	81	57	46	47	42	42	41	42	60	43	34	43	39	32	38	52	27	41	56	64	68
n <sub>9</sub>	54	57	74	70	86	44	28	41	28	38	29	36	45	44	27	44	29	32	42	28	18	28	36	53	74
DelT	196	192	188	184	180	176	172	168	164	160	156	152	148	144	140	136	132	128	124	120	116	112	108	104	100
Mlat	768	771	773	775	777	779	781	783	786	788	790	792	794	796	799	801	803	805	807	810	812	814	816	819	821
S <sub>1</sub>	165	152	188	185	239	171	126	154	137	141	128	140	177	144	112	137	113	112	138	135	89	130	165	192	221
S <sub>2</sub>	4	8	16	16	17	18	16	18	17	14	17	9	24	14	12	13	21	19	16	15	11	24	20	11	16
S <sub>3</sub>	6	8	8	13	11	14	17	19	11	8	12	9	19	13	13	12	11	18	10	9	10	14	13	15	11
S <sub>4</sub>	11	27	34	39	28	40	41	42	35	29	37	28	51	27	33	33	35	38	29	31	31	48	42	35	34
S <sub>5</sub>	7	13	17	22	19	23	27	29	20	16	21	14	33	18	20	19	20	27	17	17	16	27	25	22	20
LOGIC	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

Table 2. Boundary Analysis sheets for Orbit 9 - continued

EVENING SECTOR BOUNDARY ANALYSIS FOR QUARTER ORBIT FROM UT = 52277 LAT INTERVAL = 872 11 Q2	
ATT = 96 (LAT(0),I=1,5) = 570 572 585 568 572	
n <sub>1</sub>	2 2 0 2 1 3 3 5 1 0 1 1 0 4 2 0 1 4 1 2 1 2 0 0
n <sub>2</sub>	6 5 5 1 3 2 7 2 2 5 4 4 3 1 6 3 3 2 2 2 0 3 2 5
n <sub>3</sub>	6 1 5 3 4 4 3 4 2 3 3 1 3 3 3 6 2 2 3 3 7 6 4 4
n <sub>4</sub>	6 11 12 12 7 11 11 7 10 9 8 10 8 5 6 7 3 9 16 8 6 9 12 6
n <sub>5</sub>	16 8 14 21 19 20 21 13 16 12 17 34 28 16 12 11 15 22 12 10 18 9 27 26
n <sub>6</sub>	30 30 22 26 18 26 32 28 38 40 28 32 38 24 30 38 40 44 26 28 18 20 28
n <sub>7</sub>	38 36 60 46 47 49 51 59 67 51 67 65 62 64 70 58 54 53 48 51 80 41 42 47
n <sub>8</sub>	69 82 71 61 71 86 106 86 107 96 130 126 105 121 119 113 88 87 122 109 117 64 67 60
n <sub>9</sub>	82 89 87 76 67 88 109 99 108 97 128 134 146 122 128 119 98 98 117 105 136 66 45 55
Del T	96 92 88 84 80 76 72 68 64 60 56 52 48 44 40 36 32 28 24 20 16 12 8 4
Mlat	823 825 827 829 831 833 835 837 839 841 843 845 847 850 852 854 856 858 860 862 864 866 868 870
S <sub>1</sub>	219^ 237^ 240^ 209^ 203^ 249^ 298^ 272^ 320^ 284^ 353^ 357^ 351^ 331^ 347^ 328^ 280^ 282^ 313^ 293^ 361^ 189^ 174^ 190^
S <sub>2</sub>	14^ 14^ 21^ 23^ 19^ 18^ 16^ 10^ 20^ 19^ 18^ 32^ 31^ 14^ 12^ 18^ 16^ 18^ 23^ 11^ 24^ 11^ 32^ 27^
S <sub>3</sub>	15^ 11^ 11^ 19^ 19^ 18^ 18^ 13^ 16^ 11^ 17^ 31^ 27^ 19^ 12^ 10^ 20^ 22^ 14^ 10^ 19^ 7^ 24^ 26^
S <sub>4</sub>	29^ 27^ 41^ 52^ 43^ 46^ 38^ 29^ 45^ 34^ 40^ 58^ 55^ 34^ 23^ 35^ 32^ 44^ 47^ 32^ 46^ 30^ 59^ 47^
S <sub>5</sub>	21^ 19^ 23^ 33^ 29^ 29^ 27^ 18^ 28^ 21^ 26^ 48^ 42^ 26^ 17^ 19^ 28^ 32^ 28^ 17^ 30^ 14^ 40^ 38^
LOGIC	3 3
EXITING SEARCH WITH ITM = 53733 55273 14 850	

Placeholders for MLAT derived from S<sub>1</sub> S<sub>2</sub> S<sub>3</sub> S<sub>4</sub> S<sub>5</sub> Tests  
 MLAT -999 -999 -999 -999 -999 -999

AAAAAA  
 Replaced  
 when Q1  
 TRUE




Figure 2  
 Flow Chart for S<sub>1</sub> Boundary Test

Placeholders for MLAT derived from S<sub>1</sub> S<sub>2</sub> S<sub>3</sub> S<sub>4</sub> S<sub>5</sub> Tests  
 MLAT -999 -999 -999 -999 -999 -999

AAAAAA  
 Replaced  
 when Q2  
 TRUE




Figure 3  
 Flow Chart for S<sub>2</sub> Boundary Test

Placeholders for MLAT derived from S<sub>1</sub> S<sub>2</sub> S<sub>3</sub> S<sub>4</sub> S<sub>5</sub> Tests  
 MLAT -999 -999 -999 -999 -999 -999  
 AAAAAA  
 Replaced when Q3 TRUE

S3 Boundary Test  
 i = 1 (time at quadrant start)  
 c = 0 (counter for 3 consecutive Si > hi values)




Figure 4  
 Flow Chart for S<sub>3</sub> Boundary Test

Placeholders for MLAT derived from S<sub>1</sub> S<sub>2</sub> S<sub>3</sub> S<sub>4</sub> S<sub>5</sub> Tests  
 MLAT -999 -999 -999 -999 -999 -999

AAAAAA  
 Replaced  
 when Q4  
 TRUE




Figure 5  
 Flow Chart for S<sub>4</sub> Boundary Test

Placeholders for MLAT derived from S<sub>1</sub> S<sub>2</sub> S<sub>3</sub> S<sub>4</sub> S<sub>5</sub> Tests  
 MLAT -999 -999 -999 -999 -999 -999

AAAAAA  
 Replaced  
 when Q5  
 TRUE







Figure 6  
 Flow Chart for S<sub>5</sub> Boundary Test




**Figure 7**  
Compressed Time View – All 4 Boundaries



**Figure 7a**  
Expanded Time View – Quad 1 and Quad 2 Boundaries



**Figure 7**  
**Compressed Time View – All 4 Boundaries**



**Figure 7b**  
**Expanded Time View – Quad 3 and Quad 4 Boundaries**

## REFERENCES

Gussenhoven, M. S., D. A. Hardy, and W. J. Burke, Comment on "Diurnal variation of the auroral oval size", by C. -I. Meng, *J. Geophys. Res.*, **85**, 2373, 1980.

Gussenhoven, M. S., D. A. Hardy, and W. J. Burke, DMSP F2 electron observations of equatorward auroral boundaries and their relationship to magnetospheric electric fields, *J. Geophys. Res.*, **86**, 768, 1981.

Hardy, D. A., L. K. Schmidt, M. S. Gussenhoven, F. J. Marshall, H. C. Yeh, T. L. Shumaker, A. Huber, and J. Pantazis, *Precipitating electron and ion detectors (SSJ/4) for the block 5D/Flights 4-10 DMSP satellites: Calibration and data presentation*, Rep. AFGL-TR-84-0317, Air Force Geophys. Lab., Hanscom Air Force Base, Mass., 1984.