

AD_____

Award Number: W81XWH-04-1-0195

TITLE: Endogenous 6-Hydroxymelatonin Excretion and Subsequent Risk of Breast Cancer: A Prospective Study

PRINCIPAL INVESTIGATOR: Paola C. Muti, M.D.

CONTRACTING ORGANIZATION: Italian National Cancer Institute
00144 Rome, Italy

REPORT DATE: March 2007

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE				<i>Form Approved</i> OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) 01-03-2007		2. REPORT TYPE Annual		3. DATES COVERED (From - To) 1 Mar 2006 – 28 Feb 2007	
4. TITLE AND SUBTITLE Endogenous 6-Hydroxymelatonin Excretion and Subsequent Risk of Breast Cancer: A Prospective Study				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER W81XWH-04-1-0195	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Paola C. Muti, M.D. E-Mail: muti@buffalo.edu				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Italian National Cancer Institute 00144 Rome, Italy				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The prevalence of breast cancer is greatest in industrialized regions and exposure to light at night has been proposed as a potential risk factor. Modulation of melatonin secretion by light has been implicated in the causal pathway linking exposure to light and breast cancer risk. Recent evidence indicates that melatonin is a natural oncostatic agent capable of functioning through a variety of anti-proliferative, anti-oxidative, and immunostimulatory mechanisms. We conduct a study to investigate the association of prediagnostic melatonin production and subsequent breast cancer risk in a prospective cohort study, the Italian ORDET study. Thus, prediagnostic melatonin production will be measured as urine levels of the 6-hydroxymelatonin sulphate (6-OHMS), its primary enzymatic metabolite, in 12-hour urine (overnight) collection. The study will be conducted as a nested case-control study. We expect 533 breast cancer cases among cohort members during the 17 year-follow-up period. Four controls will be matched to each case on age, menopausal status, recruitment center and time of recruitment for a total number of 2,132 control subjects. This study would be the first one analyzing the potential effect of melatonin on breast cancer risk. It will provide important data on risk factors that are likely key to the development of this disease at great public health impact.					
15. SUBJECT TERMS Breast cancer, Melatonin, Epidemiological Study					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 20	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (include area code)

TABLE OF CONTENTS

	Page
Introduction	4
Body of Report	5
Conclusions	12
References	13

INTRODUCTION

Melatonin (N-acetyl-5methoxytryptamine) is synthesized and released by the pineal gland in response to darkness. Thus, melatonin displays a strong variation during a 24-hour period: its serum levels are low during daylight hours and high at night. The health effect of chronic alteration of this circadian rhythm in humans has received relatively little attention. There is strong evidence to indicate that melatonin acts as a natural oncostatic substance (Blansk, 1993). Consistent experimental evidence, from both *in vitro* and *in vivo* studies, identified specific anti-carcinogenic functions of melatonin such as anti-proliferation, anti-oxidation, and immunostimulation functions (Brzezinski, 1997; Panzer and Viljoen, 1997; Reiter et al, 1997).

Environmental factors that reduce nocturnal exposure to melatonin may increase breast cancer risk by increasing levels of estrogens, by increasing exposure to oxidative stress and by reducing immune function (Cohen et al, 1978; Stevens, 1987). Nighttime plasma melatonin is reported to be lower in women affected with estrogen-receptor-positive breast cancer in comparison with women affected by other pathologies (Tamarkin et al, 1989). Melatonin was also lower in breast cancer cases than in women with benign breast disease (Bartsh et al, 1989). We are conducting a study to evaluate the relationship between melatonin and breast cancer using data from a prospective cohort study in which several sources of possible biomarker variability have been controlled by study design. We measure pre-diagnostic urine levels of the main melatonin metabolite, **6-OHMS**, in urine stored at -80° C during the 17 year follow-up period. At its completion, the study will allow us to investigate the role of prediagnostic melatonin as a potentially important factor underlying the association between environmental and life-style factors with breast cancer.

BODY OF REPORT

In accordance with the Statement of Work we completed determinations for the samples from post-menopausal women and are now determining samples from pre-menopausal women.

Background

The Lombardy Cancer Registry (LCR) conducts the follow-up of the ORDET cohort. LCR, established by the Regional County Council for Health and supervised by the Epidemiology Unit at the National Cancer Institute in Milan, has been operating since January 1, 1976. LCR registers and includes in the incidence figures all malignant tumors, according to the categories 140-208, chapter two of the International Classification of diseases, ninth revision (ICD-9). The ORDET study and LCR reside in the same institution at the Italian NCI in Milan (Istituto Nazionale per lo Studio e la Cura dei Tumori). The LCR searches for cases actively, using various information sources, primarily hospital clinical records and pathology department records. The Italian National Health Service (NHS) provides health assistance for all citizens. Most health care services are public. Private facilities are also partially supported by NHS. Among all breast cancer cases arisen among residents of Varese Province, only 1.3% is known to the registry on the basis of death certificates only, and 99% of breast cancer cases are microscopically verified. LCR incidence data are regularly published in the "Cancer Incidence in Five Continents" (International Agency for Cancer Research-World Health Organization, 1982-1997; 1998-2002) and in several international publications on population-based cancer survivals (Eurocare Study I, 1995; Eurocare Study II, 1999). In the context of these studies on cancer survival, the LCR collects clinical information of cancer cases. Among this information, LCR collects the receptor status of the breast cancers identified in the population. This variable is included in the data analysis of the present study.

The end of follow-up is determined by death, immigration outside Italy or last day of the follow-up: in the case of the present application the last day of the follow-up was June 30, 2006. The latency period between cancer diagnosis and detection by the LCR is 6 months.

The present study was based on the projected incidence of cancer in the cohort by June 30th, 2006, with 533 expected breast cancer cases.

At present we are conducting the melatonin determinations for each identified case and the four related controls. Study protocols have been developed and discussed. Determinations have been completed for samples from post-menopausal women and we are now determining samples from pre-menopausal women.

Methods

Breast Cancer Cases: Breast cancer cases are women with histologically confirmed invasive breast cancer diagnosed after their recruitment (date at interview) to the ORDET cohort and before the end of the last follow-up period.

Control Subjects: Eligible controls are all be women free of cancer at the time of the diagnosis of the case. For each breast cancer case, four controls are randomly chosen after matching for sources of hormone variability: a) age; b) same recruitment center to exclude differences due to transportation of samples to laboratory; c) recruitment date to control for the effect of long-term preservation of sera; d) daylight saving period to allow for possible changes in circadian rhythm.

12 Hour Urine Collection: For urine collection at baseline, each participant was asked to empty her bladder before retiring at 7:00 PM, and to collect any urine voided during the night, as well as the first morning void at 7:00 AM. Participants then delivered urine between 7:30 and 9:30 AM to the ORDET recruitment center, where it was filtered and stored at -80°C . Urine samples have not been thawed up to now. Therefore, there will be no effects of freezing-thawing cycles and we will thaw urine for this study at the time of the proposed 6-OHMS determinations.

Analytical Methods: Melatonin production at baseline is evaluated through the urine excretion of 6-OHMS, its primary enzymatic metabolite using radioimmunoassay method (Bühlmann Laboratories AG, Switzerland). We correct concentration levels of 6-OHMS for creatinine excretion. There is evidence that total nocturnal production of melatonin is well correlated with levels of 6-OHMS in 24 hour urine samples and with morning urine samples (Markey et al, 1985 and Bojkowski et al., 1987; Cook et al., 2000). 6-OHMS shows good reliability and low intra-individual variability, at least over a short time period (Bojkowski et al., 1987), reflecting a stable rate of melatonin production in the same individual (Bojkowski et al., 1987; Arendt J, 1978). Finally, 6-OHMS is extremely stable in urine stored at -20°C and at -12°C for at least two years of cryopreservation (Bojkowski et al., 1987).

Biological specimens of all cases and matched controls are retrieved from the ORDET biological specimen bank and sent, on dry ice, to the Hormone Research Laboratory, at the Department of Preventive and Predictive Medicine of the Istituto Nazionale Tumori under the direction of Dr. Giorgio Secreto. The Laboratory is located in the same building as the ORDET specimen bank. Stored samples from cases and controls are handled identically and assayed together in the same batch. Each batch includes cases and their matched controls. Laboratory personnel are blinded to case control status of samples. In addition,

we include blind control duplicates for 5% of the samples in each batch. All samples are assayed in duplicate.

The analytical determinations for all the biomarkers will be completed in the next year.

KEY RESEARCH ACCOMPLISHMENTS

- Completed the follow-up of the prospective cohort study
- Set up the nested case-control study
- Study protocols developed
- Melatonin determinations for cases and controls have begun and will be completed in the next year.

REPORTABLE OUTCOMES

Publications and Presentations

We have published a paper based on the research developed during the evaluation of the bioassay method reliability:

Barba M, Cavalleri A, Schünemann HJ, Krogh V, Evangelista A, Secreto G, Micheli A, Zhou Q, Fuhrman B, Teter B, Berrno F, Muti P. Reliability of urinary 6-sulfatoxymelatonin as a biomarker in breast cancer. The International Journal of Biological Markers. 21(4):242-5, 2006

In 2006-2007, Dr. Muti has published other papers on hormones and cancer, as listed below:

1. *Barba M, McCann S, Nie J, Vito D, Stranges S, Fuhrmann B, Trevisan M, Muti P, Freudenheim JL. *Perinatal Exposures and Breast Cancer Risk in the Western New York Exposures and Breast cancer (WEB) Study*. *Cancer Causes Control* 17(4): 395-401, 2006
2. McCann SE, Kulkarni S, Trevisan M, Vito D, Nie J, Edge S, Muti P, Freudenheim JL. *Dietary lignan intakes and risk of breast cancer by tumour estrogen receptor status*. *Breast Cancer Research and Treatment* 99(3):309-11, 2006
3. Cavalieri E, Chakravarti D, Guttenplan J, Hart E, Ingle J, Jankowiak R, Muti P, Rogan E, Russo J, Santen R, Sutter T. *Catechol Estrogen Quinones as Initiators of Breast and Other Human Cancers: Implications for Biomarkers of Susceptibility and Cancer Prevention*. *BBA-Reviews* 2006 1766(1): 63-78, 2006
4. Zeleniuch-Jacquotte A, Ludin E, Micheli A, Koenig KL, Lenner P, Muti P, Shore RE, Johansson I, Krogh V, Lukanova AK, Stattin P, Afanasyeva Y, Rinaldi S, Arslan A, Kaaks R, Berrino F, Hallmans G, Toniolo P, Adlercreutz H. *Circulating Enterolactone and risk of endometrial cancer*. *The International Journal of Cancer* 119(10):2376-81, 2006
5. Han D, Nie J, Bonner MR, McCann S, Muti P, Trevisan M, Ramirez F, Vito D, Freudenheim JL. *Lifetime adult weight gain, central adiposity and the risk of pre- and postmenopausal breast cancer in the Western New York Exposures*

and Breast Cancer Study. The International Journal of Cancer 119(12):2931-7, 2006

6. Barba M, Cavalleri A, Schünemann HJ, Krogh V, Evangelista A, Secreto G, Micheli A, Zhou Q, Fuhrman B, Teter B, Berrno F, Muti P. *Reliability of urinary 6-sulfatoxymelatonin as a biomarker in breast cancer*. The International Journal of Biological Markers. 21(4):242-5, 2006
7. Muti P, Rogan E, Cavalieri E. *Androgens and Estrogens in the Etiology and Prevention of Breast Cancer*. Nutrition and Cancer 56(2):247-52, 2006
8. Browne R, Koury S, Marion S, Wilding G, Muti P, Trevisan M. *Accuracy and biological variation of human serum paraoxonase 1 activity and polymorphism (Q192R) by kinetic enzyme assay*. Clin. Chem. Feb;53(2):310-7, 2007.
9. McCann SE, Wactawski-Wende J, Olson J, Ovando B, Nowell S, Davis W, Carter L, Muti P, Shields PG, Freudenheim JL. *Changes in 2-hydroxyestrone and 16alpha-hydroxyestrone metabolism with flaxseed consumption: modification by COMT and CYP1B1 genotype*. Cancer Epidemiology Biomarkers and Prevention 16(2):256-62, 2007
10. McCann SE, McCann WE, Hong C, Marshall JR, Edge S, Trevisan M, Muti P, Freudenheim JL. *Dietary patterns related to glycemic index and load and risk of pre- and postmenopausal breast cancer in the Western New York Exposures and Breast Cancer (WEB) Study*. (accepted for publication in The American Journal of Clinical Nutrition)

11. Sant M, Allemani C, Sieri S, Krogh V, Menard S, Tagliabue E, Nardini E, Micheli A, Crosignani P, Muti P, Berrino F. *Salad vegetables dietary pattern protects against HER-2-positive breast cancer: A prospective Italian study*. Int J Cancer. (Epub ahead of print)

Dr Muti has also presented new results from other studies at the Annual Meeting of the American Association for Cancer Research as well as other conferences:

1. Barba M, Terrenato I, Fuhrman B, Teter B, Schunemann H, **Muti P**. *Secondary sexual characteristics and body size at different ages in relation to risk of prostate cancer: results from a case-control study* Annual Meeting American Association for Cancer Research, Washington, April 2006
2. McCann SE, **Muti P**, Vito D, Edge SB, Trevisan M, Freudenheim JL. *Dietary lignan intakes and risk of breast cancer by tumor estrogen receptor status*. Annual Meeting American Association for Cancer Research, Washington, April 2006
3. Fuhrman BJ, Teter BE, Barba M, Byrne C, Cavalleri A, Grant BJ, Horvath P, **Muti P**. *Soy intake and mammographic density in postmenopausal women: Modification by equol status*. 5th Annual Meeting American Association for Cancer Research, Boston, November, 2006
4. Teter BE, Fuhrman BJ, Barba M, **Muti P**. *Aspirin Use and Mammographic Breast Density as a Marker of Breast Cancer Risk in Postmenopausal Women*. 5th Annual Meeting American Association for Cancer Research , Boston, November, 2006

5. Teter BE, Fuhrman BJ, Barba M, **Muti P**. *Nocturnal 6-Sulfatoxymelatonin and Mammographic Breast Density as a Marker of Breast Cancer Risk in Postmenopausal Women*. 5th Annual Meeting American Association for Cancer Research, Boston, November 15, 2006
6. Meneghini E, Secreto G, Krogh V, Crosignani, **Muti P**, Berrino F, Micheli A. *Biological adjustment approach in synchronizing blood sampling over menstrual cycle. The experience with progesterone and breast cancer risk in pre-menopausal ORDET women*. Annual Meeting of the Cancer Registries of Latin Language (GRELL), Montreal, May 2007 (abstract has been accepted)
7. Akl E, Cook D, **Muti P**, Puhan M, Montori V, Guyatt G, Schünemann H. *Systematic evaluation of the methodology of randomized controlled trials of anticoagulation in patients with cancer*. 15th Cochrane Colloquium, São Paulo, 23-27 October, 2007 (abstract has been accepted)

In addition, Dr. Muti has several other manuscripts submitted for publication on hormone and related factors and cancer.

CONCLUSIONS

We are continuing the hormone determinations phase for this grant. Therefore, there are no conclusions to report at this time.

REFERENCES

- Arafah BM. Finegan HM. Roe J. Manni A. Pearson OH. Hormone dependency in N-nitrosomethylurea-induced rat mammary tumors. *Endocrinology*. 111(2):584-8, 1982.
- Arendt J. Melatonin assays in body fluids. *Journal of Neural Transmission. Supplementum*. (13):265-78, 1978.
- Arendt J. Hampton S. English J. Kwasowski P. Marks V. 24-hour profiles of melatonin, cortisol, insulin, C-peptide and GIP following a meal and subsequent fasting. *Clinical Endocrinology*. 16(1):89-95, 1982.
- Blask DE. Hill SM. Effects of melatonin on cancer: studies on MCF-7 human breast cancer cells in culture. *Journal of Neural Transmission. Supplementum*. 21:433-49, 1986.
- Blask DE. Pelletier DB. Hill SM. Lemus-Wilson A. Grosso DS. Wilson ST. Wise ME. Pineal melatonin inhibition of tumor promotion in the N-nitroso-N-methylurea model of mammary carcinogenesis: potential involvement of antiestrogenic mechanisms in vivo. *Journal of Cancer Research & Clinical Oncology*. 117(6):526-32, 1991.
- Blask, DE. Melatonin in oncology. In: *Melatonin: biosynthesis, physiological effects, and clinical applications* (Yu HS & Reiter R, eds) CRC Press, Boca Raton, FL, pp. 447-475, 1993.
- Bartsch C. Bartsch H. Jain AK. Laumas KR. Wetterberg L. Urinary melatonin levels in human breast cancer patients. *Journal of Neural Transmission*. 52(4):281-94, 1981.
- Bartsch C. Bartsch H. Fuchs U. Lippert TH. Bellmann O. Gupta D. Stage-dependent depression of melatonin in patients with primary breast cancer. Correlation with prolactin, thyroid stimulating hormone, and steroid receptors. *Cancer*. 64(2):426-33, 1989.
- Bartsch C. Bartsch H. Lippert TH. Gupta D. Effect of the mammary carcinogen 7,12-dimethylbenz[a]anthracene on pineal melatonin biosynthesis, secretion and peripheral metabolism. *Neuroendocrinology*. 52(6):538-44, 1990.
- Bartsch C. Bartsch H. Bellmann O. Lippert TH. Depression of serum melatonin in patients with primary breast cancer is not due to an increased peripheral metabolism. *Cancer*. 67(6):1681-4, 1991.

Barzaghi F, Gallazzi M.T, Del Sette Cerulli D, Fissi R, Micheli A, Muti P, Pisani P, Totis A., Berrino F, Ferrario D, Zarini E. Progettazione di uno studio prospettico con banca biologica. *Epidemiologia e Prevenzione* 46:359-363; 1991.

Bojkowski CJ. Arendt J. Shih MC. Markey SP. Melatonin secretion in humans assessed by measuring its metabolite, 6-sulfatoxymelatonin. *Clinical Chemistry*. 33(8):1343-8, 1987.

Bojkowski CJ. Arendt J. Annual changes in 6-sulphatoxymelatonin excretion in man. *Acta Endocrinologica*. 117(4):470-6, 1988.

Bojkowski CJ. Arendt J. Factors influencing urinary 6-sulphatoxymelatonin, a major melatonin metabolite, in normal human subjects. *Clinical Endocrinology*. 33(4):435-44, 1990.

Brainard GC, Rollag MD, Hanifin JP Photic regulation of melatonin in humans:ocular and neural signal transduction. *J. Bio. Rhythms* 12:537-546, 1997.

Brainard GC, Kavet R, Kheifets LI The relationshi between electromagnetic fields and light exposures to melatonin and breast cancer risk: a review of the relavant literature, *J, Pineal Res* 26:65-100, 1999.

Brzezinski A. Melatonin in humans. *New England Journal of Medicine*. 336(3):186-95, 1997.

Czeisler CA. Shanahan TL. Klerman EB. Martens H. Brotman DJ. Emens JS. Klein T. Rizzo JF 3rd. Suppression of melatonin secretion in some blind patients by exposure to bright light. *New England Journal of Medicine*. 332(1):6-11, 1995.

Cantor KP. Dosemeci M. Brinton LA. Stewart PA. Re: Breast cancer mortality among female electrical workers in the United States. *Journal of the National Cancer Institute*. 87(3):227-8, 1995.

Cohen M. Lippman M. Chabner B. Role of pineal gland in aetiology and treatment of breast cancer. *Lancet*. 2(8094):814-6, 1978.

Coogan PF. Clapp RW. Newcomb PA. Wenzl TB. Bogdan G. Mittendorf R. Baron JA. Longnecker MP. Occupational exposure to 60-hertz magnetic fields and risk of breast cancer in women. *Epidemiology*. 7(5):459-64, 1996.

Cook MR. Graham C. Kavet R. Stevens RG. Davis S. Kheifets L. Morning urinary assessment of nocturnal melatonin secretion in older women. *Journal of Pineal Research*. 28(1):41-7, 2000.

Coogan PF. Aschengrau A. Exposure to power frequency magnetic fields and risk of breast cancer in the Upper Cape Cod Cancer Incidence Study. *Archives of Environmental Health*. 53(5):359-67, 1998.

Cos S. Blask DE. Melatonin modulates growth factor activity in MCF-7 human breast cancer cells. *Journal of Pineal Research* 17(1):25-32, 1994.

Cos S. Fernandez R. Guezmes A. Sanchez-Barcelo EJ. Influence of melatonin on invasive and metastatic properties of MCF-7 human breast cancer cells. *Cancer Research*. 58(19):4383-90, 1998.

Crespo D. Fernandez-Viadero C. Verduga R. Ovejero V. Cos S. Interaction between melatonin and estradiol on morphological and morphometric features of MCF-7 human breast cancer cells. *Journal of Pineal Research*. 16(4):215-22, 1994.

Danforth DN Jr. Tamarkin L. Mulvihill JJ. Bagley CS. Lippman ME. Plasma melatonin and the hormone-dependency of human breast cancer. *Journal of Clinical Oncology*. 3(7):941-8, 1985.

Davis S. Kaune WT. Mirick DK. Chen C. Stevens RG. Residential magnetic fields, light-at-night, and nocturnal urinary 6-sulfatoxymelatonin concentration in women. *American Journal of Epidemiology*. 154(7):591-600, 2001.

Erren TC. Piekarski C. Does winter darkness in the Arctic protect against cancer? The melatonin hypothesis revisited. *Medical Hypotheses*. 53(1):1-5, 1999.

EUROCORE study I -Berrino F, Sant M, Verdecchia A, Capocaccia R, Hakulinen T, Estève J eds, *Survival of cancer patients in Europe*, IARC Scientific Publication, 132, 1995, Lyon, France.

EUROCORE study II, Berrino F, Capocaccia R, Estève J, Gatta G, Hakulinen T, Micheli A, Sant M, Verdecchia. *A Survival of cancer patients in Europe-II*, IARC Scientific Publication, 151, 1999, Lyon, France.

Fear NT. Roman E. Carpenter LM. Newton R. Bull D. Cancer in electrical workers: an analysis of cancer registrations in England, 1981-87. *British Journal of Cancer*. 73(7):935-9, 1996.

Feychting M. Osterlund B. Ahlbom A. Reduced cancer incidence among the blind. *Epidemiology*. 9(5):490-4, 1998.

Feychting M. Forssen U. Rutqvist LE. Ahlbom A. Magnetic fields and breast cancer in Swedish adults residing near high-voltage power lines. *Epidemiology*. 9(4):392-7, 1998.

Gammon MD. Schoenberg JB. Britton JA. Kelsey JL. Stanford JL. Malone KE. Coates RJ. Brogan DJ. Potischman N. Swanson CA. Brinton LA. Electric blanket use and breast cancer risk among younger women. *American Journal of Epidemiology*. 148(6):556-63, 1998.

Giampaoli S, Muti P. La qualita' dell'informazione biologica: standardizzazione e controllo di qualita'. *Ann Ist Super Sanita'*, 28:377-83, 1992.

Glickman G, Levin R, Brainard GC Ocular input melatonin regulation: Relevance to breast cancer *Neuroendocrinology Letters* 23:17-22, 2002.

Hahn RA. Profound bilateral blindness and the incidence of breast cancer. *Epidemiology*. 2(3):208-10, 1991.

Guenel P. Raskmark P. Andersen JB. Lynge E. Incidence of cancer in persons with occupational exposure to electromagnetic fields in Denmark. *British Journal of Industrial Medicine*. 50(8):758-64, 1993.

Gunnarsdottir H, Rafnsson V. Cancer incidence among Icelandic nurses. *J Occup Environ Med* 37: 307–312; 1995.

Gurwitz D. Flight attendants, breast cancer, and melatonin . *Lancet* 352: 1389–1390; 1998.

Hansen J. Increased breast cancer risk among women who work predominantly at night. *Epidemiology*. 12(1):74-7, 2001.

Hardeland R. Reiter RJ. Poeggeler B. Tan DX. The significance of the metabolism of the neurohormone melatonin: antioxidative protection and formation of bioactive substances. *Neuroscience & Biobehavioral Reviews*. 17(3):347-57, 1993.

Hill SM. Blask DE. Effects of the pineal hormone melatonin on the proliferation and morphological characteristics of human breast cancer cells (MCF-7) in culture. *Cancer Research*. 48(21):6121-6, 1988.

Hill SM. Spriggs LL. Simon MA. Muraoka H. Blask DE. The growth inhibitory action of melatonin on human breast cancer cells is linked to the estrogen response system. *Cancer Letters*. 64(3):249-56, 1992.

Horwitz KB. Zava DT. Thilagar AK. Jensen EM. McGuire WL. Steroid receptor analyses of nine human breast cancer cell lines. *Cancer Research*. 38(8):2434-7, 1978.

Johansen C. Olsen JH. Risk of cancer among Danish utility workers--a nationwide cohort study. *American Journal of Epidemiology*. 147(6):548-55, 1998.

Kelsh MA. Sahl JD. Mortality among a cohort of electric utility workers, 1960-1991. *American Journal of Industrial Medicine*.31(5):534-44, 1997.

Klein DC, Moore RY, Reppert SM, eds. *Suprachiasmatic nucleus: the mind's clock*. New York: Oxford University Press, 1991.

Kliukiene J. Tynes T. Martinsen JI. Blaasaas KG. Andersen A. Incidence of breast cancer in a Norwegian cohort of women with potential workplace exposure to 50 Hz magnetic fields.*American Journal of Industrial Medicine*. 36(1):147-54, 1999.

Kliukiene J. Tynes T. Andersen A. Risk of breast cancer among Norwegian women with visual impairment. *British Journal of Cancer*. 84(3):397-9, 2001.

Li Y, Jiang DH, Wang ML, Jiao DR, Pang SF. Rhythms of serum melatonin in patients with spinal lesions at the cervical, thoracic or lumbar region. *Clin Endocrinol* 1989;30:47-56.

Li CY. Theriault G. Lin RS. A validity analysis of residential magnetic fields estimated from high-voltage transmission lines. *Journal of Exposure Analysis & Environmental Epidemiology*. 7(4):493-504, 1997.

Lemus-Wilson A. Kelly PA. Blask DE. Melatonin blocks the stimulatory effects of prolactin on human breast cancer cell growth in culture. *British Journal of Cancer*. 72(6):1435-40, 1995.

Loomis DP. Savitz DA. Effect of incomplete exposure assessment on epidemiologic dose-response analyses. *Scandinavian Journal of Work, Environment & Health*. 20(3):200-5, 1994.

Lynge E, Thygesen L. Occupational cancer in Denmark. Cancer incidence in the 1970 census population. *Scand J Work Environ Health* 16 (suppl 2): 1–35; 1990

Lynge E. Risk of breast cancer is also increased among Danish female airline cabin attendants. *BMJ* 312: 253; 1996

Markey SP. Higa S. Shih M. Danforth DN. Tamarkin L. The correlation between human plasma melatonin levels and urinary 6-hydroxymelatonin excretion. *Clinica Chimica Acta*. 150(3):221-5, 1985.

Mawson AR. Breast cancer in female flight attendants. *Lancet*. 352(9128):626, 1998.

McDowall ME. Mortality of persons resident in the vicinity of electricity transmission facilities. *British Journal of Cancer*. 53(2):271-9, 1986.

Micheli A, Muti P, Pisani P, Secreto G, Recchione C, Totis A, Fissi R, Cavalleri A, Panico S, Berrino F. Repeated serum and urinary androgens measurements in premenopausal and postmenopausal women. *J Clin Epidemiol* 44:1055-60; 1991.

Micheli A, Krogh V. A computer program to calculate expected cases in a dynamic cohort. *Epidemiologia e Prevenzione*.18(60):164-9; 1994.

Muti P, Celentano E, Panico S, Berrino F. Measurement of cutaneous sebum: reproducibility at different cleansing conditions. *J Appl Cosmetol* 5:131-7; 1987

Muti P, Trevisan M, Micheli A, Krogh V, Bolelli G.F, Sciajno R, and Berrino F. Reliability of serum hormones in premenopausal and in postmenopausal women over a one year period. *Cancer Epidemiology, Biomarkers & Prevention* 5:917-22; 1996.

Muti P, Stanulla M, Micheli A, Krogh V, Freudenheim JL, Yang J, Schunemann HJ, Trevisan M, Berrino F. Markers of Insulin resistance and sex steroid activity in relation to breast cancer: a prospective analysis of abdominal adiposity, sebum production and hirsutism. *Cancer, Causes and Control* 11:721-30; 2000.

Panzer A. Viljoen M. The validity of melatonin as an oncostatic agent. *Journal of Pineal Research*. 22(4):184-202, 1997.

Panico S, Pisani P, Muti P, Recchione C, Totis A. Diurnal variation of testosterone and estradiol: a source of bias in comparative studies on breast cancer. *J Endocrinol Invest* 13:423-7; 1990.

Pollan M. Gustavsson P. High-risk occupations for breast cancer in the Swedish female working population. *American Journal of Public Health*. 89(6):875-81, 1999.

Pukkala E. Auvinen A. Wahlberg G. Incidence of cancer among Finnish airline cabin attendants, 1967-92. *BMJ*. 311(7006):649-52, 1995.

Savitz DA. Pearce N. Poole C. Update on methodological issues in the epidemiology of electromagnetic fields and cancer. *Epidemiologic Reviews*. 15(2):558-66, 1993.

Reiter RJ. Calvo JR. Karbownik M. Qi W. Tan DX. Melatonin and its relation to the immune system and inflammation. *Annals of the New York Academy of Sciences*. 917:376-86, 2000

Reiter R. Tang L. Garcia JJ. Munoz-Hoyos A. Pharmacological actions of melatonin in oxygen radical pathophysiology. *Life Sciences*. 60(25):2255-71, 1997.

Reiter RJ. Electromagnetic fields and melatonin production. *Biomedicine & Pharmacotherapy*. 47(10):439-44, 1993.

Reppert SM. Circadian rhythms: basic aspects and pediatric implications. In: Styne DM, Brook CGD, eds. *Current concepts in pediatric endocrinology*. New York: Elsevier, 1987:91-125.

Rix BA, Lynge E. Cancer incidence in Danish health care workers. *Scand J Soc Med* 24: 114–120; 1996

Sack RL. Lewy AJ. Erb DL. Vollmer WM. Singer CM. Human melatonin production decreases with age. *Journal of Pineal Research*. 3(4):379-88, 1986.

Sankila R, Karjalainen S, Laara E, Pukkala E, Teppo L. Cancer risk among health care personnel in Finland, 1971–1980. *Scand J Work Environ Health* 16: 252–257; 1990.

Schreiber G, Swaen G, Meijers J, Slangen J, Sturmans F. Cancer Mortality and residence near electricity transmission equipment: A retrospective cohort study. *Int J Epidemiol*. 22:9-15; 1993

Schernhammer ES. Laden F. Speizer FE. Willett WC. Hunter DJ. Kawachi I. Colditz GA. Rotating night shifts and risk of breast cancer in women participating in the nurses' health study. *Journal of the National Cancer Institute*. 93(20):1563-8, 2001.

Skene DJ. Bojkowski CJ. Currie JE. Wright J. Boulter PS. Arendt J. 6-sulphatoxymelatonin production in breast cancer patients. *Journal of Pineal Research*. 8(3):269-76, 1990.

Stevens RG. Electric power use and breast cancer: a hypothesis. *Journal Article. American Journal of Epidemiology*. 125(4):556-61, 1987.

Stewart JW. Halbreich U. Plasma melatonin levels in depressed patients before and after treatment with antidepressant medication. *Journal Article] Biological Psychiatry*. 5(1):33-8, 1989.

Tamarkin L. Danforth D. Lichter A. DeMoss E. Cohen M. Chabner B. Lippman M. Decreased nocturnal plasma melatonin peak in patients with estrogen receptor positive breast cancer. *Science*. 216(4549):1003-5, 1982.

Tynes T. Hannevik M. Andersen A. Vistnes AI. Haldorsen T. Incidence of breast cancer in Norwegian female radio and telegraph operators. *Cancer Causes & Control*. 7(2):197-204, 1996.

Vagero D. Olin R. Incidence of cancer in the electronics industry: using the new Swedish Cancer Environment Registry as a screening instrument. *British Journal of Industrial Medicine*. 40(2):188-92, 1983.

Vena JE. Graham S. Hellmann R. Swanson M. Brasure J. Use of electric blankets and risk of postmenopausal breast cancer. *American Journal of Epidemiology*. 134(2):180-5, 1991.

Vena JE. Freudenheim JL. Marshall JR. Laughlin R. Swanson M. Graham S. Risk of premenopausal breast cancer and use of electric blankets. *American Journal of Epidemiology*. 140(11):974-9, 1994.

Vena JE. Freudenheim JL. Marshall JR. Swanson M. Graham S. Re: "Risk of premenopausal breast cancer and use of electric blankets" and "Risk of postmenopausal breast cancer and use of electric blankets". *American Journal of Epidemiology*. 142:1345-50, 1995.

Verkasalo PK. Pukkala E. Kaprio J. Heikkila KV. Koskenvuo M. Magnetic fields of high voltage power lines and risk of cancer in Finnish adults: nationwide cohort study. *BMJ*. 313(7064):1047-51, 1996.

Verkasalo PK. Pukkala E. Stevens RG. Ojamo M. Rudanko SL. Inverse association between breast cancer incidence and degree of visual impairment in Finland. *British Journal of Cancer*. 80(9):1459-60, 1999.

Vijayalaxmi TCR. Reiter R. Herman TS Melatonin: from basic research to cancer treatment clinics. *Journal of Clinical Oncology* 20:2575-2601; 2002.

Wartenberg D, Stapleton CP. Risk of breast cancer is also increased among retired US female airline cabin attendants. *BMJ* 316: 1902; 1998.

Welsch CW. Host factors affecting the growth of carcinogen-induced rat mammary carcinomas: a review and tribute to Charles Brenton Huggins. *Cancer Research*. 45(8):3415-43, 1985.

Wertheimer N. Leeper E. Re: "Risk of premenopausal breast cancer and use of electric blankets" and "Use of electric blankets and risk of postmenopausal breast cancer". *American Journal of Epidemiology*. 142(12):1344-5, 1995.