

Night Vision Goggle Clip “Make vs. Buy” Study

Project Number #NP06012111

Final Report
18 December 2006

Letterkenny Army Depot
Chambersburg, PA

Submitted by



National Center for Defense Manufacturing & Machining
Lee McCullough, Project Lead
1600 Technology Way
Latrobe, PA 15650
(724) 539-5901 Phone
(724) 539-5132 fax
www.ncdmm.org

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 18 DEC 2006		2. REPORT TYPE Final		3. DATES COVERED 10-11-2006 to 22-03-2007	
4. TITLE AND SUBTITLE Night Vision Goggle Clip "Make vs. Buy" Study Letterkenny Army Depot Engineering Support				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER 06-0121-11	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) National Center for Defense Manufacturing & Machining,1600 Technology Way,Latrobe,PA,15650				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Letterkenny Army Depot (LEAD), located in Chambersburg PA, received an order to manufacture 12,000 night vision goggle (NVG) plates. These plates are used to mount the NVG to the Soldier's helmet. However, the quantities needed had increased over four fold from 12,000 to 52,000 (7,000 NVG plates per month) near the time of production. Based on these quantities, delivery dates, and current workload, LEAD requested the assistance of the National Center for Defense Manufacturing and Machining (NCDMM) to help optimize the NVG plate manufacturing process. The optimized tooling and tool path resulted in a 30% reduction in cycle time compared to the original program. Implementing this solution enables LEAD to meet its increased production schedule of 52,000 plates. This improvement also reduces the estimated cost \$2.18 per NVG plate.					
15. SUBJECT TERMS NCDMM; LEAD; Night Vision Goggle					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT 1	18. NUMBER OF PAGES 8	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Letterkenny Army Depot Engineering Support

Night Vision Goggle Clip “Make vs. Buy” Study

1.0 EXECUTIVE SUMMARY

The National Center for Defense Manufacturing and Machining (NCDMM) was requested to assist Letterkenny Army Depot (LEAD) in performing a “Make vs. Buy” study for the A3297308-2 clip, part of the A3297308 Front Bracket Assembly, figure 1, used on the ACH/CVC helmet Night Vision Goggle (NVG) kit.

LEAD has the capability to manufacture this part using their existing laser cutter and press brake equipped with new in-house built forming tooling. This approach yields the lowest cost of \$1.44 per part. This assumes other approaches must amortize the cost of more expensive tooling and machinery over the first order for 52,000 parts.

However, if there is a significant increase in quantities or orders for follow-on production, it may be economically beneficial to purchase an automatic forming machine. Once the machine cost is amortized over the first order, the part cost drops dramatically from \$1.86 to \$0.74, whereas the existing equipment approach only decreases to \$1.34 for future quantities.

Purchasing the part on the outside has the highest initial cost of \$2.03 per part, including tooling amortization on the first order, with the part cost dropping to \$1.38 for future quantities.



Figure 1. NVG Front Bracket Assembly

2.0 **INTRODUCTION**

- 2.1 The National Center for Defense Manufacturing and Machining (NCDMM) was requested to assist Letterkenny Army Depot (LEAD) in performing a “Make vs. Buy” study for the A3297308-2 clip, part of the A3297308 Front Bracket Assembly, figure 1, used on the ACH/CVC helmet Night Vision Goggle (NVG) kit.

LEAD has the capability to manufacture the clip using their existing equipment; however, there are several options that should be considered when looking at the overall capacity of the shop and the potential for follow-on orders.

- 2.2 Various methods of manufacture are available for the clip. Because of the short lead-time and high volume (52,000 pieces), 3 different scenarios were investigated:

- **LEAD manufacture in-house using existing equipment and new tooling for the manually operated press brake.**
- **LEAD manufacture in-house using a new automatic forming machine.**
- **Purchase finished parts from an outside vendor.**

- 2.3 The major areas of concern in the comparison analysis were:

- Overall cost.
- Effect on LEAD’s capacity, while maintaining day-to-day operations.
- Generating direct labor hours for overhead absorption.
- Impact of amortized capital cost on piece part cost on existing and future orders.

3.0 **ANALYSIS**

Attachment “A” contains the estimated cost details for each scenario in the cost analysis.

- 3.1 **LEAD manufacture in-house using existing equipment and new tooling for the manually operated press brake.**

This approach is the path currently being followed by LEAD. The laser cutter is used to create 2’ x 4’ pallets with 135 blank parts per pallet, each part retained by small tabs for ease of handling. The laser cutter cycle

time for one 4' x 8' sheet is approximately 2.25 hours, yielding 15 seconds per part.

The parts are then transferred to the forming area, de-palletized and loaded into the press-brake by hand, currently 3 at one time for each operation station, "3 up". (A planned option to duplicate the tooling will enable "6 up" capacity and reduce cost.)

In the "6 up" configuration there are two forming operation stations, each holding 6 parts. After each press-brake cycle, 6 completed parts are removed from the press-brake, 6 partially formed parts transferred from the 1st station to the 2nd station and 6 blanks loaded in the 1st station. The cycle time from de-palletize to finished part is estimated by LEAD to be 1.5 minutes for 6 parts or 15 seconds per part.

If required, the parts will then be tumbled to remove burrs and sent out for anodizing.

The finished cost per part is \$1.51 for "3 up" tooling and \$1.44 for "6 up" tooling (including estimated tool cost). For future orders using this tooling, the cost per part drops to \$1.34 for "6 up" tooling.

3.2 **LEAD manufacture in-house using a new automatic forming machine.**

This approach requires purchasing an automatic forming machine with specific tooling for the part to be manufactured for an estimated \$45,000 (including installation and operator training).

The machine is completely automatic once loaded with a coil of bulk material. Completed parts are ejected from the machine at the rate of approximately 3 per second with no operator assistance needed. If required, the parts will then be tumbled to remove burrs and sent out for anodizing.

Figure 2 shows the construction of the press section of a typical automatic forming machine.




Figure 2. Typical Forming Machine Press Section

The machine consists of a coil unwind stand, straightening rolls with a hitch feed carrier strip advance to the press section. Several press cylinders controlled by a PLC would be used to progressively blank and form the clip while still attached to a carrier strip. The final operation cuts the completed part free from the carrier strip and ejects it into a container.

The machine requires 10' x 15' of floor space and operates from standard electrical and shop air hookups. The forming die typically requires sharpening every 75,000 parts at a cost of approximately \$1,000 and the entire machine is capable of producing 1 million parts before overhaul.

For cost analysis, it was assumed that the machine was manned during operation at the cost of \$0.07 per part. This machine is capable of producing an entire month's production of 7000 parts in one shift from a single 400 lb. coil of material.

The finished cost per part is \$1.87 (including machine cost amortization over the first order). For future orders using this machine, the cost per part drops to \$0.74.

3.3 Purchased finished parts from an outside vendor.

This approach consists of simply outsourcing the complete fabrication and anodizing to an outside vendor with stamping press capability.

Because the part is unique and to achieve the lowest cost, a stamping die must be built at an estimated cost of \$26,000 with a lead-time of 10-12 weeks. The stamping die typically requires sharpening every 50,000 parts and has a useful life of approximately 1 million parts. Maintenance of the die by the vendor is included in the piece part price.

The cost per part is \$2.03 including tooling for the first order and drops \$1.38 for future orders using the same tooling.

4.0 **KEY DATA SUMMARY**

Table 1 summarizes the costs per part anticipated with each scenario on this current order and anticipated costs on follow-up orders of similar size.

Table 1. Piece Part Price Comparison

Scenario	Initial 52,000 parts (Includes equip & tooling) Cost \$ Each	Follow-on Orders Cost \$ Each
LEAD make, existing equip. (6 up)	1.44	1.34
LEAD make, new auto machine	1.87	0.74
Buy from outside vendor	2.03	1.38

Table 2 summarizes the man-hours generated and equipment utilization for each scenario.

Table 2. Capacity Impact (Current 52,000 piece Order)

Scenario	Man-hours per month	Equipment utilization (shifts per month)
LEAD make, existing equip. (6 up)	58.4	4.2 (each, laser and press)
LEAD make, new auto machine	7.0	1.0
Buy from outside vendor	0	0

5.0 **CONCLUSIONS**

5.1 **LEAD manufacture in-house using existing equipment and new tooling for the manually operated press brake.**

If there is no future demand for this part, LEAD manufacturing in-house may be the best scenario. The tooling must be produced anyway to meet the production schedule, it has the lowest piece part cost, generates man-hours and hopefully, does not exceed the existing equipment capacity. (A capacity analysis of the laser cutter and press-brake must be performed to determine exact available capacity.)

5.2 **LEAD manufacture in-house using a new automatic forming machine.**

If there is future production, the purchase of a special purpose automatic forming machine has significant merit. Once the machine cost is amortized, the price part cost drops dramatically from \$1.86 to \$0.74, which is only 55% of the existing equipment scenario manufactured cost. (The existing equipment scenario cost stays relatively constant regardless of future volume.) This machine is fully automatic, producing one finished part approximately every 3 seconds from a large coil of strip material. It will likely have little scrap and maintain consistent quality as it eliminates hand-feeding operations. In addition, it does not consume any of the existing LEAD equipment capacity.

5.3 **Purchase finished parts from an outside vendor.**

Purchasing from an outside vendor appears to be less desirable, as tooling must be purchased for a stamping press, resulting in the highest initial part cost, and once the tooling is amortized, the piece part cost is about the same as in-house manufactured without the benefit of generating any direct labor.

5.4 Timing.

Because of the requirement to begin shipments in December 2006, it is necessary to begin manufacture in-house immediately using the LEAD manufacture in-house using existing equipment and new tooling for the manually operated press brake.

In addition, the lead-time to purchase an automatic machine or buy from an outside vendor is 10-12 weeks, which requires LEAD to manufacture parts thru March 2007, as a minimum, if either of the last 2 scenarios is chosen.

5.5 Total Costs.

Table 3 summarizes the total costs, including amortization of tooling, of each of the three scenarios.

The areas highlighted in yellow are for parts manufactured at LEAD.

The costs for a future order of the same size are shown in the last 2 columns.

Table 3. Total Costs

Delivery Schedule and Costs

Month Qty	Cost Each \$	Dec 500	Jan 2500	Feb 5000	Mar 7000	Apr 7000	May 7000	Jun 7000	Jul 7000	Aug 7000	Sep 2000	Total 52000	Future Cost Each	Future Cost (52000) Total
LEAD make Cost \$	1.44	722	3610	7220	10108	10108	10108	10108	10108	10108	2888	75088	1.34	69680
Auto Machine Cost \$ (inc equip & tool)	1.86	722	3610	7220	10108	13041	13041	13041	13041	13041	3726	90591	0.74	38480
Buy Cost \$ (inc tool)	2.03	722	3610	7220	10108	14175	14175	14175	14175	14175	4050	96585	1.38	71500

Attachment "A" Estimated Cost Detail

Make vs. Buy Analysis									
NVG Clip A3297308-2									
Make									
Automatic-Form Machine									
	\$'s								
Equipment & Tooling	42,000								
Shipping	1,000								
Installation (Electric, Air, Mounting)	1,000								
Startup support	1,000								
Total	45,000								
Lead-time (wks)	12								
Cycle time/part (sec)	3								
Parts/ min	20								
Parts/hour	1200								
Piece part cost	Cost \$								
Blanking & Forming	0.068								
Material on xx ft roll	0.200								
Deburring	0.010								
Sub total (In house)	0.278								
Coating	0.410								
Shipping 2x	0.050								
Sub total (Out source)	0.460								
Total	0.738								
Equipment amortization (40K units)	1.125								
Grand total, 1st contract, ea	1.863								
LEAD Manufacture	3 Up	6 Up							
Tooling	2500	5000							
Cycle time/part blanking (sec)	15	15							
Cycle time/part press brake (sec)	20	15							
Parts/min (press brake)	3	4							
Parts/hour (press brake)	180	240							
Piece part cost	Cost \$								
Blanking	0.342	0.342							
Forming	0.456	0.342							
Material on 4"x8" sheet	0.190	0.190							
Deburring	0.010	0.010							
Sub total (In house)	0.998	0.884							
Coating	0.410	0.410							
Shipping 2x	0.050	0.050							
Sub total (Out source)	0.460	0.460							
Total	1.458	1.344							
Tooling amortization (50K units)	0.050	0.100							
Grand total 1st contract ea	1.508	1.444							
Buy									
Tooling	26000								
Piece part cost (7000/mo)	1.350								
Shipping	0.025								
Sub total	1.375								
Tooling amortization (40K units)	0.650								
Grand total, 1st contract, ea	2.025								