

APPROVED FOR PUBLIC RELEASE

To Cross-Layer or Not: Cross-Layering vs. Strict Layering vs. No Layering

Martha Steenstrup

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 01 DEC 2007		2. REPORT TYPE N/A		3. DATES COVERED	
4. TITLE AND SUBTITLE Panel Discussion - To Cross-Layer or Not: Cross-Layering vs. Strict Layering vs. No Layering				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Stow Research LLC ;Clemson University				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 9	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Strict Layering

Taxonomy:

- + organization of complex communication system
- exceptions are the rule

Abstraction:

- + isolation of network control functions
- interactions obscured

Hierarchy:

- + few interfaces between functions
- complicated interfaces
- processing delays for information exchange

Cross-Layering

Cognizance of behavior of other layers:

- + fosters synergism between control functions
- + reduces redundant functionality
- requires system-wide knowledge

Exchange of information between arbitrary layers:

- + well-informed control decisions
- potentially many interfaces
- stability and robustness of control

Integrated design of multiple layers:

- + tailoring for specific contexts
- + optimization
- loss of generality
- complicated implementation

No Layering

Set of control algorithms:

- goals, inputs, and actions
- open or closed loop
- responsiveness
- temporal duration and spatial extent of response
- interactions

Retain:

- + modularity
- + well-defined interfaces

Gain:

- + function-oriented view of communications system
- + flexibility of design
- + efficiency and simplicity of implementation

Mobile Ad Hoc and Sensor Networks

Stimuli for cross-layering:

- quality of service (sensor and ad hoc networks)
- security (sensor and ad hoc networks)
- energy (**consumption** primarily for sensor networks, **dispersion** primarily for ad hoc networks)

Challenges:

- channel (sensor and ad hoc networks)
- batteries (sensor networks)
- electronics (sensor networks)

Sensor Networks

Communication and computation trades for controlling energy consumption:

- set of recipients
- schedule for transmissions and sleep/wake cycles
- compression of transmitted information
- fusion of received information

Most effective use of cross-layering for networks of simple sensors is likely to be in network design:

- off-line optimization is reasonable if node trajectories, traffic demands, and environmental conditions are well-known
- but must still be able to deal with unforeseen dynamics

Ad Hoc Networks

Communication, computation, and mobility trades for controlling energy dispersion:

- set of recipients
- schedule of transmissions
- compression of transmitted information
- trajectories of nodes
- frequency
- transmit power
- modulation
- error control coding and retransmissions
- beam width and direction

Most effective use of cross-layering for networks of mobile nodes is likely to be in packet-by-packet adaptation:

- transceivers, antennas, and mobile platforms offer additional dimensions for control
- accurate knowledge of channel is critical

Middleware

Can the use of middleware (as an alternative to cross-layering) help conventional layering adapt to the tactical wireless environment?

Translation:

- convert syntax and semantics of information passed from source layer into form needed by target layer

Information collection and distribution:

- gather information from layers as needed by other layers
- make information available to layers as needed for control

Adaptation:

- add desired control functions to adjacent layers without modifying those layers

APPROVED FOR PUBLIC RELEASE

Everyware

