

AD

AD-E403 234

Technical Report ARMET-TR-09026

ELECTRON MICROSCOPY OF TUNGSTEN DISULPHIDE INORGANIC NANOMATERIALS

Dr. Tapan Chatterjee
Stacey Kerwien
Elias Jelis

20090921154

September 2009



**U.S. ARMY ARMAMENT RESEARCH, DEVELOPMENT AND
ENGINEERING CENTER**

Munitions Engineering Technology Center

Picatinny Arsenal, New Jersey

Approved for public release; distribution is unlimited.

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

The citation in this report of the names of commercial firms or commercially available products or services does not constitute official endorsement by or approval of the U.S. Government.

Destroy this report when no longer needed by any method that will prevent disclosure of its contents or reconstruction of the document. Do not return to the originator.

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-01-0188	
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) September 2009		2. REPORT TYPE		3. DATES COVERED (From - To) January to May 2009	
4. TITLE AND SUBTITLE ELECTRON MICROSCOPY OF TUNGSTEN DISULPHIDE INORGANIC NANOMATERIALS				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHORS Dr. Tapan Chatterjee, Stacey Kerwien, and Elias Jelis				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army ARDEC, METC Energetics, Warheads & Manufacturing Directorate (RDAR-MEE-M) Picatinny Arsenal, NJ 07806-5000				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army ARDEC, ESIC Knowledge & Process Management Office (RDAR-EIK) Picatinny Arsenal, NJ 07806-5000				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) Technical Report ARMET-TR-09026	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Transmission and scanning electron microscopy studies of tungsten disulphide nanomaterials revealed nanotubes and onion-like structures. An electron diffraction pattern confirmed the lattice image of this nanotube. The tungsten disulphide nanomaterials exhibiting this kind of nanotubes will be useful as solid lubricant materials.					
15. SUBJECT TERMS Electron microscopy Scanning electron microscopy (SEM) Nanotube					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES 15	19a. NAME OF RESPONSIBLE PERSON Dr. Tapan Chatterjee
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (Include area code) (973) 724-9457

CONTENTS

	Page
Introduction	1
Specimen Preparation	1
Results and Discussion	1
References	7
Distribution List	9

FIGURES

1	SEM showing WS ₂ particles	2
2	SEM showing WS ₂ nanotubes indicated by an arrow at lower magnification	2
3	EDS spectrum from WS ₂ powder particles showing K and L lines from tungsten and sulfur elements	3
4	SEM of WS ₂ particle showing its surface morphology composed of nanotubes at higher magnification, 1500X	4
5	TEM of a single nanotube obtained from WS ₂ powder sample	5
6	SAED taken from the single nanotube shown in figure 5	6

ACKNOWLEDGMENT

The authors gratefully acknowledge the U.S. Army Armament Research, Development and Engineering Center, Picatinny Arsenal, New Jersey for providing the transmission and scanning electron microscopy laboratory research facilities and these tungsten disulfide inorganic nano-materials.

INTRODUCTION

An inorganic nanotube is a cylindrical molecule similar to a carbon nanotube. Inorganic nanotubes have been observed in some mineral deposits. Linus Pauling suggested the possibility of curved layers in minerals in 1932 (ref. 1). The synthetic inorganic nanotubes composed of tungsten disulfide (WS_2) were first reported in 1992 (ref. 2). The purpose of this report is to describe the micro structural characterization of WS_2 inorganic nanotubes. This crystalline powder material was synthesized by the chemical vapor deposition method of decomposition of tungsten hexacarbonyl over sulphur vapor in inert gas flow. The reaction takes place between pure tungsten nanoparticles and sulphur vapor. The shape, size distribution, structure, and phase composition depends on the experimental parameters. The transmission and scanning electron microscopy together with energy dispersive x-ray analysis revealed the structure of the nanoparticles with spherical shapes. The WS_2 nanoparticles will be very useful as a solid lubricant material because of its multi layers structure and hence could be applicable for gun barrel and other weapon systems.

SPECIMEN PREPARATION

A small amount of powdered WS_2 was mixed in hexane solution. This insoluble mixture was shaken very well and a small amount of this solution was dropped on a 200-mesh carbon coated copper grid and dried at room temperature. This specimen was then placed in a single tilt specimen holder and inserted in a Philips 420 transmission electron microscope (TEM). For scanning electron microscopy (SEM), the powdered sample was taken on a stub coated with adhesive.

RESULTS AND DISCUSSION

A scanning electron micrograph from this WS_2 powdered sample shown in figure 1 reveals 'onion like' (ref. 3) particles ranging in size from 5 to 100 μm . These particles contain plenty of needles like those that structures, which are magnified from 200X to 800X (fig. 2). A single WS_2 particle with a substantial number of inorganic nanotubes as indicated by an arrow is shown on the surface of this particle. The energy dispersive spectroscopy (EDS) analysis taken from this particle is shown in figure 3. The composition of W and S is about 78.6% and 21.4%, respectively. At 1500X magnification, the SEM taken from the same particle shows a bundle of nanotubes with different diameters and lengths (fig. 4).




Figure 1
SEM showing WS₂ particles





Figure 2
SEM showing WS₂ nanotubes indicated by an arrow at lower magnification

The EDS analysis taken from this particle shown in figure 2 is given in figure 3.



Elt.	Line	Intensity (c/s)	Error 2-sig	Conc	Units	
S	Ka	10.55	0.685	21.436	wt.%	
W	La	3.31	0.384	78.564	wt.%	
				100.000	wt.%	Total

KV 20.0
Takeoff Angle 35.0°
Elapsed Live time 90.0

Figure 3
EDS spectrum from WS_2 powder particles showing K and L lines from tungsten and sulfur elements




Figure 4

SEM of WS₂ particle showing its surface morphology composed of nanotubes at higher magnification, 1500X

The TEM reveals the microstructure of the WS₂ when the electron beam penetrates the particle. Thus, a TEM not only shows the image of the internal structure, but also crystalline and defect structures such as dislocation, etc. of the particle. One such TEM of a single nanotube is shown in figure 5. It is interesting to note that this single nanotube is curved, which was predicted in reference 1. This nanotube is approximately 10 μm in length and 0.1 μm diameter. An arrow is pointed to a sharp minute crystalline particle embedded in the non-crystalline hexane network represented by a large number of grey spots. The seven layers of concentric cylinder multi-walled TEM was previously published in the literature (ref. 4). The present TEM (fig. 5) is a single walled nanotube, but with a high-resolution electron microscope, this micrograph perhaps could reveal a multi-walled nanotube.




Figure 5
TEM of single nanotube obtained from WS₂ powder sample
(The arrow is pointing to a minute powder sample.)

A selected area electron diffraction pattern [SAED (fig. 6)] was taken from this single nanotube to be sure that this originated from the WS₂, not from the hexane solution or carbon coating. This spotty electron diffraction pattern confirms the crystalline structure of the WS₂ powdered nanomaterials. It should be noted that the diffraction patterns from carbon or hexane solutions will show diffuse rings. The camera length is 180 mm at 120 kv electron beam voltage. The beam stop was used to block the center beam spot as shown in the figure 6. The electron diffraction pattern indicates spotty reciprocal lattice points arranged in an array. It was established previously (ref. 2) that this lattice image represents the polyhedral and cylindrical structures of WS₂. The diffused background on the diffraction pattern was due to the carbon coating.



Figure 6
SAED taken from the single nanotube shown in figure 5

REFERENCES

1. Pauling, L.; "The Structure of the Chlorites;" Proc. Nat. Acad. Sci. U.S.A **16** (9); 578-82; 1930.
2. Tenne, R.; Marguis, L.; Genut, M.; and Hodes, G.; "Polyhedral and Cylindrical Structures of Tungsten Disulphide," Nature 360 (6403): 444-446; 1992.
3. Vasilyeva, E.S.; Tolochiko, O.V.; Kim, B.K.; Lee, D.W.; and Kim, D.S.; "Synthesis of Tungsten Disulfide Nanoparticles by the Chemical Vapor Condensation Method;" 2008.
4. Rosentsveig, R.; Morgolin, A.; Feldman, Y.; Popovitz -Biro, R.; and Tenne, R.; "WS₂ Nanotube Bundles and Foils; Chem, Mater.14; 2002.

DISTRIBUTION LIST

U.S. Army ARDEC
ATTN: RDAR-EIK
RDAR-AAR-GC
RDAR-MEE-M, T. Chatterjee (10)
S. Kerwien
E. Jelis
Picatinny Arsenal, NJ 07806-5000

Defense Technical Information Center (DTIC)
ATTN: Accessions Division
8725 John J. Kingman Road, Ste 0944
Fort Belvoir, VA 22060-6218

Commander
Soldier and Biological/Chemical Command
ATTN: AMSSB-CII, Library
Aberdeen Proving Ground, MD 21010-5423

Director
U.S. Army Research Laboratory
ATTN: AMSRL-CI-LP, Technical Library
Bldg. 4600
Aberdeen Proving Ground, MD 21005-5066

Chief
Benet Weapons Laboratory, WSEC
U.S. Army Research, Development and Engineering Command
Armament Research, Development and Engineering Center
ATTN: RDAR-WSB
Watervliet, NY 12189-5000

Director
U.S. Army TRADOC Analysis Center-WSMR
ATTN: ATRC-WSS-R
White Sands Missile Range, NM 88002

Chemical Propulsion Information Agency
ATTN: Accessions
10630 Little Patuxent Parkway, Suite 202
Columbia, MD 21044-3204

GIDEP Operations Center
P.O. Box 8000
Corona, CA 91718-8000