

Occupational health hazards in the interventional laboratory: progress report of the Multispecialty Occupational Health Group

Donald L Miller,^{1,2,3} Lloyd W Klein,⁴ Stephen Balter,⁵ Alexander Norbash,⁶ David Haines,⁷ Lynne Fairbent,⁸ James A Goldstein,⁷ members of the Multispecialty Occupational Health Group

¹Department of Radiology, National Naval Medical Center, Bethesda, Maryland, USA

²Uniformed Services University, Bethesda, Maryland, USA

³Department of Radiology and Radiological Sciences, F Edward Hébert School of Medicine, Uniformed Services University, Bethesda, USA

⁴Department of Medicine, Rush Medical College, Melrose Park, Illinois, USA

⁵Department of Medicine, Columbia University Medical Center, New York, USA

⁶Department of Radiology, Boston University School of Medicine, Boston, Massachusetts, USA

⁷Department of Medicine, Beaumont Hospitals, Royal Oak, Michigan, USA

⁸American Association of Physicists in Medicine, College Park, Maryland, USA

Correspondence to

Dr D L Miller, Department of Radiology, National Naval Medical Center, 8901 Wisconsin Ave, Bethesda MD 20889-5600, USA; donald.miller@med.navy.mil

This article is also being published in the September 2010 issues of the *Journal of Vascular and Interventional Radiology* and the *Journal of the American College of Radiology*. The articles are identical except for minor stylistic and spelling differences in keeping with each journal's style. Either citation can be used when citing this article.

Permission to reproduce this article can be granted by SIR. To request permission to print this article in a journal, website, or other publication, please contact the SIR at dkatsarelis@sirweb.org

© SIR, 2010.

ABSTRACT

The Multispecialty Occupational Health Group (MSOHG), formed in 2005, is an informal coalition of societies representing professionals who work in or are concerned with interventional fluoroscopy. The group's long term goals are to improve occupational health and operator and staff safety in the interventional laboratory while maintaining quality patient care and optimal use of the laboratory. MSOHG has conducted a dialog with equipment manufacturers and has developed a list of specific objectives for research and development. The group has also represented the member societies in educating regulators, in educating interventionalists and in fostering and collaborating on research into occupational health issues affecting interventionalists. Not least of the group's accomplishments, as a result of their collaboration in MSOHG, the group's members have developed a mutual respect that can serve as a basis for joint efforts in the future among interventionalists of different medical specialties.

The Multispecialty Occupational Health Group (MSOHG) is an informal coalition of societies representing professionals who work in, or are concerned with, interventional fluoroscopy laboratories.

The MSOHG was formed in 2005 to address the occupational hazards of interventionalists, with particular emphasis on the radiation related and orthopedic hazards. The genesis of the group was a meeting, suggested and facilitated by Stephen Balter, PhD, of representatives of the Society for Cardiac Angiography and Interventions, the Heart Rhythm Society and the Society of Interventional Radiology (SIR), on 27 May 2005, in Bethesda, Maryland, USA. The purpose was to discuss occupational health issues common to interventional cardiologists and interventional radiologists.

The participants at the initial meeting concluded that a combined effort by multiple professional societies was more likely to succeed than individual efforts, and that common ground existed among the various groups of medical professionals. Subsequently, other professional societies were invited to join the group. At present, the member societies are the American Association of Physicists in Medicine, the American College of Radiology, Heart Rhythm Society, Society for Cardiac Angiography and Interventions, SIR, the Society of Invasive Cardiac Professionals and the Society of

NeuroInterventional Surgery. The long term goals of the group are to allow operators and staff to work a full career with minimal occupational radiation exposure and without incurring orthopedic injuries, and to improve operator and staff safety while maintaining optimal use of the interventional laboratory and quality patient care.

A position paper on occupational health issues in interventional medicine was published in 2009 in cardiology and radiology journals.¹ This article has reviewed available data on the prevalence of occupational health risks and concluded that sufficient data exist to demonstrate that the interventional laboratory presents workplace hazards that must be acknowledged, better understood and mitigated to the greatest extent possible.

WORK WITH MANUFACTURERS

The MSOHG cannot specify particular modifications in equipment or laboratory design, as we do not have the expertise or authority to do so. Because achieving the MSOHG's goals requires changes in the way interventional laboratories are configured and improvements in the fluoroscopic equipment used in these laboratories, it was clear to us that direct conversations with the manufacturers of this equipment were essential. To avoid the possible appearance of favoritism, and to make sure that a consistent message was delivered to all manufacturers of this equipment, MSOHG representatives met with the Medical Imaging and Technology Alliance (MITA), a division of the National Electrical Manufacturers Association, in October 2008. MITA represents medical imaging equipment manufacturers, innovators and product developers whose sales comprise more than 90% of the global market for medical imaging technology. The meeting was attended by representatives from MITA, General Electric, Philips, Siemens and Toshiba. At this meeting, it became clear that the manufacturers needed a prioritized list of specific objectives, more details about the issues involved and some assurance that, as a group, interventionalists would support the effort by recommending purchase of equipment that met these objectives. As a representative from one manufacturer put it, "If we develop technologies that reduce dose to the patient and the operator, but nobody buys it, does it matter?"

MSOHG representatives met with MITA again at National Electrical Manufacturers Association

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2010		2. REPORT TYPE		3. DATES COVERED 00-00-2010 to 00-00-2010	
4. TITLE AND SUBTITLE Occupational health hazards in the interventional laboratory: progress report of the Multispecialty Occupational Health Group				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) National Naval Medical Center, Department of Radiology, 8901 Wisconsin Ave, Bethesda, MD, 20889-5600				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The Multispecialty Occupational Health Group (MSOHG) formed in 2005, is an informal coalition of societies representing professionals who work in or are concerned with interventional fluoroscopy. The group's long term goals are to improve occupational health and operator and staff safety in the interventional laboratory while maintaining quality patient care and optimal use of the laboratory. MSOHG has conducted a dialog with equipment manufacturers and has developed a list of specific objectives for research and development. The group has also represented the member societies in educating regulators, in educating interventionalists and in fostering and collaborating on research into occupational health issues affecting interventionalists. Not least of the group's accomplishments, as a result of their collaboration in MSOHG, the group's members have developed a mutual respect that can serve as a basis for joint efforts in the future among interventionalists of different medical specialties.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 4	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

headquarters in January 2009 to develop a list of specific objectives. MITA distributed the list (box 1) to the relevant manufacturers. At a subsequent meeting in November 2009, the MITA representative reaffirmed his organization's commitment to working with the MSOHG. A representative from one manufacturer reported that his company had used information from earlier meetings, and specifically the list in box 1, to prioritize its research and development initiatives. A representative from another manufacturer made the same statement to an MSOHG representative after the meeting. Because of sales, marketing and regulatory concerns, none of the manufacturers could discuss current projects under development. Only products and technologies that had already been approved for sale in the USA by the Food and Drug Administration were discussed.

The serious and productive dialog that MSOHG, on behalf of the various member societies, has opened with commercial vendors at the international level is an important accomplishment. Concrete changes will occur, but only if the members of MSOHG's constituent societies make it clear to the manufacturers that the issues and goals in box 1 are of great concern. As the physicians who are the end users of these products, we need to work with industry to implement these changes. A necessary first step is a clear public statement of what we need. To this end, we are publicizing the list in box 1 so the members of all of MSOHG's constituent societies have a common frame of reference. In addition, if members of any of these societies have suggestions for additions to this list, we need to know about them. Please contact your society and ask that your suggestion be forwarded to your society's liaison to MSOHG.

RESEARCH INITIATIVES

Mortality

One of the primary purposes for which the MSOHG was formed was to develop plans for surveys of members of the participating societies. The goal was to better define the health detriment from working as an interventionalist. It quickly became clear that the MSOHG did not have the expertise or the financial resources to design and conduct a scientifically valid survey or to analyze the results. Fortunately, some of the participants at the initial MSOHG meeting had contacts at the Radiation Epidemiology Branch of the National Cancer Institute. The Radiation Epidemiology Branch has been conducting research on radiation related mortality in medical radiation workers for some time and is interested in examining radiation related health effects in interventionalists.^{2 3} With the cooperation of the member societies of the MSOHG, the Radiation Epidemiology Branch began the Interventional Fluoroscopist Occupational Health study, which is ongoing at present.

For the Interventional Fluoroscopist Occupational Health study, the Radiation Epidemiology Branch is using membership lists from SIR, Society for Cardiac Angiography and Interventions, Heart Rhythm Society, Society of NeuroInterventional Surgery, Radiological Society of North America and American College of Cardiology, as well as information from the American Medical Association Physician Masterfile and the American Board of Medical Specialties, to identify the members of three groups of physicians: a high radiation exposure group (eg, interventionalists), a moderate exposure group (eg, other radiologists) and a low exposure group (eg,

Box 1 Occupational health and safety issues and goals for the design of interventional fluoroscopy equipment and suites

1. Occupational radiation dose
 - a. Reduce or eliminate scatter from the patient
2. Ergonomic design issues
 - a. The interventionalist's spine needs to be maintained in a neutral position.
 - b. Ceiling mounted shields/other equipment mounted shields are intrusive and inconvenient.
 - c. The need for protective eyeglasses should be eliminated.
 - d. The need for protective thyroid collar should be eliminated.
 - e. Minimize the weight of, or eliminate, lead aprons.
 - f. Minimize head rotation for viewing monitors.
 - g. Greater range of adjustment of table height needed to allow for variability in physical characteristics of the physician.
 - h. Need to be able to get closer to the patient's side at all points along the patient.
 - i. The design of fluoroscopic equipment needs to permit reaching supplies and equipment in a manner that minimizes stress on the physician and assistant (eg, twisting backward or to the side).
 - j. Manual aspect of panning the table needs to be improved; the manual effort of moving the table needs to be minimized.
 - k. Equipment controls need to be ergonomically placed for physicians of differing arm lengths.
 - l. Designs that allow physicians to work from a sitting position with no increase in occupational radiation dose need to be considered.
 - m. Improved methods for patient transfer onto and off of the procedure table need to be worked out.
3. Safety hazards
 - a. Eliminate tripping hazards
 - b. Concern about hitting ceiling mounted or ceiling suspended objects
4. System design issues
 - a. Minimize the number of pieces of equipment that need to be individually positioned (eg, radiation protection shielding, surgical lights, ceiling shield, monitor); ideally, these should move automatically with system preprogrammed angles of the C arm and all other equipment.
 - b. Ergonomic design of, number of, and difficulty in distinguishing among foot pedals.
 - c. Most equipment is designed for optimal use from only one side of the patient support table; need to be able to work from both sides of the table with equal ease.
 - d. Architectural design of room layouts should improve ergonomics and address issues listed above.

family medicine physicians and psychiatrists). The Radiation Epidemiology Branch is determining which individuals in these groups are deceased and submitting these names to the National Death Index to determine cause of death. This will permit determination of whether there is an increased death rate in physicians exposed to higher occupational radiation doses and, if so, what the causes of death are.

Cataracts

There is increasing evidence that occupational radiation exposure in the interventional laboratory may be sufficient to cause the development of cataracts.^{4, 5} The International Atomic Energy Agency (IAEA) is actively investigating this issue with the Retrospective Evaluation of Lens Injuries and Dose study by using surveys of interventional cardiologists in Asia, Europe and South America (details are available at <http://rpop.iaea.org/RPOP/RPoP/Content/News/des-relid.htm>). At the November 2009 MSOHG meeting, Norman Kleiman, PhD, an expert in this field and a participant in the Retrospective Evaluation of Lens Injuries and Dose study, expressed interest in extending this work to interventionalists in the USA. The MSOHG is highly supportive of this endeavor and is working with Dr Kleiman to develop an appropriate survey instrument that can be distributed to the memberships of the member societies.

LIAISON WITH IAEA

Madan Rehani, PhD, of the IAEA was present at the November 2009 meeting of the MSOHG. He presented the IAEA perspective on occupational exposure in interventionalists. The IAEA is concerned about radiation doses to patients and interventionalists. Dr Rehani provided additional information from the IAEA radiation cataract study, including evidence of increased lens opacities in the eyes of nurses. This implies the need to provide ceiling suspended radiation shields at locations besides the operator's working position.⁶ He also noted that there are substantial changes in eye lens dose with minor adjustments of ceiling suspended shields.

The IAEA is conducting an international survey of interventional cardiologists as part of a larger project to determine and follow occupational radiation doses: the Information System on Occupational Exposure in the Medical, Industrial and Research Areas. A preliminary survey of interventional cardiologists has shown that occupational dose data are not readily available. Because it is difficult to obtain accurate occupational doses for staff in the interventional suite, the IAEA Working Group on Interventional Cardiology, a component of the Information System on Occupational Exposure in the Medical, Industrial and Research Areas, suggests that some form of automated dosimetry system be integrated into the fluoroscopy equipment.

Also through the IAEA Working Group on Interventional Cardiology, an international guideline on occupational radiation protection in interventional radiology is being modified as a guideline for interventional cardiologists.⁷ It is intended that this new guideline will be published as official guidance of the Asian Pacific Society of Interventional Cardiology, the Sociedad Latinoamericana de Cardiología Intervencionista and possibly the Society for Cardiac Angiography and Interventions. It is intended that these two documents, for interventional radiologists and for interventional cardiologists, will serve as a basis for IAEA guidance on this topic.

MONITORING OF OCCUPATIONAL DOSE

Part of the difficulty in obtaining accurate occupational doses for staff in the interventional suite appears to be lack of compliance

with personnel dose monitoring regulations. MSOHG representatives attribute this in large part to the policies used in regulation of occupational exposure. Typical policies are based on the assumption that virtually all occupational exposure is avoidable. The data on healthcare occupational exposure presented in the National Council on Radiation Protection and Measurements Report 160⁸ reinforce this belief, as 95% of all monitored healthcare workers have minimal occupational dose. Many regulators have a poor understanding of what interventionalists do, and how they work. There is often little understanding that occupational radiation exposure is, at present, an unavoidable consequence of performing fluoroscopically guided procedures. In addition, effective dose is often calculated based on formulas that overestimate the actual dose.⁹ As a result, some interventionalists are subjected repeatedly to reviews of their radiation exposure despite occupational doses that are within the expected range for their occupation. It is not surprising that many operators do not wear their radiation badges.^{6, 10} A substantial opportunity exists for education of regulators, as the need for radiation monitoring is an issue of health and safety, and regulations should encourage this behavior rather than discourage it.

INTERSOCIETY COOPERATION

Finally, one of the most significant accomplishments of MSOHG has been the development of a truly collegial atmosphere among the participants as we work together as colleagues on common goals. Often in the past, relationships between the cardiology and radiology communities have been characterized by anger and discord. Despite the frequently negative relationships among the member societies, the individual MSOHG members have developed outstanding working relationships, based on a profound respect and admiration for each other. Working as a team, this committee has identified a number of areas of mutual interest. We have worked diligently to find agreement in our approach and objectives, and collaborated constructively to develop an ongoing program with important objectives. It may not be clear immediately to all readers, but the diplomatic detente we have forged is singular within medical circles. The constructive nature of this alliance can serve as an example for intersocietal relations. This committee can serve as a unique resource for our societies to find common ground for our mutual benefit.

SUMMARY

The interventional laboratory presents occupational hazards to operators and staff that must be acknowledged, understood and mitigated to the greatest extent possible. In a truly collaborative effort among the member societies, the MSOHG has made considerable progress toward this end in the past 5 years through interactions with manufacturers and national and international organizations. Much remains to be done but a beginning has been achieved.

Competing interests None.

Provenance and peer review Not commissioned; not externally peer reviewed.

The views expressed in this article are those of the author and do not necessarily reflect the official policy or position of the Department of the Navy, Army, Department of Defense or the United States government.

REFERENCES

1. Klein LW, Miller DL, Balter S, *et al*. Occupational health hazards in the interventional laboratory: time for a safer environment. *J Vasc Interv Radiol* 2009;20:147–52.

2. **Yoshinaga S**, Mabuchi K, Sigurdson AJ, *et al*. Cancer risks among radiologists and radiologic technologists: review of epidemiologic studies. *Radiology* 2004;**233**:313–21.
3. **Sigurdson AJ**, Doody MM, Rao RS, *et al*. Cancer incidence in the US radiologic technologists health study, 1983–1998. *Cancer* 2003;**97**:3080–9.
4. **Kleiman NJ**. Radiation cataract. In: *Working party on research implications on health and safety standards of the article 31 group of experts*, eds. *Radiation Protection 145. EU Scientific Seminar 2006: new insights in radiation risk and basic safety standards*. Brussels: European Commission, 2007:81–95. http://www.ec.europa.eu/energy/nuclear/radioprotection/publication/doc/145_en.pdf (accessed 18 May 2010).
5. **Vano E**, Gonzalez L, Fernández JM, *et al*. Eye lens exposure to radiation in interventional suites: caution is warranted. *Radiology* 2008;**248**:945–53.
6. **Vaño E**, Gonzalez L, Fernandez JM, *et al*. Occupational radiation doses in interventional cardiology: a 15-year follow-up. *Br J Radiol* 2006;**79**:383–8.
7. **Miller DL**, Vañó E, Bartal G, *et al*. Occupational radiation protection in interventional radiology: a joint guideline of the Cardiovascular and Interventional Radiology Society of Europe and the Society of Interventional Radiology. *Cardiovasc Intervent Radiol* 2010;**33**:230–9.
8. **National Council on Radiation Protection and Measurements**. *Ionizing radiation exposure of the population of the United States. NCRP Report No. 160*. Bethesda, MD: National Council on Radiation Protection and Measurements, 2009.
9. **National Council on Radiation Protection and Measurements**. *Use of personal monitors to estimate effective dose equivalent and effective dose to workers for external exposure to low-LET radiation. NCRP Report No. 122*. Bethesda, MD: National Council on Radiation Protection and Measurements, 1995.
10. **Marx MV**, Niklason L, Mauger EA. Occupational radiation exposure to interventional radiologists: a prospective study. *J Vasc Interv Radiol* 1992;**3**:597–606.