

Tools to Compare Diving-Animal Kinematics with Acoustic Behavior and Exposure

William C. Burgess
Greeneridge Sciences, Inc. DBA Acoustimetrics
1411 Firestone Road
Santa Barbara, California 93117
phone: (831) 335-9600 fax: (805) 967-7720 email: burgess@greeneridge.com

Award Number: N00014-09-C-0406
<http://www.acousonde.com>

LONG-TERM GOALS

Intense international concern has arisen over the potential effects of anthropogenic sound on protected marine wildlife. To study this issue presents a challenge, however, because marine animals in captivity form a limited sample set that cannot always be extrapolated to wild populations, while those in the wild spend the majority of their time submerged and out of sight of researchers. Thus instrumentation to monitor the behavior and sound exposure of wild, free-ranging marine animals is essential.

Broadband acoustic recording tags offer a promising avenue for studying the relationship between behavior and sound exposure for free-ranging animals. Since 1995, when the first combined broadband-acoustic and behavior recorders were deployed with northern elephant seals (Burgess et al., 1998) such tags – predominantly the DTAG (Johnson and Tyack, 2003) and the Bioacoustic Probe (Burgess, 2000; Figure 1) – have seen extensive use in the study of baleen whales, sperm whales, and seals (e.g., Insley et al., 2007; Miller et al., 2004; Oleson et al., 2007). These studies have generated a dramatic quantity of acoustic, depth, and orientation data, and as combined acoustic/behavior tags become increasingly available the amount of data will continue to grow. This rapid expansion of data will not, however, support the commensurate expansion of study and understanding unless the wider research community is equipped to process and interpret those data effectively.

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2009		2. REPORT TYPE Annual		3. DATES COVERED 00-00-2009 to 00-00-2009	
4. TITLE AND SUBTITLE Tools To Compare Diving-Animal Kinematics With Acoustic Behavior And Exposure			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Greeneridge Sciences, Inc. DBA Acoustimetrics,1411 Firestone Road,Santa Barbara,CA,93117			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Code 1 only					
14. ABSTRACT Intense international concern has arisen over the potential effects of anthropogenic sound on protected marine wildlife. To study this issue presents a challenge, however, because marine animals in captivity form a limited sample set that cannot always be extrapolated to wild populations, while those in the wild spend the majority of their time submerged and out of sight of researchers. Thus instrumentation to monitor the behavior and sound exposure of wild, free-ranging marine animals is essential.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 7	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



Figure 1. Photograph of the previous generation of the Acousonde™ (the Bioacoustic Probe) attached with suction cups to the back of a humpback whale (John Calambokidis, Cascadia Research).

This program focuses on the collaborative improvement of two tools for acquiring and interpreting broadband acoustic and behavioral data: the “Acousonde™” broadband acoustic-and-behavior recorder (the next generation of the Bioacoustic Probe) and the “TrackPlot” kinematic-analysis software. Under this effort, Greeneridge Sciences (the Acousonde) and the University of New Hampshire (TrackPlot) are improving their respective tools in concert to maximize the data acquisition and interpretation capabilities of the wider bioacoustic research community. The three fundamental principles guiding development of both tools towards this transition are ease of use, flexible design, and broad availability.

OBJECTIVES

As the developer of the Acousonde, Greeneridge Sciences’ objectives in its collaboration with the University of New Hampshire are: (1) to guide improvement of TrackPlot for maximum compatibility with the Acousonde; (2) to refine the Acousonde’s storage of data and metadata to ensure both are sufficient to support TrackPlot most effectively; and (3) to revise the Acousonde hardware as necessary to remedy any shortcomings brought to light by TrackPlot applications using Acousonde data.

APPROACH

The principal investigator will collaborate with Dr. Colin Ware of the University of New Hampshire to ensure that the Acousonde hardware and software provide all necessary data and metadata to maximize TrackPlot’s accuracy and ease of use. The collaboration will also evaluate the precision and accuracy of the Acousonde’s orientation and heading sensors, and document the methodology of acquiring and analyzing kinematic data from initial tagging to final interpretation.

To evaluate the Acousonde and TrackPlot under realistic conditions and to accelerate transition to the field-biology community, the investigators will test the tools with separately-supported biology partners. They will train those partners in the use of the tools, adapt the tools to partners’ needs, and assist with initial data interpretation. Potential partners who have expressed interest in helping to

field-test the Acousonde and evaluate TrackPlot include Dr. Whitlow Au of the Hawaii Institute of Marine Biology and Dr. Erin Oleson of the National Marine Fisheries Service.

With the Acousonde's behavioral sensors and software tested, the project will change focus to mechanical and attachment objectives specific to optimizing cetacean applications. The tag electronics will be reconfigured in a different shape and cast in a single large suction cup together with a release mechanism, a housing for a VHF retrieval beacon, and sufficient buoyancy to assure flotation in the correct attitude for efficient VHF transmission.

WORK COMPLETED

In the three months since project inception on 18 June 2009, the principal investigator has, under other support, focused on urgent improvements to the Acousonde's acoustic data handling software. We expect to begin work on the present contract in earnest in October 2009.

RESULTS

As work has only just begun on the present contract, there are as of this writing no results to report.

IMPACT/APPLICATIONS

Acoustic recording tags measure sounds that a tagged animal makes or to which it is exposed, and monitor potentially associated changes in the animal's behavior. This quantitative knowledge of stimulus and response is fundamental to our understanding of protected species' acoustic sensitivity. In addition, for calling animals, behavioral data helps place a subject's calling activity in context, providing a better interpretive foundation for other studies that rely on acoustics alone.

While prior work has focused on improvements to the acoustic capabilities of the Acousonde, the present effort concentrates on improving the acquisition and interpretation of behavioral kinematic data. The effort will provide the wider bioacoustic research community with access to high-quality kinematic visualization of the behavior of tagged subjects.

The Acousonde family of acoustic recorders is finding increasing utility in non-biological applications. As detailed in the transition section below, these applications include vessel-signature analysis, tactical oceanography, underwater-glider development, and marine geophysics. Improvements to kinematic sensing and analysis under the present effort may increase the recorders' utility in these fields as well as in underwater or space robotics.

TRANSITIONS

The Acousonde and its previous generation, the Bioacoustic Probe, have been widely applied in acoustic research. Ten Acousondes and 43 Bioacoustic Probes have been built; 16 different research groups have applied them. Under Dr. John Hildebrand of the Scripps Institution of Oceanography and Mr. John Calambokidis of Cascadia Research B-Probes have been attached to blue whales (Oleson et al., 2007), fin whales (Goldbogen et al., 2006), and humpback whales; under Calambokidis and Dr. Aaron Thode of Scripps and, independently, Dr. Bruce Mate of Oregon State University, to sperm whales; under Dr. Stephen Insley, then at the University of California at Santa Cruz, to northern fur

seals (Figure 2; Insley et al., 2007); and under Dr. Chip Deutsch of the Florida Fish and Wildlife Research Institute to manatees. Dr. Carl Meyer of the Hawaii Institute of Marine Biology temporarily sutured one B-Probe into a blacktip reef shark (Meyer et al., 2007).

Bioacoustic Probes have found applications beyond attachment to wildlife. Dr. Thode used them as independent elements comprising a portable acoustic array (Thode et al., 2006) and as convenient self-contained tilt-meters for conventional acoustic arrays; Thode and Dr. Gerald D'Spain of Scripps used them as acoustic and attitude sensors during prototype trials of the Liberdade X-Ray underwater glider (D'Spain et al., 2005); and Dr. Jim Miller of the University of Rhode Island obtained a B-Probe for use inside an autonomous underwater vehicle. Bioacoustic Probes have been employed as simple low-cost seafloor recorders in several studies, including a behavioral study of beluga-whale habitat usage (Burgess et al., 2005), a geoacoustic study of sediment properties (Tang, 2005), and geophysical studies of bubble seeps (Leifer and Tang, 2006) and geothermal vents (Chadwick et al., 2008).

More recently, we have collaborated with a shipbuilding contractor for the operational navy to customize the Acousonde for noise assessment tasks. This transition directly benefits fleet modernization. We have also provided early models of the Acousonde to the Naval Postgraduate School for officer training in tactical oceanography, to the Monterey Bay Aquarium Research Institute for geophysical research, and to BP for studies of acoustic emissions from an offshore drilling island.




Figure 2. *Photograph of a northern fur seal at the Pribilof Islands, Alaska, fitted with the previous generation of the Acousonde (the Bioacoustic Probe). Also fitted to the subject are a satellite location transmitter and a VHF retrieval beacon (Stephen Insley; Insley et al., 2007).*

RELATED PROJECTS

The present work is a collaborative effort with Dr. Colin Ware of the University of New Hampshire, the creator of TrackPlot, separately supported under ONR Award number N00014-09-1-0601.

REFERENCES

- Burgess, W. C. 2000. The Bioacoustic Probe: a general-purpose acoustic recording tag (abstract). J. Acoust. Soc. Am., **108**:2583. [published]
- Burgess, W.C., P.L. Tyack, B.J. Le Boeuf, and D.P. Costa. 1998. A programmable acoustic recording tag and first results from free-ranging northern elephant seals. Deep-Sea Res. Part II **45**:1327–1351. [published, refereed]

- Burgess, W. C., M. T. Williams, and S. B. Blackwell. 2005. Miniature self-contained acoustic recorders applied in a survey of beluga-whale populations in Knik Arm, Alaska (abstract). *J. Acoust. Soc. Am.* **117**:2524. [published]
- Chadwick, W. W., K. V. Cashman, R. W. Embley, H. Matsumoto, R. P. Dziak, C. E. J. de Ronde, T. K. Lau, N. D. Deardorff, and S. G. Merle. 2008. Direct video and hydrophone observations of submarine explosive eruptions at NW Rota-1 volcano, Mariana arc. *J. Geophys. Res.* **113**, B08S10, doi:10.1029/2007JB005215. [published, refereed]
- D'Spain, G. L., S. A. Jenkins, R. Zimmerman, J. C. Luby, and A. M. Thode. 2005. Underwater acoustic measurements with the Liberdade/X-Ray flying wing glider (abstract). *J. Acoust. Soc. Am.* **117**:2624. [published]
- Goldbogen J. A., J. Calambokidis, R. E. Shadwick, E. M. Oleson, M. A. McDonald, J. A. Hildebrand. 2006. Kinematics of foraging dives and lunge-feeding in fin whales. *J. Exp. Biol.* **209**:1231–1244. [published, refereed]
- Insley, S. J., B. W. Robson, T. Yack, R. R. Ream, and W. Burgess. 2007. Acoustic determination of activity and flipper stroke rate in foraging northern fur seal females. *Endanger. Species Res.*, doi:10.3354/esr00050. [published, refereed]
- Johnson, M. P., and P. L. Tyack. 2003. A digital acoustic recording tag for measuring the response of wild marine mammals to sound. *IEEE J. Ocean. Eng.*, **28**:3–12. [published, refereed]
- Leifer, I., and D. Tang. 2006. The acoustic signature of marine seep bubbles. *J. Acoust. Soc. Am.* **121**(1):EL35—EL40. [published, refereed]
- Meyer C. G., W. C. Burgess, Y. P. Papastamatiou, K. N. Holland. 2007. Use of an implanted sound recording device (Bioacoustic Probe) to document the acoustic environment of a blacktip reef shark (*Carcharhinus melanopterus*). *Aquat. Living Resour.* **20**:291—298, doi:10.1051/alr2008002. [published, refereed]
- Miller, P. O., M. P. Johnson, and P. L. Tyack. 2004. Sperm whale behaviour indicates the use of echolocation click buzzes 'creaks' in prey capture. *Proc. R. Soc. Lond. B* **271**:2239–2247. [published, refereed]
- Oleson, E. M., J. Calambokidis, W. C. Burgess, M. A. McDonald, C. A. Le Duc, and J. A. Hildebrand. 2007. Behavioral context of call production by eastern North Pacific blue whales. *Mar. Ecol-Prog. Ser.* **330**:269–284. [published, refereed]
- Tang, D. 2005. Inverting for sandy sediment sound speed in very shallow water using boat noise. In N. G. Pace and P. Blondel [eds], *Boundary influences in high frequency, shallow water acoustics*. University of Bath, UK, 13–20. [published]
- Thode, A. M., P. Gerstoft, W. C. Burgess, K. Sabra, M. Guerra, M. D. Stokes, M. Noad, and D. C. Cato. 2006. A portable matched-field processing system using passive acoustic time synchronization. *J. Ocean. Eng.* **31**(3):696–710. [published, refereed]

PUBLICATIONS

No new publications are published or in press that are not already listed in previous annual reports.