



Microbial Influenced Corrosion (MIC) Study

**National Defense Industry Association
Environment, Energy Security, &
Sustainability Conference**

May 23, 2012

**Jim Tankersley
Battelle**

**Paul Hoth
Hill AFB**

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 23 MAY 2012		2. REPORT TYPE		3. DATES COVERED 00-00-2012 to 00-00-2012	
4. TITLE AND SUBTITLE Microbial Influenced Corrosion (MIC) Study				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Ogden Air Logistics Center (ALC), Hill AFB, UT, 84056				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Presented at the NDIA Environment, Energy Security & Sustainability (E2S2) Symposium & Exhibition held 21-24 May 2012 in New Orleans, LA.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 32	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			




Overview

- Background
- Technical Approach
- Aircraft Sampling
- Microbial Characterization
- MIC Testing - Technical Approach
- Results of MIC Testing
- Mitigation Assessment
- Conclusions & Recommendations
- Overview of Current Project
- Points of Contact
- Questions



Background


- Moisture routinely enters aircraft in different ways
 - open canopy, condensation, high humidity, Environmental Control System or ECS, etc...
- Moisture is absorbed and retained within insulation blankets used to seal lower walls and floor,
- No drain holes in aft area to remove moisture (B/D variants),
- Water collects and retained in low lying areas breaks down protective coating system and causes structural corrosion,
- Water and organic/inorganic nutrients support microbial growth.





Background (cont...)

- Hill AFB representatives at World Wide Review for TCG countries stated that structural corrosion is a problem in most "B" and "D" models





Background (cont...)

- Microbial contamination may exist in many areas within all types of military aircraft
- Microbial contamination is often not reported during field and depot-level maintenance operations





Background (cont...)

- Most damage confined to pitting corrosion of primary and secondary support structures
- Pitting corrosion morphology (i.e., tunneling suggests MIC)





Microbial Influenced Corrosion Characterization and Prevention

(FY09-10 Project)



Technical Approach

- Work with client and stakeholder team to evaluate the potential for MIC of aircraft structures:
 - Collect and characterize microbial species from aircraft
 - Validate MIC damage mechanisms under environmental conditions expected within areas of aircraft
 - Identify and assess the effect of possible short- and long-term mitigation technologies:
 - Chemical disinfection (T.O 1-1-8 and T.O 1-1-691)
 - Biocidal rinses and coatings
 - Biocidal Corrosion Preventative Compounds or CPCs



Aircraft Sampling

Condemned Aircraft Component Parts



- Sixty-three samples collected from similar parts and OML locations (control samples) on six aircraft at Hill Air Force Base



Microbial Isolates Recovered

- Seventeen (17) different bacterial isolates and sixteen (16) fungal isolates recovered from the sixty-three surface samples collected from aircraft and nine off-aircraft component parts
- Compared microbial populations recovered from the aircraft and parts; looking for consistencies and differences of populations recovered from corroded versus non-corroded areas
- Compared microbial populations to MIC species reported in literature
- Coordinated observations, results, conclusions and recommendations with representatives from Hill AFB, the Air Force Research Laboratory (AFRL), and Naval Research Laboratory (NRL)





Test Matrix


Parameter	Description
Coupon Type	2024-T3 aluminum alloy
Sensor Type	1020 low carbon steel
Incubation Conditions	26 ± 2C; 75-80% Rel. Humidity
Bacteria Consortium	<i>Microbacterium saperdae</i> <i>Rhodococcus equi</i> <i>Staphylococcus epidermidis</i>
Fungal Consortium	<i>Aspergillus fumigatus</i> <i>Fusarium oxysporum</i> <i>Penicillium oxalicum</i> <i>Rhodoturula sp.</i> <i>Trichoderma sp.</i>
Control Sensors and Coupons – Positive A	Dosed with microbes known to influence corrosion and used in a recent AFRL corrosion study: <i>Pseudomonas fluorescens</i> <i>Delftia acidovorans</i> <i>Enterobacter cloacae</i>
Control Sensors and Coupons – Positive B	Dosed with bleach, a corrosive agent
Control Sensors and Coupons – Negative	Dosed with buffer only (no microbes present)



Experimental Set-up




Battelle Corrosion Sensors




Weight-loss Coupons



Aluminum Coupon Results: 1-month Exposure, Chemically Descaled



Bacteria Consortia



Fungi Consortia



Combination



Buffer Only



Aluminum Coupon Results: 2-month Exposure, Descaled

Top



Bacteria Consortia



Fungi Consortia






Combination



Buffer Only

Bottom





Al Coupon Results: 3 Month Exposure, Descaled - Optical Micrographs

Bacteria Consortia



Fungi Consortia



Combination




Buffer Only



Top



Bottom





Aluminum Coupon Results: 3 Month Exposure, Cleaned (Representative Samples)

Coupon ID 302 Bacteria Consortia



Dried biofilm and corrosion products inside pit area, with evidence of selective metal ion extraction or dealloying from metal or alloying networks




Aluminum Coupon Results: 3 Month Exposure, Descaled (Representative Samples)

Coupon ID 305 Fungi Consortia



800µm

305 Bottom Cleaned 75x bse



100 µm



Aluminum Coupon Results: 3-month exposure

Legend





B Bottom
G General
L Localized
NP No pitting
P Pitting
T Top
X # of Pits

Coupon ID	Test Solution	pH	Discoloration Top Bottom	Pitting, max (mils)	Comments
701	Buffer only	7	3L-NP G-NP	~5 T	General staining only – T/B
702	Buffer only	7	None E-1P	~3 B	1 area of localized pitting - B
703	Buffer only	7	1G-3P G-NP	~2 T	General staining only – T/B
704	Buffer only	7	None 3L-1P	<5 B	Localized staining – B only
705	Buffer only	7	None None	0	No staining detected – T/B
706	Buffer + Biocide	5.5	2L-1P 2L-1P	~1 B/3 T	Localized staining only – T/B
707	Buffer + Biocide	5.5	2L-1P 1L-1P	~1 T/B	Localized staining only – T/B
708	Buffer + Biocide	5.5	2L-1P G-NP	~3 T	Localize staining only – T/B
709	Buffer + Biocide	5.5	2L-NP 1L-1P	~5 B	Localized staining/etching – T/B
710	Buffer + Biocide	5.5	4L-NP G-1P	~1 B	Localized staining – T/B
711	Water only	5.5	None None	0	No staining detected – T/B
712	Water only	5.5	None None	0	No staining detected – T/B
713	Water only	5.5	None 1L-1P	~1 B	Localized staining – B only
714	Water only	5.5	None None	0	No staining detected – T/B
715	Water only	5.5	None None	0	No staining detected – T/B
716	Fungal Consortia	7.5	3L-1P G-NP	>6 T	Surface staining – B only
717	Fungal Consortia	7.5	4L-4P G-NP	>12 T	Surface staining/localized pitting on T surfaces only
718	Fungal Consortia	7.5	1L-1P G-NP	>20 T	Edge corrosion – T only
719	Fungal Consortia	7.5	3L-1P G-NP	<1 T	Surface staining – T/B
720	Fungal Consortia	7.5	G-NP None	0	No staining detected – T/B
721	Aircraft Consortia	7.5	G-2P G-5P	>15 B	Edge corrosion pits – B deepest
722	Aircraft Consortia	7.5	22L-2P G-NP	~15 T	Edge corrosion pits – T deepest
723	Aircraft Consortia	7.5	3L-3P 4L-4P	~10 T	Edge corrosion pits – T deepest
724	Aircraft Consortia	7.5	1L-1P G-NP	~10 T	Edge corrosion pits – T deepest
725	Aircraft Consortia	7.5	5L-5P G-1P	>30 T/B	Edge thru-wall penetration



Aluminum Coupon Results: 3-month Exposure (Representative Sample)





Coupon ID No. 722 (Aircraft Consortia)





Aluminum Parts Results: In-Service Exposure (Representative Sample)

Aircraft Beam





MIC Cr⁶ Mitigation Assessment: Technical Approach

• ASTM Test Methods

- E 2180-07: Standard Test Method for Determining the Activity of Incorporated Antimicrobial Agent(s) in Polymeric or Hydrophobic Materials
- D 5590-00 (Reapproved 2005): Standard Test Method for Determining the Resistance of Paint Films and Related Coatings to Fungal Defacement by Accelerated Four-Week Agar Plate Assay
- D 3274-09: Standard Test Method for Evaluating Degree of Surface Disfigurement of Paint Films by Fungal or Algal Growth, or Soil and Dirt Accumulation

• Fungal Consortium

- *Aspergillus sp* (FI-19)
- *Fusarium oxysporum* (FI-6)
- *Hypocrea jecorina* (FI-1)
- *Pleosporaceae sp.* (FI-17)
- *Ustilago maydis* (FI-13)
- *Aureobasidium pullulans* (FI-16)
- *Fusarium sp.* (FI-18)
- *Penicillium oxalicum* (FI-12)
- *Rhodoturala mucilaginoso* (FI-7)

• Test Systems

Test System	Description
A	Coupons on acidified Potato Dextrose Agar (aPDA); variation of ASTM D5590-00
B	Coupons on Agar slurry inoculum overlay; variation of ASTM E 2180-07
C	Coupon Suspension Test



MIC Cr⁺⁶ Mitigation Assessment: Test Matrix

Sample Type	Sample Group	Sample Numbers	Description
Test	1	1-3	Cr ⁺⁶ conversion coating applied to coupons spiked with fungal consortium
	2	4-6	Non-Cr ⁺⁶ treatment applied to coupons spiked with fungal consortium
	3	7-9	Cr ⁺⁶ conversion coating and Cr ⁺⁶ primer applied to coupons spiked with fungal consortium
	4	10-12	Non-Cr ⁺⁶ treatment and Non-Cr ⁺⁶ primer applied to coupons spiked with fungal consortium
	5	13-15	Cr ⁺⁶ conversion coating and Cr ⁺⁶ primer and topcoat applied to coupons spiked with fungal consortium
	6	16-18	Non-Cr ⁺⁶ conversion coating and Non-Cr ⁺⁶ primer and topcoat applied to coupons spiked with fungal consortium
	7	19-21	Uncoated coupons spiked with fungal consortium
Positive Matrix Controls	8	22-24	Whatman #2 filter paper spiked with fungal consortium
Negative Matrix Controls	9	25-27	Cr ⁺⁶ coated coupons; spiked with sterile water
	10	28-30	Non-Cr ⁺⁶ coated coupons; spiked with sterile water
	11	31-33	Uncoated coupons; spiked with sterile water
	12	34-36	Whatman #2 filter paper; spiked with sterile water
Positive Antifungal Control	13	37-39	Coupons coated with a known antifungal (TBD)











MIC Cr⁶⁺ Mitigation Assessment: 4-week Exposure Results

Coupon Type	SYSTEM I: Treated – aPDA + fungal consortium (coupon laying on fungi treated agar media)		
	DAY 8	DAY 14	DAY 28
Chrome Conversion Coating Coupon Type: A <i>Alodine 1200 (Henkel)</i>			
Non-Chrome Treatment Coupon Type: E <i>Prekote® (Pantheon Chemical)</i>			
Chrome Conversion Coating + Chrome Primer Coupon Type: B <i>Alodine 1200 (Henkel)</i> <i>MIL-PRF-23377H, TY 1, CL 2 (Deft - 02Y040A)</i>			
Non-Chrome Treatment + Non-Chrome Primer Coupon Type: F <i>Prekote® (Pantheon Chemical)</i> <i>MIL-PRF-23377H, TY 1, CL N (Deft - 02GN083)</i>			








MIC Cr⁶⁺ Mitigation Assessment: 4-week Exposure Results

SYSTEM I: Treated – aPDA + fungal consortium (coupon laying on fungi treated agar media)			
Coupon Type	DAY 8	DAY 14	DAY 28
Chrome Conversion Coating + Chrome Primer + Topcoat Coupon Type: C <i>Alodine 1200 (Henkel)</i> <i>MIL-PRF-23377H, TY 1, CL 2 (Deft – 02Y04A)</i> <i>MIL-PRF-85285D, TY 4, CL H (Deft – 99GY001)</i>			
Non-Chrome Treatment + Non-Chrome Primer + Topcoat Coupon Type: G <i>Prekote® (Panttheon Chemical)</i> <i>MIL-PRF-23377H, TY 1, CL N (Deft – 02GN083)</i> <i>MIL-PRF-85285D, TY 4, CL H (Deft – 99GN001)</i>			
Uncoated Coupon Type: D <i>Bare Al2024-T3</i> <i>(Negative Control)</i>			
Whatman Paper <i>(Positive Control)</i>			



MIC Cr⁶ Mitigation Assessment: Exposure Results

Coupon Type	SYSTEM I: Treated – aPDA + fungal consortium (coupon laying on fungi treated agar media)		
	DAY 6	DAY 13	DAY 28
Bunge Silver Coating Coupon Type: H <i>Proprietary Coating w/ Silver Inhibitor</i>			
Non-Chrome Treatment + Mg-Rich Primer Coupon Type: I <i>Prekote® (Pantheon Chemical)</i> <i>Aerodur 2100 (Akzo Nobel Aerospace)</i>	 Day 6	 Day 13	N/A
Non-Chrome Treatment + Mg-Rich Primer + Topcoat Coupon Type: J <i>Prekote® (Pantheon Chemical)</i> <i>Aerodur 2100 (Akzo Nobel Aerospace)</i> <i>MIL-PRF-85285D, TY 4, CL H (Defl – 99GY001)</i>	 Day 6	 Day 13	N/A



Conclusions

- 17 bacterial & 16 fungal species (common environmental isolates)
 - Minimal impact to health & safety
- Fungal species promote MIC of Al2024-T3 alloy
- Intergranular attack with selective metal ion extraction mode of corrosion damage
- Hexavalent chromium has limited biocidal effect on specific fungal species
- Age and condition of chromated primer “controls” resistance to MIC on 2024-T3 aluminum alloy



Evaluation of Antimicrobial Compounds and Their Effects on MIC

(FY11-12 Project)



Scope

- To continue all ongoing comparative assessments of hexavalent chromium containing primers and non-chromated primers being investigated by the United States Air Force
- To evaluate antimicrobial compounds with broad spectrum inhibition properties blended into a water rinse and applied directly to outer moldline (OML) surfaces of an aircraft
- To evaluate antimicrobial compounds with broad spectrum inhibition properties blended into a commercial coating or thin corrosion preventative compound (CPC) and directly applied to the inner moldline (IML) surfaces of an aircraft
- To measure and evaluate in the laboratory the contribution of MIC processes to crevice corrosion that are occurring on aircraft structures



Technical Approach & Teaming

- **Task 1.0 Assessment of MIC with Chromated and Non-chromated Treatments and Biocidal Coatings**

Battelle – formulate biocidal coatings, prepare all test panel sets, and provide required panel testing and data analysis

NRL – assist Battelle with an analysis of results and microscopic characterization of fungal growth

- **Task 2.0 Formulate and Evaluate Biocidal Rinse Water Solutions**

Battelle – prepare all test panel sets, assist in the down-selection, formulate biocidal rinse solutions; conduct visual and microscopic assessments of panels

NRL – analyze and microscopically (SEM) characterize test panel surfaces

CP&S – assist in the selection and formulation of commercial biocides



Technical Approach & Teaming

- **Task 3.0 Formulate and Evaluate CPCs Containing Biocides**

Battelle – prepare test panels, measure and validate the beneficial effects of CPCs containing biocides through an elimination of fungal growth and reduction of coating degradation

NRL – provide consulting services, assist with analysis of test data, and conduct microscopic characterization of "as-tested" surfaces of designated panels

CP&S – provide support with the down-selection and formulation of biocidal CPC materials

- **Task 4.0 Investigate MIC Processes and Effects on Crevice Corrosion**

NRL – measure and validate the contribution of MIC processes to crevice corrosion

SwRI – conduct a controlled laboratory corrosion assessment of MIC and anti-microbial activities on the surfaces of Al2024-T3 test panels

Battelle – prepare test panel sets and provide technical support on an "as-required" basis



Points of Contact

Mr. John Stropki
Battelle Columbus Operations
(614) 424-5414
stropki@battelle.org

Mr. Paul Hoth
Hill AFB, UT
(801) 775-4889
paul.hoth@hill.af.mil



Questions??

Thank you!