

REPORT DOCUMENTATION PAGE				<i>Form Approved</i> OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) 9/01/12		2. REPORT TYPE Final Performance Report		3. DATES COVERED (From - To) 1/15/04-1/14/12	
4. TITLE AND SUBTITLE MURI: Novel Devices for Plasmonic and Nanophotonic Networks: Exploiting X-ray Wavelengths at Optical Frequencies				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER FA9550-04-1-0434	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Harry A. Atwater (P.I.), Axel Scherer (co-PI), Oskar J. Painter (co-PI), Eli Yablonovitch (co-PI), Xiang Zhang (co-PI), Federico Capasso (co-PI)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) California Institute of Technology 1200 E. California Blvd. Pasadena, CA 91125				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Office of Scientific Research 801 N. Randolph St Room 732 Arlington, VA 22203 Dr. Gernot S. Pomrenke AFOSR/NE (703) 696-8426 Gernot.Pomrenke@afosr.af.mil				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT : Approved for public release. Distribution is unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT This final report summarizes the Caltech Plasmonics MURI program accomplishments. It is no exaggeration to say that the FY04 Plasmonics MURI catalyzed a worldwide research effort in which MURI investigators were research leaders of the plasmonics field from 2004-2010. In the MURI program, a large number of new concepts and devices were conceived, designed and demonstrated, including subwavelength waveguides, negative refractive index materials at visible frequencies, a far-field hyperlens, a plasMOSTor plasmonic modulator, deep subwavelength plasmon lasers as well as larger plasmon lasers; laser antennas, plasmonic hyperspectral infrared detectors, to name a subset of achievements. Under MURI support, a total of 65 journal publications were published, including 2 papers in Nature, 2 in Nature Materials, 4 in Nature Photonics, and 2 in Science.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (include area code)

Summary Overview:

This final report summarizes the activities of the FY04 Plasmonics MURI, which is now concluded. It is no exaggeration to say that the FY04 Plasmonics MURI catalyzed a worldwide research effort in which MURI investigators were research leaders of the plasmonics field from 2004-2010. In the MURI program, a large number of new concepts and devices were conceived, designed and demonstrated, including subwavelength waveguides, negative refractive index materials at visible frequencies, a far-field hyperlens, a plasMOSTor plasmonic modulator, deep subwavelength plasmon lasers as well as larger plasmon lasers; laser antennas, plasmonic hyperspectral infrared detectors, to name only a subset of achievements.

Under MURI support, a total of 65 journal publications were published, including 2 papers in Nature, 2 in Nature Materials, 4 in Nature Photonics, and 2 in Science. MURI Principal Investigator Harry Atwater wrote an article for Scientific American in April 2007 entitled “The Promise of Plasmonics” which sold >500,000 copies and was translated into 8 languages, and was subsequently reprinted in Scientific American’s focus issue on Nanoscience. Professor Atwater also served as Principal Editor for a special issue on plasmonics of the IEEE Journal of Selected Topics in Quantum Electronics.

In addition to the research itself, in July 2005, MURI Investigators Albert Polman and Harry Atwater founded a Gordon Research Conference on Plasmonics, which was held for the first time July 23-28, 2006 at Keene State College, and subsequently in 2008 and 2010. In 2006 and 2008, the conference oversubscribed the attendance limit of 120 conferees and was ranked the highest among physical science Gordon Conferences for scientific quality by the attendees.

The research activities and publications of the Caltech Plasmonics MURI can be found at the webpage <http://www.plasmonmuri.caltech.edu/> (password for members only section of this site available to AFOSR personnel upon request; please email Harry Atwater at haa@caltech.edu)

Scientific and Technical Highlights:

Period 1:

The MURI program began in June 2004, and initial effort focused on development of materials and electromagnetic designs for plasmonic devices. The kick-off meeting was held in October 2004 at the California Institute of Technology. The principal investigators recruited students and post-docs who carried out the bulk of the experimental effort of the MURI program, and met regularly by teleconference and face-to-face meetings. The initial effort included experimental research on imaging and spectroscopy to observe light emission, optical guiding, and is complemented by theoretical work and simulation of plasmon propagation in metallodielectric structures. Highlights over Period 1 included:

- Plasmon-enhanced light emission from InGaN quantum wells
- Integration of plasmon and dielectric waveguides, and coupling between them.
- Theoretical investigation of propagation, dispersion and loss in plasmon waveguides.
- Observation of large spectral birefringence in photo-addressable polymers.

Period 2:

Period 2 was a phase of prolific and extensive development of plasmonic components by the MURI team. A number of “firsts” that are highlighted below were achieved during this Period. In almost every case, not only was a new plasmonic concept introduced, but was also reduced to experimental practice.

Highlights over Period 2 include realization of:

- Plasmon hyperspectral InAs DWELL detectors with metallic photonic crystal contacts that show enhanced spectral detectivity and tunability for mid- infrared wavelength detection. The generation-recombination limited D^* at 77K with a 300K background is a factor of 20 higher than that of the control sample, and the BLIP temperature of the DWELL PE detector is raised by 20% in comparison to control samples
- Plasmon slot waveguides: design, simulation and experimental verification of propagation with modes that $< 10\%$ of free space modal cross section.
- Plasmon-enhanced light emission from Si quantum dots; 8x increase in intensity obtained; the increased intensity is shown to be due to an enhanced radiative emission rate.
- Plasmonic laser antennas fabricated in which enhanced emission is generated from the end facets of edge-emitting lasers by emitting through wavelength-scale and subwavelength-scale apertures.
- A tunable plasmonic lens in which the in-plane focal position for the surface plasmon mode is changeable by altering the angle of the incident beam.
- Field effect electroluminescence from Si; this is a newly-discovered electroluminescence mechanism that enables efficient electrical generation of excitons in quantum dots embedded within a field effect transistor.

Period 3:

Period 3 was a phase of extremely productive design and realization of plasmonic components by the MURI team. Several “firsts” that occurred during Period 3 are highlighted below. In each case, a new plasmonic concept introduced and was also reduced to experimental practice.

Highlights over Period 3 include realization of:

- Visible Frequency Negative Refraction – first report of negative refraction and negative index at visible frequencies
- Improved Plasmonic Laser Antenna – quantitative comparison of experiment and theory for near field of near infrared laser antenna
- Record High Q for Plasmonic Cavity – toroidal plasmonic microresonator with Q factor of 400, a record for a plasmonic resonator.
- Plasmonic Nanoresonators for Raman Enhancement
- Plasmon Enhanced Emission from Semiconductor Quantum Dots – investigation of enhanced emission from CdSe quantum dots in proximity to metal surfaces and discontinuous films
- Identified Limit to Light Localization in Plasmonic Structures

Period 4:

Period 4 was a phase of prolific and extensive development of plasmonic components by the MURI team. A number of “firsts” that are highlighted below were achieved during this Period. In almost every case, not only was a new plasmonic concept introduced, but was also reduced to experimental practice.

Highlights over Period 4 include realization of:

- Plasmon hyperspectral InAs DWELL detectors with metallic photonic crystal contacts that show enhanced spectral detectivity and tunability for mid- infrared wavelength detection. The generation-recombination limited D^* at 77K with a 300K background is a factor of 20 higher than that of the control sample, and the BLIP temperature of the DWELL PE detector is raised by 20% in comparison to control samples

- Plasmon slot waveguides: design, simulation and experimental verification of propagation with modes that $< 10\%$ of free space modal cross section.
- Plasmon-enhanced light emission from Si quantum dots; 8x increase in intensity obtained; the increased intensity is shown to be due to an enhanced radiative emission rate.
- Plasmonic laser antennas fabricated in which enhanced emission is generated from the end facets of edge-emitting lasers by emitting through wavelength-scale and subwavelength-scale apertures.
- A tunable plasmonic lens in which the in-plane focal position for the surface plasmon mode is changeable by altering the angle of the incident beam.
- Quantum dot microtoroidal laser with world record low threshold; a record low turn-on energy (less than 10 femto Joules) was measured, corresponding to a continuous wave operation threshold of 660 nanoWatts.

Period 5:

Period 5 was a phase of prolific and extensive development of plasmonic components by the MURI team. A number of “firsts” highlighted below were achieved during this Period, the most notable of which is the report of a deep subwavelength plasmonic laser. In almost every case, not only was a new plasmonic concept introduced, but was also reduced to experimental practice.

- We demonstrated deep sub-wavelength plasmonic lasers at visible frequencies using semiconductor materials for the first time. This breakthrough now suggests new sources that may produce coherent light far below the diffraction limit. We have shown that extremely strong mode confinement and the ensuing preferential coupling to the laser mode are key aspects of plasmonic lasers. We have also shown that the advantage of plasmonic lasers is their ability to downscale the physical size of devices, as well as the optical modes they contain, unlike conventional diffraction-limited lasers. Furthermore, the use of metals in plasmonics could provide a natural route towards electrical injection schemes that do not interfere with mode confinement. The impact of plasmonic lasers on optoelectronics integration is potentially significant because the optical fields of these devices rival the smallest commercial transistor gate sizes and thereby reconcile the length scales of electronics and optics.
- We demonstrated a high- Q SPP whispering-gallery microcavity that is made by coating the surface of a silica microresonator with a thin layer of a noble metal. Using this structure, Q factors > 1000 can be achieved in the near infrared for surface-plasmonic whispering-gallery modes at room temperature. This nearly ideal value, which is close to the theoretical metal-loss-limited Q factor, is attributed to the suppression and minimization of radiation and scattering losses that are made possible by the geometrical structure and the fabrication method. The SPP eigenmodes are confined within the whispering-gallery microcavity and accessed evanescently using a single strand of low-loss, tapered optical waveguide, which allows a high coupling efficiency. The demonstration of high- Q surface-plasmonic microcavities opens many possibilities for applications in fields ranging from fundamental science to device engineering.
- We have shown that chemical electroplating and controlled thin film metal deposition can yield high aspect ratio metal fins capable of efficient surface plasmon reflection. We showed that two closely spaced fins define a Fabry-Perot nano-cavity that concentrates surface plasmon polaritons at visible frequencies with Q -factors as high as 200. A simple analytical model describes the observed results well when accounting for the surface plasmon dispersion and the effect of scattering and reflection from the metal fins. Concurrent high quality factors and sub-wavelength mode volumes would allow a strong Purcell effect competitive with diffraction limited photonic crystal cavities and enables numerous applications such as fast and efficient light emitting devices.

Personnel Supported:

Faculty: Dr. Harry A. Atwater, Dr. Axel Scherer, Dr. Oskar J. Painter, Dr. Kerry J. Vahala, Dr. Federico Capasso, Dr. Eli Yablonovitch, Dr. Xiang Zhang and Dr. David R. Smith

Research Scientist: Dr. Henri Lezec, Caltech

Postdocs: Alois Degiron, Domenico Pacifici, R. Colombelli, Ert Cubukcu, Mladen Barbic, Bumki Min, Lan Yang, Dentcho A. Genov, David F. P. Pile, Rupert Oulton, Xuejin Zhang, Dongmin Wu, Mariano Troccoli

Graduate Students: Caltech: Stanley Burgos, Matthew Dicken, Kenneth Diest, Gerald Miller, Chris Walker, Ting Hong, Raviv Perahia, Orion Crisafulli, Luke A. Sweatlock, Jennifer A. Dionne (partial), Carrie E. Ross (partial), Julie Biteen, Michael Hochberg, Terrell Neal, T. Baehr-Jones, Kouichi Okamoto, Jiming Bao, Eric Ostby, Lan Yang, Thomas Johnson, Paul Barclay, Matt Eichenfeld, Jessie Rosenberg (Partial) UCLA: Hyojune Lee, Matteo Staffaroni, Japeck Tang, Shantha Vedantam; UC Berkeley: Jennifer Steele, Volker Sorger, Zhaowei Liu, Hyesog Lee, Sheng Wang, Yi Yong, H. Liu, Harvard: Ert Cubukcu, FOM: Hans Mertens, Duke: Claudio Dellagiacoma.

Publications: Peer-reviewed publications submitted and/or accepted during the 60-month period starting the previous January (or since start for new awards).

1. **Large Spectral Birefringence in Photoaddressable Polymer Films**, B.L. Lachut, S.A. Maier, H.A. Atwater, M.J.A. de Dood, A. Polman, R. Hagen and S. Kostromine, *Advanced Materials*, 16, 1746-1750 (2004).
2. **Image resolution of surface-plasmon mediated near field focusing with planar metal films in three dimensions using finite linewidth dipole sources**, P.G. Kik, S.A. Maier and H.A. Atwater, *Physical Review B* 69 045418 (2004).
3. **"Experimental demonstration of fiber-accessible metal nanoparticle plasmon waveguides for planar energy guiding and sensing"** S. A. Maier, M. D. Friedman, P. E. Barclay, and O. Painter, *071103*, *Applied Physics Letters* **86** (7) (2005).
4. **"Erbium-doped and Raman microlasers on a silicon chip fabricated by the sol-gel process"** L. Yang, T. Carmon, B. Min, S. M. Spillane, and K. J. Vahala, *091114*, *Applied Physics Letters* **86** (9) (2005).
5. **"Analysis of radiation-pressure induced mechanical oscillation of an optical microcavity"** T. J. Kippenberg, H. Rokhsari, T. Carmon, A. Scherer, and K. J. Vahala, *033901*, *Physical Review Letters* **95** (3) (2005).
6. **"Surface plasmon enhanced emission from dye doped polymer layers"** T. D. Neal, K. Okamoto, and A. Scherer, *Optics Express* **13** (14), 5522-5527 (2005).
7. **"Controlled transition between parametric and Raman oscillations in ultrahigh-Q silica toroidal microcavities"** B. K. Min, L. Yang, and K. Vahala, *181109*, *Applied Physics Letters* **87** (18) (2005).
8. **"Near-field scanning optical microscopic transient lens for carrier dynamics study in InGaN/GaN"** K. Okamoto, A. Scherer, and Y. Kawakami, *161104*, *Applied Physics Letters* **87** (16) (2005).
9. **Surface plasmon enhanced spontaneous emission rate of InGaN/GaN quantum wells probed by time-resolved photoluminescence spectroscopy**, Koichi Okamoto, a Isamu Niki, and Axel Scherer, Yukio Narukawa, Takashi Mukai, and Yoichi Kawakami, *Applied Physics Letters* **87** 071102 (2005).
10. **"Field-effect electroluminescence in silicon nanocrystals"** R.J. Walters, G.I. Bourianoff, and H.A. Atwater, *Nature Materials* 4 (2): 143-146 FEB 2005.
11. **The new "p-n junction". Plasmonics enables photonic access to the**

- nanoworld** Atwater HA, Maier S, Polman A, Dionne JA, Sweatlock L MRS BULLETIN 30 (5): 385-389 MAY 2005
12. **Highly confined electromagnetic fields in arrays of strongly coupled Ag nanoparticles** Sweatlock LA, Maier SA, Atwater HA, Penninkhof JJ, Polman A PHYSICAL REVIEW B 71 (23): Art. No. 235408 JUN 2005
 13. **Plasmonics: Localization and guiding of electromagnetic energy in metal/dielectric structures** Maier SA, Atwater HA JOURNAL OF APPLIED PHYSICS 98 (1): Art. No. 011101 JUL 1 2005
 14. **Planar metal plasmon waveguides: frequency-dependent dispersion, propagation, localization, and loss beyond the free electron model** Dionne JA, Sweatlock LA, Atwater HA, Polman A PHYSICAL REVIEW B 72 (7): Art. No. 075405 AUG 2005
 15. **Enhanced radiative emission rate and quantum efficiency in coupled silicon nanocrystal-nanostructured gold emitters** Biteen JS, Pacifici D, Lewis NS, Atwater HA NANO LETTERS 5 (9): 1768-1773 SEP 2005
 16. **Spectral tuning of plasmon-enhanced silicon quantum dot luminescence**, J.S. Biteen, N.S. Lewis and H.A. Atwater, Applied Physics Letters, 88, 131109 (2006).
 17. **Surface Plasmon-Enhanced Bright Emission from CdSe Quantum Dot Nanocrystals**, K. Okamoto, S. Vyawahare and A. Scherer, J. Optical Society of America B22 1674 (2006).
 18. **"Surface Plasmon Resonances of Free-standing Gold Nanowires Fabricated by NanoSciving"** Jiming Bao Qiaobing Xu, F. Capasso, G.M. Whitesides, *Submitted*, Angewandte Chemie (2006).
 19. **"Raman enhancement factor of a single tunable nanoplasmonic resonator"** K. H. Su, S. Durant, J. M. Steele, Y. Xiong, C. Sun, and X. Zhang, Journal of Physical Chemistry B **110** (9), 3964-3968 (2006).
 20. **"Tuning the Focus of a Plasmonic Lens by the Incident Angle"** Jennifer M. Steele Zhaowei Liu, Hyesog Lee, and Xiang Zhang, *Submitted*, Applied Physics Letters (2006).
 21. **"Surface-plasmon quantum cascade microlasers with highly deformed resonators"** R. Colombelli, C. Gmachl, A. M. Sergent, D. L. Sivco, E. E. Narimanov, V. A. Podolskiy, A. Y. Cho, and F. Capasso, IEEE Journal of Selected Topics in Quantum Electronics **12** (1), 66-70 (2006).
 22. **"Nanoscale Quantum Dot Infrared Sensors with Photonic Crystal Cavity"** V. Tripathi K.T. Posani, S. Annamalai, S. Krishna, R. Perahia, O. Crisafulli, and O. Painter, *Accepted for Publication* Applied Physics Letters (2006).
 23. **"Nanoscale Quantum Dot Infrared Sensors with Photonic Crystal Cavity"** O. Painter S. Maier,, Optics Express (2006).
 24. **Ultralow threshold on-chip microcavity nanocrystal quantum dot lasers**, Bumki Min and Sungjee Kima_Koichi Okamoto Lan Yang, Axel Scherer, Harry Atwater, and Kerry Vahalab_ Applied Physics Letters **89**, 191124 (2006).
 25. **Plasmon slot waveguides: Towards chip-scale propagation with subwavelength-scale localization** Dionne JA, Sweatlock LA, Atwater HA, Polman A PHYSICAL REVIEW B 73 (3): Art. No. 035407 JAN 2006
 26. **Direct imaging of propagation and damping of near-resonance surface plasmon polaritons using cathodoluminescence spectroscopy**, J. T. van Wijngaarden, E. Verhagen, and A. Polmana_C. E. Ross, H. J. Lezec,_ and H. A. Atwater, Applied Physics Letters 88, 221111 (2006).
 27. **Highly Confined Photon Transport in Subwavelength Metallic Slot Waveguides**, J. A. Dionne, H. J. Lezec, and Harry A. Atwater Nano Letters, Vol. 6, 1928-1932 (2006).
 28. **Polarization-Selective Plasmon-Enhanced Silicon Quantum-Dot Luminescence** Hans Mertens. Julie S. Biteen. Harrrv A. Atwater. and Albert

- Polman, Nano Letters, Vol. 6, 2622-2625 (2006).
29. **All-optical modulation by plasmonic excitation of CdSe quantum dots**, Domenico Pacifici, Henri J. Lezec, And Harry A. Atwater, Nature Photonics, Vol. 1, 402-406 (2007)
 30. **A shifting perspective**, Domenico Pacifici, Nature Photonics, Vol. 1 689-690 (2007)
 31. **Negative Refraction at Visible Frequencies**, H.J. Lezec, J.A. Dionne and H.A. Atwater, Science, 316, 430-432 (2007).
 32. **Far-Field Optical Hyperlens Magnifying Sub-Diffraction-Limited Objects**, Zhaowei Liu, Hyesog Lee, Yi Xiong, Cheng Sun, Xiang Zhang, Science, 315 p. 1686 (2007).
 33. **Magnetic Plasmon Propagation Along a Chain of Connected Subwavelength Resonators at Infrared Frequencies**, H. Liu, D. A. Genov, D. M. Wu, Y. M. Liu, J. M. Steele, C. Sun, S. N. Zhu, and X. Zhang. Physical Review Letters, **97** 243902 (2006).
 34. **Subwavelength Discrete Solitons in Nonlinear Metamaterials**, Yongmin Liu, Guy Bartal, Dentcho A. Genov, and Xiang Zhang, Physical Review Letters, **99** 153901 (2007).
 35. **The Promise of Plasmonics**, H.A. Atwater, Scientific American, April 2007 pp 56-63.
 36. **Plasmon-Enhanced Photoluminescence of Silicon Quantum Dots: Simulation and Experiment**, Julie S. Biteen, Luke A. Sweatlock, Hans Mertens, Nathan S. Lewis, Albert Polman, and Harry A. Atwater, J. Phys. Chem. C **111**, 13372-13377 (2007).
 37. **Plasmonic Modes of Annular Nanoresonators Imaged by Spectrally Resolved Cathodoluminescence**, Carrie E. Hofmann, Ernst Jan R. Vesseur, Luke A. Sweatlock, Henri J. Lezec, F. Javier Garcí'a de Abajo, Albert Polman, and Harry A. Atwater, Nano Letters, Vol. 7 3612-3617 (2007).
 38. **Small divergence edge-emitting semiconductor lasers with two-dimensional plasmonic collimators**, Nanfang Yu, Romain Blanchard, Jonathan Fan, Federico Capasso, Tadataka Edamura, Masamichi Yamanishi, and Hirofumi Kan, Applied Physics Letters Vol: 93 Article Number: 181101, (2008).
 39. **Semiconductor lasers with integrated plasmonic polarizers**, Nanfang Yu, J. Wang, Ch. Pflugel, L. Diehl, Federico Capasso, Tadataka Edamura, Sinishi Furuta, Masamichi Yamanishi, and Hirofumi Kan, Applied Physics Letters Vol: 93 Article Number: 181101, (2008).
 40. **Multibeam multi-wavelength semiconductor lasers**, Nanfang Yu, M. Kats, Ch. Pflugel, L. Diehl, M. Geiser, J. Wang, M. Belkin, Federico Capasso, M. Fischer, A. Wittman, J. Faist, Tadataka Edamura, Sinishi Furuta, Masamichi Yamanishi, and Hirofumi Kan, Applied Physics Letters Vol: 95 Article Number: 161108, (2009).
 41. **Controlled modification of erbium lifetime by near-field coupling to metallic films**, Nanfang Yu, Alexey Belyanin, Jiming Bao, and Federico Capasso, New Journal of Physics, 11, 015003 (2009).
 42. **A Plasmonic Dimple Lens for Nanoscale Focusing of Light**, Shantha Vedantam, Hyojune Lee, Japeck Tang, Josh Conway, Matteo Staffaroni, and Eli Yablonovitch, Nano Letters, **9** pp 3447-3452 (2009).
 43. **Small-divergence semiconductor lasers by plasmonic collimation**, Nanfang Yu, Jonathan Fan, Qi Jie Wang, Christian Pflugel, Laurent Diehl, Tadataka Edamura, Masamichi Yamanishi, Hirofumi Kan and Federico Capasso, Nature Photonics, Vol 2, 564-570 (2008).
 44. **Quantum cascade lasers with integrated plasmonic antenna-array collimators**. Nanfang Yu . Romain Blanchard . Jonathan Fan . Oi Jie Wang.

- Christian Pflügl, Laurent Diehl, Tadataka Edamura, Masamichi Yamanishi, Hirofumi Kan, and Federico Capasso, *Optics Express*, 16 pp 19447-19461 (2008).
45. A hybrid plasmonic waveguide for subwavelength confinement and long-range propagation R.F.Oulton, V.J. Sorger, D.A. Genov, D.F.P. Pile and X. Zhang, *NATURE PHOTONICS* Volume: 2 Issue: 8 Pages: 496-500 Published: AUG 2008
 46. Near-field visualization of strongly confined surface plasmon polaritons in metal-insulator-metal waveguides Verhagen, Ewold; Dionne, Jennifer A.; Kuipers, L. (Kobus); H.A. Atwater and A. Polman, *NANO LETTERS* Volume: 8 Issue: 9 Pages: 2925-2929 Published: SEP 2008
 47. Plasmonic nearfield scanning probe with high transmission Wang, Yuan; Srituravanich, Werayut; Sun, Cheng; and X. Zhang, *NANO LETTERS* Volume: 8 Issue: 9 Pages: 3041-3045 Published: SEP 2008
 48. Loss mechanisms of surface plasmon polaritons on gold probed by cathodoluminescence imaging spectroscopy , Kuttge, M.; Vesseur, E. J. R.; Verhoeven, J., H.J. Lezec, H.A. Atwater and A. Polman, *APPLIED PHYSICS LETTERS* Volume: 93 Issue: 11 Article Number: 113110 Published: SEP 15 2008,
 49. Projecting deep-subwavelength patterns from diffraction-limited masks using metal-dielectric multilayers Xiong, Yi; Liu, Zhaowei; Zhang, Xiang *APPLIED PHYSICS LETTERS* Volume: 93 Issue: 11 Article Number: 111116 Published: SEP 15 2008
 50. All-angle negative refraction and imaging in a bulk medium made of metallic nanowires in the visible region Liu, Yongmin; Bartal, Guy; Zhang, Xiang *OPTICS EXPRESS* Volume: 16 Issue: 20 Pages: 15439-15448 Published: SEP 29 2008
 51. Confinement and propagation characteristics of subwavelength plasmonic modes Oulton, R. F.; Bartal, G.; Pile, D. F. P.; and X. Zhang, *NEW JOURNAL OF PHYSICS* Volume: 10 Article Number: 105018 Published: OCT 28 2008
 52. Active Plasmonics: Surface Plasmon Interaction With Optical Emitters Ambati, Muralidhar; Genov, Dentcho A.; Oulton, Rupert F.; and X. Zhang *IEEE JOURNAL OF SELECTED TOPICS IN QUANTUM ELECTRONICS* Volume: 14 Issue: 6 Pages: 1395-1403 Published: NOV-DEC 2008
 53. Controlling the Phase and Amplitude of Plasmon Sources at a Subwavelength Scale Lerosey, G.; Pile, D. F. P.; Matheu, P.; G. Bartal and X. Zhang, *NANO LETTERS* Volume: 9 Issue: 1 Pages: 327-331 Published: JAN 2009
 54. Directional coupling between dielectric and long-range plasmon waveguides Degiron, Aloyse; Cho, Sang-Yeon; Tyler, Talmage; N.M. Jokerst and D.R. Smith, *NEW JOURNAL OF PHYSICS* Volume: 11 Article Number: 015002 Published: JAN 16 2009
 55. High-Q surface-plasmon-polariton whispering-gallery microcavity, Min, Bumki; Ostby, Eric; Sorger, Volker; E. Ulin-Avila, L. Yang, X. Zhang and K Vahala, *NATURE* Volume: 457 Issue: 7228 Pages: 455-U3 Published: JAN 22 2009
 56. PlasMOSor: A Metal-Oxide-Si Field Effect Plasmonic Modulator Dionne, Jennifer A.; Diest, Kenneth; Sweatlock, Luke A.; H.A. Atwater *NANO LETTERS* Volume: 9 Issue: 2 Pages: 897-902 Published: FEB 2009
 57. Local density of states, spectrum, and far-field interference of surface plasmon polaritons probed by cathodoluminescent Kuttge, M.; Vesseur, E. J. R.; Koenderink, A. F.; H.J. Lezec, H.A. Atwater, F.J. Garcia-Abajo and A. Polman *PHYSICAL REVIEW B* Volume: 79 Issue: 11 Article Number: 113405 Published: MAR 2009
 58. Plasmon lasers at deep subwavelength scale Oulton. Rupert F.; Sorger. Volker J.;

- Zentgraf, Thomas; R-M Ma, C. Gladden, L. Dai, G. Bartal and X. Zhang, NATURE Volume: 461 Issue: 7264 Pages: 629-632 Published: OCT 1 2009
59. A multispectral and polarization-selective surface-plasmon resonant midinfrared detector Rosenberg, Jessie; Shenoi, Rajeev V.; Vandervelde, Thomas E.; S. Krishna and O. Painter, APPLIED PHYSICS LETTERS Volume: 95 Issue: 16 Article Number:161101 Published: OCT 19 2009
 60. **Plasmonic Multi-Mode Interference Couplers** Yu-Ju Tsai, Aloyse Degiron, Nan M. Jokerst, and David R. Smith*, OPTICS EXPRESS 20 pp 1747117482 (2009).
 61. **Multispectral Quantum Dots-in-a-Well Infrared Detectors Using Plasmon Assisted Cavities** Rajeev V. Shenoi, Jessie Rosenberg, Thomas E. Vandervelde, Member, IEEE, Oskar J. Painter, and Sanjay Krishna, IEEE JOURNAL OF QUANTUM ELECTRONICS, VOL. 46, pp 1051-1057 (2010).
 62. **Silicon-Based Plasmonics for On-Chip Photonics** Dionne, Jennifer A.; Sweatlock, Luke A.; Sheldon, Matthew T.; A.P. Alivisatos and H.A. Atwater IEEE JOURNAL OF SELECTED TOPICS IN QUANTUM ELECTRONICS Volume: 16 Issue: 1 Pages: 295-306 Published: JAN-FEB 2010
 63. **Design of plasmonic photonic crystal resonant cavities for polarization sensitive infrared photodetectors** Rosenberg, Jessie; Shenoi, Rajeev V.; Krishna, Sanjay; and O. Painter, OPTICS EXPRESS Volume: 18 Issue: 4 Pages: 3672-3686 Published: FEB 15 2010
 64. 18. Planar Integrated Optical Detection of a Hybrid Long-Range Surface Plasmon Using an InGaAs Inverted-MSM Detector Bonded to Silicon, Dhar, Sulochana; Degiron, Aloyse; Smith, David R. and N.M. Jokerst IEEE PHOTONICS TECHNOLOGY LETTERS Volume: 22 Issue: 11 Pages:841-843 Published: JUN 1 2010
 65. Room-temperature sub-diffraction-limited plasmon laser by total internal reflection Ma, Ren-Min; Oulton, Rupert F.; Sorger, Volker J.; G. Bartal and X. Zhang, NATURE MATERIALS Volume: 10 Issue: 2 Pages: 110-113 Published: FEB 2011.

a. **Invited Conference and Seminar Presentations**

Over 300 invited presentations were made by the PIs during the MURI grant period, including more than 2 dozen plenary and keynote lectures in international conferences (list of individual presentations contained in performance reports)

b. **Consultative and Advisory Functions**

Professor Harry Atwater, P.I., California Institute of Technology

Presenter and participant in DARPA Meeting on Photonics for Quantum Information Technology, Los Angeles, CA, 1/21/05

Informal consultant to DARPA program managers (S. Wolf, D. Healey, V. Browning, H. Temkin and R. Athale) about the status of research in the plasmonics field.

Presentation to AFOSR Science Advisory Board during AFOSR program review, 7/19/05. Founded Gordon Research Conference on Plasmonics in July 2005, to be held first in July 2006.

Principal Editor, IEEE Journal of Selected Topics in Quantum Electronics, special issue on Plasmonics and Surface Plasmon Photonics

Professor Xiang Zhang, University of California Berkeley

Co-Chair, 2005 NSF Nanoscale Science and Engineering Annual Grantee
Conference, Washington DC, 2005
Panelist, 3rd International Symposium for Nano Manufacturing
Member of Executive Committee, Applied Science and Technology Graduate
Program, UC Berkeley
Associate Editor, Journal of Nanoparticle Research
Member of Editorial Board, Journal of Nanoelectronics and Optoelectronics
Member of Editorial Board, Nano Research Letter

c. Transitions. none

d. New Discoveries, Inventions, or Patent Disclosures.

Professor Federico Capasso, Harvard University

Capasso, K. Crozier, E. Cubukcu, E. Kort, and N. Yu, “Active Optical Antenna”
US Patent filed December 2005

Professor Oskar Painter, California Institute of Technology:

UNM-679 “High Performance Hyperspectral Detectors Using Photon Controlling
Cavities,” which was disclosed on July 26, 2004. The U.S. utility patent
application No. 11/225,006 was filed on September 14, 2005.

Professors Kerry Vahala, Harry Atwater, Axel Scherer, California Institute of Technology:

Record turn-on energy quantum dot laser (less than 10 femto Joules).

Record continuous wave operation threshold (660 nanoWatts).

e. Awards

Professor Harry Atwater, California Institute of Technology

Joop Los Award and Fellowship, Dutch Foundation for Fundamental Research on Matter, 2005
Breakthrough Award, Popular Mechanics, 2010
Fred Kavli Distinguished Lectureship in Nanosciences, Materials Research Society, 2010

Professor Federico Capasso, Harvard University

King Faisal International Prize for Science, 2005.
Presidential Gold Medal for Achievements in the Sciences and in the Arts (Italy)
Edison Medal, Institute of Electrical and Electronic Engineers (IEEE), 2004
Arthur Schawlow Prize in Laser Science, American Physical Society, 2004
Tommasoni International Prize for Outstanding Achievements in Physics, 2004

Assistant Professor Oskar Painter, California Institute of Technology

Caltech GSC Mentoring Award, 2005.

Professor David R. Smith, Duke University

Thomson Reuters Citation Laureate
Co-recipient of the Descartes Research Prize, the most prestigious prize given by the European
Union (December. 2005).

Stansell Research Award, given by the Pratt School of Engineering at Duke University (June, 2006).

Professor Xiang Zhang, University of California Berkeley

Chancellor's Professorship, UC Berkeley, 2004-2009.

Finalist for the 2005 Small Times Magazine Small Tech Best Researcher Award

AAAS Fellow

OSA Fellow

Prof. Xiang Zhang, along with students' work selected by *Time Magazine* as one of Top 10 Scientific Discoveries of 2008