

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) 05/20/2015		2. REPORT TYPE Final Report		3. DATES COVERED (From - To) 02/13/15 - 12/31/14	
4. TITLE AND SUBTITLE Mooring Operations for Thin-Ice Arctic Acoustic Window (THAAW) Project				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER N0004-13-I-0462	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) John N. Kemp, WHOI				5d. PROJECT NUMBER 13046200	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) John N. Kemp Woods Hole Oceanographic Institution 266 Woods Hole Road, MS # 39 Woods Hole, MA 02543				8. PERFORMING ORGANIZATION REPORT NUMBER 13046200	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Robert Headrick Office of Naval Research, Code 322 875 North Randolph Street Arlington, VA 22203-1995				10. SPONSOR/MONITOR'S ACRONYM(S) ONR	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) ONR BAA-13-001	
12. DISTRIBUTION/AVAILABILITY STATEMENT					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT At the request of ONR, the Woods Hole Oceanographic Institution (WHOI), in collaboration with Dr. Peter Worcester at the Scripps Institution of Oceanography, will deploy a Distributed Vertical Line Array (DVLA) receiver near the North Pole. The DVLA will be deployed from ice camp Barneo in April 2013 and recovered from Barneo in the spring of 2014.					
15. SUBJECT TERMS Arctic, Mooring					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			John N. Kemp
U	UU	U	UU		19b. TELEPHONE NUMBER (Include area code) 508-289-2241

20151116008

Mooring Operations for the Thin-Ice Arctic Acoustic Window (THAAW) Project

John N. Kemp
Applied Ocean Physics and Engineering
Woods Hole Oceanographic Institution
Woods Hole, MA 02543
phone: (508).289.2241 fax: (508) 457.2196 email: jkemp@whoi.edu

Award: N00014-13-1-0462

LONG-TERM GOALS

The Arctic Ocean is currently undergoing dramatic changes, including reductions in the extent and thickness of the ice cover and extensive warming of the intermediate layers. The multiyear ice is melting. Ice keels are getting smaller. With more open water, the internal wave energy level and therefore acoustic volume scattering are likely increasing, at least during summer. What was learned about acoustic propagation and ambient noise in the Arctic during the Cold War is now obsolete.

The long-term objectives of this research program are to understand the effects of changing Arctic conditions on low-frequency, deep-water propagation and on the low-frequency ambient noise field. The goal is to determine the fundamental limits to signal processing in the Arctic imposed by ocean and ice processes. The hope is that these first few new steps will lead to a larger, permanent acoustic monitoring, communications, and navigation network in the Arctic Ocean (Mikhalevsky *et al.*, 2015).

OBJECTIVES

THAAW was a preliminary experiment to make acoustic propagation measurements in what P. Mikhalevsky (Leidos) refers to as the new thin-ice Arctic regime. The hypothesis is that three factors will contribute to the Thin-ice Arctic Acoustic Window (THAAW):

- (1) The thinning ice in the Arctic is now dominated by one- and two-year ice with greatly reduced pressure ridging, resulting in reduced transmission loss and allowing operation at higher acoustic frequencies than in the past.
- (2) Ambient noise in the Arctic is highly variable, with periods of high noise associated with pressure ridging and periods of low noise when the wind is low and the ice is stable. With much reduced pressure ridging, there should be longer and more frequent periods of low noise conditions.
- (3) There is still ice cover, however, albeit thin and with reduced areal extent, throughout much of the year that will continue to largely insulate the Arctic ocean from wind and solar forcing, preserving the stable Arctic acoustic channel.

The goal of the THAAW project is to quantify the elements of the sonar equation so that an appropriate basin-scale system for long term acoustic monitoring, communication, and navigation can be designed.

APPROACH

With DARPA funding, SAIC deployed a broadband J15-3 acoustic source and a receiving array in the deep Arctic near the North Pole during April 2013. Both the source and receiver were suspended from the ice and drifted with it. Scripps Institution of Oceanography (SIO), Woods Hole Oceanographic Institution (WHOI), and the Naval Postgraduate School (NPS) augmented the SAIC effort with a bottom-moored Distributed Vertical Line Array (DVLA) receiver (Worcester *et al.*, 2009, 2013) deployed close to the Pole. The DVLA consisted of a single 600-m array with 22 Hydrophone Modules. It was programmed to record without interruption for 108 minutes beginning at 1200 UTC six days per week at a sample rate of 1953.125 Hz. The DVLA included 10 Seabird MicroCATs (SBE 37-SM/SMP) to measure temperature and salinity (PI: J. Colosi, NPS), augmenting the temperature measurements made by the Hydrophone Modules.

WORK COMPLETED

The SIO-WHOI DVLA was deployed through the ice at 89° 23.379'N, 062° 35.159'W at Russian ice camp Barneo during 12–15 April 2013. The nominal depth of the subsurface float was 80 m in water 4132 m deep. For a number of reasons, the DVLA did not record any transmissions from the J15-3 source and instead recorded only ambient noise.

On 3 May 2013 we began receiving ALARM messages from the Xeos Kilo Iridium-GPS beacon located on top of the subsurface float, indicating that the mooring had prematurely surfaced. The reported position at the time of surfacing was 88° 50.30'N, 51° 17.91'W, which is 63.4 km from the position at which the THAAW mooring had been deployed. The implication is that the mooring failed shortly after deployment, but the subsurface float was trapped beneath the ice preventing the Xeos beacon from obtaining GPS positions and transmitting Iridium messages. The float drifted slowly south toward Fram Strait after surfacing, although there were frequent gaps when no messages were received (Fig. 1). The mooring was successfully recovered on 20 September 2013 at approximately 84° 02.102'N, 003° 03.497'W using the Norwegian Coast Guard icebreaker KV Svalbard. Dr. Hanne Sagen of the Nansen Environmental and Remote Sensing Center (NERSC) in Bergen, Norway, was Chief Scientist and graciously provided the ship time needed to search for and recover the mooring. We found that the mooring had parted a short distance above the anchor.

There were intermittent problems in the inductive communication link between the D-STAR and the Hydrophone Modules, resulting in some lost data. (The cause of the communication problem is now understood and appropriate modifications have been made to eliminate the problem in future DVLA deployments.) In addition, the acoustic data are at times contaminated by strumming of the mooring. We are working to objectively identify times when strum is present, so that we can remove the effects of strum on the data when possible or discard contaminated data when necessary. In spite of these problems, the ambient noise data collected by the DVLA provide a rich data set for characterizing the ambient noise field.




Fig. 2. The 10th, 50th, and 90th percentiles of ambient noise power as a function of frequency at a nominal depth of 98 m for an approximately two-week period at the beginning of May 2013. (Hydrophone Module S/N 126). The green line is the system noise level.




Fig.3. The 10th, 50th, and 90th percentiles of ambient noise power at 50 Hz as a function of depth during an approximately two-week period at the beginning of May 2013.

RELATED PROJECTS

This project is a joint effort by SIO (P. Worcester), WHOI (J. Kemp), and NPS (J. Colosi). It was designed to augment the SAIC (P. Mikhalevsky) THin-ice Arctic Acoustic Window (THAAW) project, which is one component of the DARPA Assured Arctic Awareness program.

REFERENCES

Dyer, I. (1984). "The song of sea ice and other Arctic Ocean melodies," in *Artic Technology and Policy*, edited by I. Dyer, and C. Chrysostomidis (McGraw-Hill, New York), pp. 11–37.

Mikhalevsky, P. N., Sagen, H., Worcester, P. F., Baggeroer, A. B., Orcutt, J., Moore, S. E., Lee, C. M., Vigness-Raposa, K. J., Freitag, L., Arrott, M., Atakan, K., Beszczynska-Möller, A., Duda, T. F., Dushaw, B. D., Gascard, J. C., Gavrilov, A. N., Keers, H., Morozov, A. K., Munk, W. H., Rixen, M., Sandven, S., Skarsoulis, E., Stafford, K. M., Vernon, F., and Yuen, M. Y. (2015). "Multipurpose acoustic networks in the integrated Arctic Ocean observing system," *Arctic* **68**.

Worcester, P. F., Carey, S., Dzieciuch, M. A., Green, L. L., Horwitt, D., Lemire, J. C., and Norenberg, M. (2009). "Distributed Vertical Line Array (DVLA) acoustic receiver," in *Proc. 3rd International Conference on Underwater Acoustic Measurements: Technologies and Results*, edited by J. S. Papadakis, and L. Bjørnø (Foundation for Research and Technology — Hellas (FORTH), Heraklion, Greece), pp. 113–118.

Worcester, P. F., Dzieciuch, M. A., Mercer, J. A., Andrew, R. K., Dushaw, B. D., Baggeroer, A. B., Heaney, K. D., D'Spain, G. L., Colosi, J. A., Stephen, R. A., Kemp, J. N., Howe, B. M., Van Uffelen, L. J., and Wage, K. E. (2013). "The North Pacific Acoustic Laboratory deep-water acoustic propagation experiments in the Philippine Sea," *J. Acoust. Soc. Am.* **134**, 3359–3375.

PUBLICATIONS AND PRESENTATIONS

Mikhalevsky, P. N., Sagen, H., Worcester, P. F., Baggeroer, A. B., Orcutt, J., Moore, S. E., Lee, C. M., Vigness-Raposa, K. J., Freitag, L., Arrott, M., Atakan, K., Beszczynska-Möller, A., Duda, T. F., Dushaw, B. D., Gascard, J. C., Gavrilov, A. N., Keers, H., Morozov, A. K., Munk, W. H., Rixen, M., Sandven, S., Skarsoulis, E., Stafford, K. M., Vernon, F., and Yuen, M. Y. (2015). "Multipurpose acoustic networks in the integrated Arctic Ocean observing system," *Arctic* **68**.

Worcester, P. F., Dzieciuch, M. A., Colosi, J. A., and Kemp, J. N. (2014). "Ambient noise in the Arctic Ocean measured with a drifting vertical line array," *J. Acoust. Soc. Am.* **136** (168th Meeting of the Acoustical Society of America, Indianapolis, Indiana, 27–31 October 2014, 2aUW14), 2149.

Worcester, P. F., Dzieciuch, M. A., and Colosi, J. A. (2015). "Ambient noise in the Arctic Ocean measured with a drifting vertical line array," *Oceanoise 2015* (Vilanova i la Geltrú, Spain, 11–15 May 2015), p. 118.