

The Channeling (Microventing) Phenomenon in Young Marine Sediments

A. N. Papanicolaou
Research Engineer, IIHR – Hydrosience and Engineering
The University of Iowa
100 Hydraulics Laboratory
Iowa City, Iowa 52242-1585
phone: (319) 335-5237 fax: (319) 335-5238 email: apapanic@icaen.uiowa.edu

Award Number: N000140310877
http://www.onr.navy.mil/sci_tech/ocean/321_sensing/prog_cg.htm

LONG-TERM GOALS

To understand, evaluate, and quantify physical processes involved in the erosion, deposition, and transport of sediments. This involves short-term and long-term effects, and characterization of those effects based on sediment source and fluid mechanics. The outcome of this work will be a deeper understanding of the processes involved, and further development of predictive capabilities.

OBJECTIVES

The objective of the present research is to explore the causes of microventing, a phenomenon generally occurring in cohesive sediments during their deposition and consolidation. Microvents are characterized by volcano-like formations, remnants of the expulsion of fluid and sediment along a vertical channel through the sediment layer. The size of these vent formations ranges from the order of millimeters to several centimeters, hence the term "microvent." Several causes proposed for microvents may be generally grouped as biological processes and mechanical processes. An example of a biological process is the production of subsurface gas due to organic decomposition; rising bubbles can produce microvents. The present study is concerned only with mechanical processes, which are hypothesized to be: A) Pressure fluctuations in pore fluid; B) Solids concentration perturbations near sediment—suspension interface; C) Gas expulsion by sediment compression. The overall scope of this investigation is to describe the microventing process in pure clay sediments and in young marine sediment deposits. Specific tasks of this project are:

- I) Identify whether microventing occurs in consolidation of kaolinite from a low initial concentration
 - II) Identify the control parameter for microventing through different methods of detection
 - III) Perform controlled tests to determine threshold of fluidization
- Incorporate this knowledge into a numerical code

This information will ultimately be used in a quantitative model that predicts the rate of deposition and consolidation of sediment, but does not presently account for microvents (Papanicolaou and Diplas, 1999). Knowledge of microvent formation is also important in defining the erosional stability of young sediments, and such information will be useful to scientists and engineers in several disciplines, including those focusing on the prediction of fate and transport of contaminated sediments and those focusing on the refinement of existing remediation techniques in riverine and estuarine systems (Papanicolaou and Maxwell, 2002).

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2003		2. REPORT TYPE		3. DATES COVERED 00-00-2003 to 00-00-2003	
4. TITLE AND SUBTITLE The Channeling (Microventing) Phenomenon in Young Marine Sediments				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The University of Iowa,,Research Engineer, IIHR - Hydroscience and Engineering,,100 Hydraulics Laboratory,,Iowa City,IA,52242				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 5	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

APPROACH

In order to examine the hypotheses of this study, sedimentation tests have been performed in the laboratory using kaolin clay in water. A series of controlled experiments will be conducted to force microventing by means of water injection into the sedimentation column, in order to approximate the natural microventing. These experiments will be compared with forced microventing by air injection under identical initial conditions. It is believed that analysis of pore water pressure and total (solid and water) pressure time series will lead to better understanding of the causes of microventing, and allow discrimination between those causes. Spatial pressure gradients will also be examined in these tests, and image analysis will be used to compare the visible characteristics of the microvents, which are formed. Solids concentration gradients will also be examined non-destructively with a gamma radiation system constructed for this purpose. Adam Maxwell, a PhD student and Research Assistant, developed the experimental setup and will be performing the majority of future testing. Zhiqiong Hou, MSc student and Research Assistant, performed many sedimentation tests to satisfy Objective I, and is working towards Objective IV with the numerical code of Papanicolaou and Diplas (1999).

WORK COMPLETED

The experimental setup is completed and verified to work correctly. Objective I has been satisfied, and a natural microventing has been observed at sediment concentrations similar to that of a lutocline in an estuarine environment. Progress has been made on Objective IV, in that experimental results of Objective I have been shown to compare well with numerical results.

RESULTS

Previous research had ignored or discounted the possibility of microvents at such low concentrations as those examined under Objective I. Even for cases in which microventing has been observed, few detailed measurements for those cases exist. After further examination of literature and preliminary experimental results, it is believed that pressure is the governing parameter for microventing, and that changes in pressure may be caused by various means. Solids concentration gradients and expulsion of gas from consolidating sediments are two possibilities; these are expected to have different behaviors, just as fluidization by gas produces a different temporal and spatial response in a fluidized bed than fluidization by liquid (Duru and Guazzelli, 2002; Sundaresan, 2003). Although the effects of wave action on poro-elastic beds has been studied previously (e.g. Yamamoto et al., 1978), the present situation involves fragile flocs which may be more properly modeled by an elasto-plastic theory such as that of Buscall and White (1987). The present constitutive modeling practices (e.g. Tiller and Khatib, 1984; Bürger et al., 2000) can approximate the behavior of a microventing system in an average sense, but do not account for the mechanics of the process. More work needs to be done in this area.

IMPACT/APPLICATIONS

The present study has far-reaching impact in many disciplines. The focus in ocean and coastal engineering is on enabling more accurate predictive models of erosional strength and sedimentation, but ocean waste disposal practices are also affected (Pamukcu et al., 1990). There are also implications for many separation processes in chemical and environmental engineering; enhancement of mine waste separation and disposal is one example, as is remobilization of hazardous wastes

(Yanful and Catalan, 2002). Separation and centrifugation processes in biological sciences can benefit from this research, as well.

RELATED PROJECTS

Modeling of hyperpycnal flows and bed stability projects

REFERENCES

Bürger, R., Concha, F., and Tiller, F. M. (2000). Applications of the phenomenological theory to several published experimental cases of sedimentation processes. *Chemical Engineering Journal*, 80: 105–117.

Buscall, R. and White, L. R. (1987). The consolidation of concentrated suspensions. Part 1.—the theory of sedimentation. *Journal of the Chemical Society, Faraday Transactions 1*, 83: 873–891.

Duru, P. and Guazzelli, E. (2002). Experimental investigation on the secondary instability of liquid–fluidized beds and the formation of bubbles. *Journal of Fluid Mechanics*, 470: 359–382.

Pamukcu, S., Tuncan, A., and Fang, H.-Y. (1990). Effects of ocean disposal of wastes on properties of marine sediments. In Demars, K. R. and Chaney, R. C., editors, *Geotechnical Engineering of Ocean Waste Disposal, ASTM STP 1087*. American Society for Testing and Materials, Philadelphia.

Papanicolaou, A. N. and Diplas, P. (1999). Numerical solution of a non–linear model for self–weight solids settlement. *Applied Mathematical Modeling*, 23: 345–362.

Papanicolaou and Maxwell, A. R. (2002) “The Channelling Phenomenon in Young Marine Sediment Deposits: Implications to Pollution Assessment and Prevention.” Presented at the Research and Extension Regional Water Quality Conference, February 20 – 21, Vancouver, WA

Sundaresan, S. (2003). Instabilities in fluidized beds. *Annual Review of Fluid Mechanics*, 35: 63–88.

Tiller, F. M. and Khatib, Z. (1984). The theory of sediment volumes of compressible, particulate structures. *Journal of Colloid and Interface Science*, 100(1): 55–67.

Yamamoto, T., Konig, H. L., and Hijum, E. V. (1978). On the response of a poro–elastic bed to water waves. *Journal of Fluid Mechanics*, 87: 193–206.

Yanful, E. K. and Catalan, L. J. J. (2002). Predicted and field–measured resuspension of flooded mine tailings. *Journal of Environmental Engineering*, 128(4): 341–351.

PUBLICATIONS

Maxwell, A. R. and Papanicolaou, A. N. Experimental Investigation of Microventing in Kaolinite. San Francisco, CA. AGU Fall 2003 Meeting (submitted).

Maxwell, A. R. and Papanicolaou, A. N. Cause and effect of microventing in cohesive sediment beds. Gloucester Point, VA. 7th International Conference on Nearshore and Estuarine Sediment Transport

Processes (accepted).

Maxwell, A. R., Papanicolaou, A. N., and Hou, Z. (2003). Microventing in underconsolidated sediments. Seattle, WA. ASCE 16th Engineering Mechanics Conference.

Maxwell, A. R. and Papanicolaou, A. N. (2002). Microventing in young marine sediments. San Francisco, CA. AGU Fall Meeting.

Muhunthan, B. Papanicolaou, A.N. and Chin, K.H. “A Nonlinear Model For Small-Strain Consolidation.” Submitted to the *International Journal of Numerical and Analytical Methods in Geomechanics*, 2002

Maxwell, A., Papanicolaou, A.N., and Yonge, D. (2002) “Micro Venting (Channeling) in the Subsurface Interface: Environmental Implications.” Presented at the INRA Subsurface Science Symposium, October 13, Boise, ID.

Papanicolaou and Maxwell, A. R. (2002) “The Channelling Phenomenon in Young Marine Sediment Deposits: Implications to Pollution Assessment and Prevention.” Presented at the Research and Extension Regional Water Quality Conference, February 20 – 21, Vancouver, WA