

Comparison of Two Kernels for the Modified Wigner Distribution Function

A Presentation to the Society of Photo-Optical Instrumentation
Engineers International Symposium on Optical Applied Science
& Engineering, Conference 1566 on Advanced Signal Processing
Algorithms, Architectures, and Implementations, July 21-26
1991, San Diego, California

Chintana Griffin
Albert H. Nuttall
Surface Anti-Submarine Warfare Directorate

UNCLASSIFIED

NAVAL UNDERWATER SYSTEMS CENTER
NEWPORT LABORATORY
NEWPORT, RHODE ISLAND 02841-5047
RETURN TO: TECHNICAL LIBRARY



Naval Underwater Systems Center
Newport, Rhode Island • New London, Connecticut

Preface

This work was supported by the Active Classification Project (RJ14B25) of the Submarine/Surface Ship ASW Surveillance Program (Block NU3B, Program Element 62314N). The NUSC Principal Investigator is Dr. K. Scarbrough, Code 33A. The sponsoring activity is the Office of Naval Technology, Code 231, Mr. T. Goldsberry, Program Manager.

Reviewed and Approved: 12 December 1991



D. F. Dence
Associate Technical Director
Surface Anti-Submarine Warfare

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 12 December 1991	3. REPORT TYPE AND DATES COVERED Presentation	
4. TITLE AND SUBTITLE Comparison of Two Kernels for the Modified Wigner Distribution Function		5. FUNDING NUMBERS PR A60020 PE 62314N	
6. AUTHOR(S) Chintana Griffin and Albert H. Nuttall			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Underwater Systems Center New London Laboratory New London, CT 06320		8. PERFORMING ORGANIZATION REPORT NUMBER TD 8921	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Chief of Naval Research Office of the Chief of Naval Research Arlington, VA 22217-5000		10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES		UNCLASSIFIED NAVAL UNDERWATER SYSTEMS CENTER NEWPORT LABORATORY NEWPORT, RHODE ISLAND 02841-5047 RETURN TO: TECHNICAL LIBRARY	
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.		12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This document contains the lecture presentation of the paper entitled "Comparison of Two Kernels for the Modified Wigner Distribution Function," given at the Society of Photo-Optical Instrumentation Engineers International Symposium on Optical Applied Science and Engineering, Conference 1566 on Advanced Signal Processing Algorithms, Architectures, and Implementations, July 21-26, 1991, San Diego, California. We compare the modified Wigner distribution functions obtained via the Choi-Williams kernel and its rotation, as well as by the tilted Gaussian kernel. Based on several commonly used examples, we demonstrate that the modified Wigner distribution obtained via the Gaussian kernel can minimize the artifacts more effectively and has the capability of selectively filtering out undesired components.			
14. SUBJECT TERMS Wigner Distribution Function Gaussian Kernel Choi-Williams Kernel		15. NUMBER OF PAGES 24	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED		18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	
		19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	
		20. LIMITATION OF ABSTRACT SAR	

**COMPARISON OF TWO KERNELS FOR THE MODIFIED
WIGNER DISTRIBUTION FUNCTION**

CHINTANA GRIFFIN, ALBERT H. NUTTALL

**NAVAL UNDERWATER SYSTEMS CENTER
NEW LONDON, CT, USA**

OBJECTIVE

- **COMPARE TILTED GAUSSIAN AND CHOI-WILLIAMS KERNELS IN TERMS OF MODIFIED WIGNER DISTRIBUTIONS FOR MULTI-COMPONENT SIGNALS.**

CRITERIA FOR THE COMPARISON ARE

- **CROSS-TERM SUPPRESSION**
- **DESIRED COMPONENT EXTRACTION**

OUTLINE

- **WIGNER DISTRIBUTION & COMPLEX AMBIGUITY FUNCTION**
- **MODIFIED WIGNER DISTRIBUTION**
 - TILTED GAUSSIAN KERNEL**
 - CHOI-WILLIAMS KERNEL**
- **ROTATION OF KERNEL**
- **EXAMPLES**
- **CONCLUSION**

WIGNER DISTRIBUTION & COMPLEX AMBIGUITY FUNCTION

TCF:	$R(t, \tau) = s\left(t + \frac{\tau}{2}\right) s^*\left(t - \frac{\tau}{2}\right)$
SCF:	$\Phi(v, f) = S\left(f + \frac{v}{2}\right) S^*\left(f - \frac{v}{2}\right)$
WDF:	$W(t, f) = \int R(t, \tau) \exp(-j2\pi f\tau) d\tau$ $= \int \Phi(v, f) \exp(j2\pi v t) dv$
CAF:	$\chi(v, \tau) = \int R(t, \tau) \exp(-j2\pi v t) dt$ $= \int \Phi(v, f) \exp(j2\pi f\tau) df$

$$W(t, f) = \iint \chi(v, \tau) \exp(j2\pi v t) \exp(-j2\pi f\tau) d\tau dv$$

WIGNER DISTRIBUTION & COMPLEX AMBIGUITY FUNCTION

<u>WDF</u>		<u>CAF</u>
AUTO-TERMS	↔	CONCENTRATED NEAR ORIGIN
CROSS-TERMS	↔	SHIFTED AWAY FROM ORIGIN

THE AUTO-TERMS AND CROSS-TERMS IN WDF, (t, f) DOMAIN, ARE ESSENTIALLY SEPARATED IN CAF, (ν, τ) DOMAIN. THE SEPARATION OF THE AUTO-TERMS AND CROSS-TERMS IN CAF DOMAIN MAKES (ν, τ) DOMAIN IDEAL FOR KERNEL DESIGN AND FILTERING.

MODIFIED TIME-FREQUENCY REPRESENTATIONS

modified CAF:

$$\hat{\chi}(v, \tau) = \chi(v, \tau) \tilde{v}(v, \tau)$$

modified SCF:

$$\hat{\Phi}(v, f) = \Phi(v, f) \overset{f}{\oplus} \tilde{V}(v, f)$$

modified TCF:

$$\hat{R}(t, \tau) = R(t, \tau) \overset{t}{\oplus} v(t, \tau)$$

modified WDF:

$$\hat{W}(t, f) = W(t, f) \overset{tf}{\oplus} V(t, f)$$

KERNEL IN EACH DOMAIN

SCF: $\tilde{V}(v, f) = \int \tilde{v}(v, \tau) \exp(-j2\pi f\tau) d\tau$

TCF: $v(t, \tau) = \int \tilde{v}(v, \tau) \exp(j2\pi v t) dv$

WDF: $V(t, f) = \int v(t, \tau) \exp(-j2\pi f\tau) d\tau$

$$= \int \tilde{V}(v, f) \exp(j2\pi v t) dv$$

$$= \iint \tilde{v}(v, \tau) \exp(j2\pi v t - j2\pi f\tau) dv d\tau$$

$\overset{x}{\oplus}$ DENOTES CONVOLUTION ON X

TILTED GAUSSIAN KERNEL

CAF: $\tilde{v}(v,\tau) = \exp\left[-\pi\left(\frac{v^2}{B^2} + \frac{\tau^2}{D^2} + 2r\frac{v\tau}{BD}\right)\right]$

WDF: $V(t,f) = \frac{BD}{\sqrt{1-r^2}} \exp\left[-\frac{\pi}{1-r^2}(B^2t^2 + D^2f^2 + 2rBtDf)\right]$

ARBITRARY B,D , AND r

DIMENSIONLESS TILT PARAMETER $|r| < 1$

CHOI-WILLIAMS KERNEL

CAF: $\tilde{v}(v, \tau) = \exp(-v^2 \tau^2 / \sigma^2), \quad \sigma > 0$

WDF:
$$V(t, f) = 2\pi^{1/2} \sigma \int_0^\infty \cos(2\pi vt) \exp(-\pi^2 \sigma^2 f^2 / v^2) \frac{dv}{v}$$

$$= 2\pi^{1/2} \sigma \int_0^\infty \cos(2\pi f\tau) \exp(-\pi^2 \sigma^2 t^2 / \tau^2) \frac{d\tau}{\tau},$$

$$t \neq 0, f \neq 0$$

ROTATION OF KERNEL




EXPRESS \tilde{v} IN TERMS OF A NORMALIZED FUNCTION \tilde{u} :

$$\tilde{v}(v, \tau) = \tilde{u}(v/B, \tau/D)$$



LET θ BE THE ANGLE OF ROTATION IN THE $v/B, \tau/D$ PLANE, $C = \cos(\theta)$, $S = \sin(\theta)$. THEN THE ROTATED WEIGHTING IS

$$\begin{aligned} \tilde{r}(v, \tau) &= \tilde{u}\left(C\frac{v}{B} + S\frac{\tau}{D}, C\frac{\tau}{D} - S\frac{v}{B}\right) \\ &= \tilde{v}\left(Cv + S\frac{B}{D}\tau, C\tau - S\frac{D}{B}v\right) \end{aligned}$$

EXAMPLE 1: TWO AM SINEWAVES




EXAMPLE 1: TWO AM SINEWAVES




EXAMPLE 1: TWO AM SINEWAVES




CHOI-WILLIAMS KERNEL





C-WDF



EXAMPLE 2: TWO PARALLEL LFMS




EXAMPLE 2: TWO PARALLEL LFMS




EXAMPLE 2: TWO PARALLEL LFMS



CHOI-WILLIAMS KERNEL






C-WDF





EXAMPLE 2: TWO PARALLEL LFMS





EXAMPLE 3: UPSLIDE, DOWNSLIDE LFMS



EXAMPLE 3: UPSLIDE, DOWNSLIDE LFMS




EXAMPLE 3: UPSLIDE, DOWNSLIDE LFMS




EXAMPLE 3: UPSLIDE, DOWNSLIDE LFMS



CHOI-WILLIAMS KERNEL



C-WDF



EXAMPLE 3: UPSLIDE, DOWNSLIDE LFMS



CONCLUSIONS

TILTED GAUSSIAN KERNEL

- EFFECTIVELY SUPPRESSES THE CROSS-TERMS AND RECOVERS THE AUTO-TERMS IN ALL CASES CONSIDERED HERE
- EFFECTIVELY EXTRACTS SELECTED COMPONENTS, PROVIDED THE ENERGY DISTRIBUTIONS DO NOT SIGNIFICANTLY OVERLAP IN THE (t,f) DOMAIN

CHOI-WILLIAMS KERNEL

- EFFECTIVELY SUPPRESSES THE CROSS-TERMS AND RECOVERS THE AUTO-TERMS ONLY FOR THE CASE WHERE THE SLOPES OF THE LINES OF INSTANTANEOUS FREQUENCY ARE ZERO; I.E. NO FM
- HAS NO CAPABILITY TO EXTRACT SELECTED COMPONENTS

CONCLUSIONS

ROTATED CHOI-WILLIAMS KERNEL

- **SUBSTANTIALLY IMPROVES THE CROSS-TERM SUPPRESSION AND THE AUTO-TERM RECOVERY FOR THE CASE WHERE THE SLOPES OF THE LINES OF INSTANTANEOUS FREQUENCY ARE NON-ZERO**
- **EXTRACTION OF SELECTED COMPONENTS WITH DISTINCT SLOPES OF THE LINES OF INSTANTANEOUS FREQUENCY CAN BE DONE WITH LIMITED SUCCESS**

NUSC TD 8921
 DISTRIBUTION LIST, INTERNAL

D ABRAHAM	3314	S SUTHERLAND-PIET	3314
R BARTON	3314	M TATTERSALL	3112
W CHANG	3314	R TOZIER	2121
I COHEN	3332	R TREMBLEY	3314
W COMEAU	3314	R TURNER	3314
D COUNSELLOR	33	T TYLASKA	3331
R DEAVENPORT	3112	C GODOY	8223 NPT
R DWYER	3331	C ROSENTHAL	8223 NPT
J FAY	3331	E SULLIVAN	103 NPT
J GEARY	3111		
S GREINER	2121		
C GRIFFIN	3314	(10 COPIES)	
M HALLISEY	3314	LIBRARY, NEW LONDON	0261 (3 COPIES)
P HERSTEIN	33A		
E JENSEN	3122	LIBRARY, NEWPORT	0262 (3 COPIES)
F KHAN	3314		
I KIRSTEINS	3314		
P KOENIGS	3112		
D LERRO	3314		
M MAUGLE	3331		
G MAYER	30A		
J MELILLO	3331		
A NUTTALL	304		
N OWSLEY	2123		
R PAUL	3331		
A QUAZI	3122		
R RADLINSKI	311		
W RODERICK	101		
A SAENGER	3112		
K SCARBROUGH	33A		
P STAHL	3331		
R STAHL	2121		
D SHELDON	3314		
E SIEGLE	3314		
J SIKORSKI	3331		
R STREIT	214		