

UNCLASSIFIED

AD NUMBER	
ADC955799	
CLASSIFICATION CHANGES	
TO:	UNCLASSIFIED
FROM:	CONFIDENTIAL
LIMITATION CHANGES	
TO: Approved for public release; distribution is unlimited.	
FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; 22 OCT 1987. Other requests shall be referred to Naval Air Development Center, Warminster, PA 18974. This document contains export-controlled technical data.	
AUTHORITY	
NAWCAD memo dtd 26 Aug 2016; NAWCAD memo dtd 26 Aug 2016	

THIS PAGE IS UNCLASSIFIED

FILE COPY

UNANNOUNCED

~~SECRET~~

COPY 39

1

~~CONFIDENTIAL~~

U. S. NAVAL AIR DEVELOPMENT CENTER

JOHNSVILLE, PENNSYLVANIA

NADC LIBRARY

Anti-Submarine Warfare Laboratory

REPORT NO. NADC-AW-N6207

3 MAY 1962

TECHNICAL NOTE
AIRBORNE INFRARED OCEANOGRAPHIC MAPPING (U)

F. M. Moser

WEPTASK NO. HUDC4000/2021/F001-05-002
Problem No. 204

AD-C955 799

DOWNGRADED AT 12 YEAR
INTERVALS; NOT AUTOMATICALLY
DECLASSIFIED. DOD DIR 5200.10

DTIC
ELECTE
DEC 22 1987



Declassify OADR
Authority DoD 5200.1-R, Para 4-600b

DO NOT
DESTROY!

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION CONFIDENTIAL			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Distribution limited to U.S. Government agencies and their contractors; Critical Technology; 22 Oct 1987		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE Downgraded at 12-yr intervals; Not Automatically Declassified 60p DIR 5200.10			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
4. PERFORMING ORGANIZATION REPORT NUMBER NADC-AW-N6207			7a. NAME OF MONITORING ORGANIZATION Bureau Of Naval Weapons (RUDC-43)		
6a. NAME OF PERFORMING ORGANIZATION Naval Air Development Center			7b. ADDRESS (City, State, and ZIP Code) Department of the Navy Washington, 25 DC		
6c. ADDRESS (City, State, and ZIP Code) Johnsville, Warminster, PA 18974			9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DA8000/2021 FO01-05-002 Prob. 204		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)		10. SOURCE OF FUNDING NUMBERS	
				PROGRAM ELEMENT NO. PROJECT NO. TASK NO. WORK UNIT ACCESSION NO.	
				NEPTASK RUDC4B000/2021 FO01-05-002 Prob. 204	
11. TITLE (Include Security Classification) Airborne Infrared Oceanographic Mapping (U)					
12. PERSONAL AUTHOR(S) P.M. MOSER					
13a. TYPE OF REPORT Technical Note		13b. TIME COVERED FROM May 1959 to May 1962		14. DATE OF REPORT (Year, Month, Day) 1962 May 3	
15. PAGE COUNT 17					
16. SUPPLEMENTARY NOTATION Transcript of a talk given on 7, 9, 15 and 30 November 1961					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Submarine Antisubmarine Surface Effects Propagation		
			Wake Infrared Sea Surface Thermal Front		
			Detection Airborne Underwater Sound Nonacoustic		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) (C) WEPTASK RUDC4B000/2021/FO01-05-002, Problem Assignment No. 204 was established to perform studies, establish equipment characteristics, procure equipment and conduct technical and flight evaluations of modified passive infrared line scan surveillance systems to determine their capability for detecting surface wakes generated by the passage of submerged submarines from fixed-wing aircraft. This report provides a semi-quantitative description of results of obtained during overwater flight trials of the AN/AAD-2 infrared line scanner. Infrared imagery of surface effects produced by submarines operating on the surface, while snorkelling, at periscope depth, and at 100-ft depth (but positively buoyant) is presented. Imagery of ships suggests use of passive infrared imaging devices for nighttime detection and classification of surface vessels. Imagery of the surface expression of natural bulk sea temperature structures suggests the use of thermal mapping devices as adjuncts to sonar for inferring acoustic propagation characteristics.					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION CONFIDENTIAL		
22a. NAME OF RESPONSIBLE INDIVIDUAL PAUL M. MOSER			22b. TELEPHONE (Include Area Code) (215) 441-1873		22c. OFFICE SYMBOL 50C

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted
All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

U.S. Government Printing Office: 1985-507-047

~~CONFIDENTIAL~~

CONFIDENTIAL

NADC-AW-N6207

TECHNICAL NOTE
AIRBORNE INFRARED OCEANOGRAPHIC MAPPING (U)

P. M. Moser

One of the two primary reasons for the existence of the U. S. Navy is, in time of war, to control the use of the seas for U. S. purposes and deny their use to the enemy. Since control follows from knowledge it would be appropriate that the U. S. Navy have the clearest understanding of the seas. Yet, it has been said that more is known about the moon than is known about the oceans. With the coming of the submarine and the airplane a third dimension has been added to the former two-dimensional domain to be controlled. The U.S.S.R. has responded by a greatly increased effort in oceanographic studies---the U. S. is lagging in studies of this "inner space" in much the same manner as the studies of outer space. The surveillance of the sea: to detect, to classify, and to monitor hostile vehicles, is one of the most critical ingredients of any program of anti-submarine warfare. To find submarine targets consistently requires a far more extensive knowledge of the sea itself than currently prevails.

The group that I represent has been investigating the possibility of detecting submarines by detecting effects produced by them on the surface of the ocean. One such effect is a change of surface water temperature in the wake of a submarine due to a stirring of subsurface water of different temperature to the surface. By use of passive, airborne, infrared mapping devices, designed originally for land reconnaissance, we have been able to obtain thermal pictures of the sea surface, which under certain, not-clearly-defined conditions, reveal surface effects produced by submerged submarines. As by-products, we have discovered an interesting phenomenon that points out the value of airborne infrared imaging devices as oceanographic instruments; we have inferred a potential method of improving sonar ranges based on utilization of this phenomenon; we have inferred a potential method by which a friendly submarine may effectively shield itself against detection by sonar; we have noted that detection and partial classification of surface vessels is possible even on the darkest of nights by means of these passive devices and, finally, these latter results suggest the feasibility of a missile using an infrared guidance system to be used against surface vessels.

I should like to take you along in our P2V aircraft on a simulated submarine detection exercise with an infrared mapping device. The infrared pictures that I show you have been recorded at night and are taken from a number of our exercises.

As we pass over the beach (figure 1) at Long Branch, New Jersey en route to the operating area we note an overflow of cold, fresh water into the ocean from the Takanassee Lake reservoir and an ebbing tide drawing it to the southeast. As the aircraft advances at 170 knots at a

CONFIDENTIAL

~~CONFIDENTIAL~~

NADC-AW-N6207

representative altitude of 2000 feet, our infrared device sweeps out a continuous strip map 2300 yards wide. About 16,000 relative temperature measurements---each of about 0.050° resolution---are made each second and recorded sequentially on photographic film in the form of an image such that warm areas appear light and cool areas appear dark. Typically, an area of 195 square nautical miles can be surveyed per hour---a 10-knot oceanographic vessel would require almost four months to cover an equivalent area. Furthermore, in the latter case, the complexion of the ocean surface would have changed so many times during the measurement period that only its more permanent features---such as the Gulf Stream---would be discernible. This picture (figure 2), a 7500-yard long view of the ocean off Long Branch, shows one of commonly several demarcation lines running parallel to the shore, which represent perhaps a shearing of the inshore tidal currents against permanent oceanic currents. As we cross the coastal shipping lanes, we encounter first a ship (figure 3) with three hot stacks and then one (figure 4) with one hot stack. Next we pass over a ship (figure 5) which, from its dimensions and the placement of its two stacks, appears to be a destroyer. These pictures suggest the possible utilization of a passive infrared mapping device for the nighttime detection and partial classification of surface vessels. In addition, since a hot stack serves as an excellent beacon in the intermediate wavelength portion of the infrared spectrum, perhaps a family of Sidewinder-like missiles could be developed for use against surface vessels.

Finally, we arrive in the submarine operating area and we recognize the submarine (figure 6) on the surface as a warm, stackless, rather poorly defined object against the cool sea background. We note that on this occasion and in this particular area, the oceanographic conditions are such that a finely-etched, line-like, cold wake is being generated.

On other occasions we have recorded warm wakes (figure 7) such as a submarine operating at maximum periscope depth has generated in this case. We note in this picture that the submarine has passed from a region where the surface water is cool to one where it becomes abruptly a few tenths of a degree warmer. In the cool portion the wake appears puffy; in the warm portion it appears more like a slick. We note also an apparent shearing of adjacent water masses taking place since the wake is discontinuous along the line of demarcation. If we are operating in an area where there are diverging currents we may observe a natural upwelling of water to the surface. We believe that this infrared scene (figure 8), recorded off the coast of Maine, depicts such a phenomenon. Also of interest in this picture is a 2-mile long wake of a snorkeling submarine. On the original negative it appears strikingly like an aircraft contrail against a background of clouds.

in a positively buoyant condition
We request the submarine to operate at a keel depth of 100 feet at a speed of 6 knots. Then we map the area in front of the submarine (figure 9) to insure against crediting the submarine with generating any surface patterns that may be of natural origin. We see a natural background pattern which we can use as a geographical reference.

~~CONFIDENTIAL~~

CONFIDENTIAL

NADC-AW-N6207

This picture (figure 10), which was recorded 13 minutes after the preceding one, shows the same area, which has now been almost completely transversed by the submarine from left to right. We see a series of what appear to be cold splashes produced on the surface by passage of the submerged submarine.

out-of-trim

This picture (figure 11) of the same scene was recorded on the next aircraft pass 4 minutes after the preceding one. Now we see more splashes on the surface indicating the advance of the submarine. It is interesting to note that the actual position of the submarine, at the time of this recording, was about 1/2 mile beyond the line represented by the right edge of this picture. There was an interval of about 9 minutes between the time of passage of the submarine and the time of expression of the observed effects on the surface. Although we cannot say exactly what mechanisms are involved in the generation of these surface effects, we have noted in these airborne experiments, as well as in model tank experiments we have been conducting, a dependence on a vertical temperature gradient in the water. Since sonar ranges are reduced quite drastically in regions where strong gradients exist, it may be inferred that infrared wake detection could take over as the primary means of submarine detection when sonar conditions are poorest. Our submerged run has been completed and the submarine (figure 12) is now operating on the surface. Except for that part of the hull enclosing the engine rooms in its after-section, the submarine now appears cooler than the surface water---perhaps due to operating at the cooler depths; perhaps due to a decrease in temperature of the air below that of the sea. However, the most striking feature of this picture is not the submarine but the ominous-looking, striated, cloud-like structure from which it has just emerged. Let me draw an analogy between this "thermal cloud" in the ocean and a cloud in the atmosphere. Might not a submarine submerged in this "thermal cloud" be secure against sonar detection in much the same manner as an aircraft hiding in an atmospheric cloud is secure against visual detection? Now let us direct the analogy along a different line. Would it not be foolish for an interceptor aircraft to operate in a cloud deck while searching visually for an enemy aircraft? So also it may be equally unsatisfactory to operate a sonar device---whether it be on a destroyer or in a sonobucy---immersed in one of these "thermal clouds." An airborne infrared mapping system providing thermal pictures of the ocean surface may be of considerable value in ASW operations as an adjunct to sonar.

Now our simulated exercise is completed and we head back to land. As we pass over Barnegat Bay (figure 13) we note in the water a cool region surrounded by a warmer area. Upon completion of the flight we note on a Coast and Geodetic Survey Chart of the area (figure 14) a distinct correspondence between the pattern on our thermal map and the bottom contours of the Bay.

In concluding let me express the hope that I have conveyed to you three ideas:

CONFIDENTIAL

~~CONFIDENTIAL~~

NADC-AW-N6207

First, a much better understanding of our oceans is needed and air-borne infrared imaging systems can serve as valuable instruments in achieving this understanding.

Second, infrared studies of the oceans and the vessels plying them can suggest many new types of military operations and weapons.

Third, infrared devices exhibit considerable potential for submarine detection in their own right as well as serving as adjuncts to others.

(b)(6)
P. M. Moser

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

NADC-AM-N6207



FIGURE 1 - Infrared Picture Recorded by AN/AAD-2 of Takanassee Lake Reservoir Overflow into the Atlantic Ocean



FIGURE 2 - Infrared Picture of Ocean off Long Branch, N. J. Showing Thermal Discontinuity About 5000 Yards Offshore

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

WADS-AW-NY 100




FIGURE 3 - Infrared Picture of Ship With Three Hot Stacks

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

- 7 -



FIGURE 4 - Infrared Picture of Ship With One Hot Stack

- 7 -

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

NAJDC-AW-N6207




FIGURE 5 - Infrared Picture of Ship With Two Hot Stacks

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

NADC-AW-N6207




FIGURE 6 - Submarine on Surface Generating a Cold Wake

~~CONFIDENTIAL~~



FIGURE 7 - Infrared Picture Recorded by AN/AAR-9 of a Natural Sea Surface Pattern and Warm Wake from a Submarine at Periscope Depth



FIGURE 8 - Infrared Picture Recorded by AN/AAD-2 of a Natural Sea Surface Pattern and a Cold Puffy Wake Generated by a Snorkeling Submarine

~~CONFIDENTIAL~~

NADC-AW-N6207



FIGURE 9 - Infrared Picture Recorded by AN/AAD-2 of Sea Surface
Before Entry of Submarine into Area Shown



FIGURE 10 - Infrared Picture Recorded During Passage of 100-Ft Deep Submarine Through Area Shown

~~CONFIDENTIAL~~



FIGURE 11 - Infrared Picture Recorded After Passage of 100-Ft Deep Submarine Through Area Shown




FIGURE 12 - Infrared Picture of Submarine on Surface and Natural Thermal Pattern on Ocean Surface

~~CONFIDENTIAL~~



FIGURE 13 - Infrared Picture of Portion of Barnegat Bay

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

NADC-AW-N6207




FIGURE 14 - Portion of Coast and Geodetic Survey Chart of Barnegat Bay

~~CONFIDENTIAL~~

26 Aug 2016

MEMORANDUM FOR THE RECORD

FROM: Division Director EO & Special Mission Sensors, Avionics, Sensors and E* Warfare Dept (AIR 4.5.6)

TO: Office of Counsel, Naval Air Warfare Center, Aircraft Division (NAWCAD)

Subj: SECURITY RECOMMENDATION FOR FOIA REQUEST, DON FOIA CASE FILE NUMBER 2015-008952

Ref: (a) SECNAVINST 5720.42F, DON FOIA Program, 06 Jan 99

(b) Executive Order 13526

1. Recommendation. AIR 4.5.6 reviewed each document and has the following recommendations listed by each separate document covered under the subject:
 - a. Document (2) of Subj. NAVAIRDEVCEN Report No NADC-AW-N5916, 5 Jun 1959, "Submarine Wake Detection Program" (AD-C955796). Information found to be unclassified and releasable in its entirety.
 - b. Document (3) of Subj. NAVAIRDEVCEN Report No NADC-AW-N5917, 8 Oct 1959, "Infrared Wake Detection" (AD-C955804). Information found to be unclassified and releasable in its entirety.
 - c. Document (4) of Subj. NAVAIRDEVCEN Report No. NADC-AW-L5932, 23 Feb 1960, "Submarine Wake Detection" (AD-C955797). Portions of the report found to be classified under Section 3.3(4) under reference (b). Remaining portions of the document found to be unclassified and releasable.
 - d. Document (5) of Subj. NAVAIRDEVCEN Report No. NADC-AW-L6005, 30 Mar 1962, "Submarine Wake Detection, Flight Trials of the Reconofax Camera" (AD-C955798). Information found to be unclassified and releasable in its entirety.
 - e. Document (6) of Subj. NAVAIRDEVCEN Report No. NADC-AW-N6207, 3 May 1962, "Airborne Infrared Oceanographic Mapping" (AD-C955799). Information found to be unclassified and releasable in its entirety.
 - f. Document (7) of Subj. NAVAIRDEVCEN Report No. NADC-AW-N6208, 8 Jun 1962, "NAVAIRDEVCEN Airborne Infrared Developments" (AD-C955801). Information found to be unclassified and releasable in its entirety.
 - g. [REDACTED]

- [REDACTED]
- [REDACTED]
- h. Document (11) of Subj. NAVAIRDEVCON Report No. NADC-AW-N6304, 20 Jun 1963, "Use of an Airborne Passive Infrared Mapping Set for Submarine Wake Studies" (AD-338356L). Portions of the report are found to be exempted under reference (b) Section 3.3(6). Remaining portions of the document found to be unclassified and releasable.
- i. Document (12) of Subj. NAVAIRDEVCON Report No. NADC-AW-6303, 31 Jul 1963, Submarine Wake Detection, Flight Trials of the AN/AAD-2 Infrared Mapping Set in a Cessna 310-B Aircraft" (AD-340804). Information found to be unclassified and releasable in its entirety.
- j. [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- k. Document (14) of Subj. NAVAIRDEVCON Report No. NADC-87161-50, 28 Oct 1987, "Applications of Airborne Passive Infrared Mapping Devices to Military Oceanography" (Reprinted from Proceedings of the First U.S. Navy Symposium on Military Oceanography, Volume II, 17-19 June 1964) (AD-C042316). Information found to be unclassified and releasable in its entirety.
- l. Document (15) of Subj. NAVAIRDEVCON Report No. NADC-AW-6421, 27 Aug-1964, "Infrared Radiation from Ships" (AD-353610L). Portions of the report found to be exempt under reference (b) Section 3.3(6). Remaining portions of the document found to be unclassified and releasable.
- m. [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- n. [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- o. [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

2. Basis of Recommendation. All information was reviewed with current class guides and what is considered open source information. Appropriate recommendations made above with respect to findings. Documents found with portions releasable were sanitized based on class guides and reference (b). Such disclosure of Department of the Navy classified information would give potential adversaries insight that would present a significant threat to national security.
3. Exemptions Utilized. Two separate exemptions were utilized in the determination of what information should be sanitized or exempted from release via Freedom of Information Act (FOIA) request process. All current Classified Military Information (CMI) has been sanitized out of the document under FOIA Exemption 3, Executive Order 13526 Sections 3.3(4) and 3.3(6). This Executive Order Section covers CMI that was originally classified over 25 years ago from date of this memorandum. Subject matter experts within AIR 4.5.6 were utilized in making the exemption determinations.
4. Point of Contact. The point of contact for this security review and recommendation is Mr. Paul W. Reimel, AIR 4.5.6 Division Director, paul.reimel@navy.mil, 301-342-0100.

8/30/2016

X Paul W. Reimel

Paul W. Reimel

Signed by: REIMEL.PAUL.W.1229241016

Distribution:

NAWCAD 7.4

NAWCAD 4.5.6